

*

according to 1907/2006/EC, Article 31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Printing date 01.07.2021

Revision: 01.07.2021

· 1.1 Product identifier	
· Trade name: STD-AA T	EST MIX
• Article number: 029005-	
	ses of the substance or mixture and uses advised against
No further relevant infor	
	ince / the mixture Laboratory chemicals
• 1.3 Details of the supplie	
• Manufacturer/Supplier:	T of the sufery and sheet
manajacia ci/Sappier.	
PerkinElmer, Inc.	
710 Bridgeport Avenue	
Shelton, Connecticut 064	'84 USA
CustomerCareUS@perk	
203-925-4600	
PerkinElmer, Inc.	
Chalfont Road Buckingh	amshire
Seer Green HP9 2FX	
cc.uk@perkinelmer.com	
United Kingdom	
P: 0800 896 046	
F: 0800-89 17 14	
1. 0000-09 17 14	
PerkinElmer, Inc.	
Llantrisant Business Par	k Unit A
Llantrisant CF72 8YW	x, Onu A
United Kingdom	
cc.uk@perkinelmer.com	
<i>P: 44 1443 234005</i>	
• 1.4 Emergency telephon	a number
CHEMTREC (within US)	
	de US) +1 703-527-3887 (call collect)
CHEMTREC (within AU)	
CHEMIKEC (WINN AO	(01)-2)0372))4
SECTION 2. II	1
SECTION 2: Hazar	
· 2.1 Classification of the	substance or mixture
	to Regulation (EC) No 1272/2008
	fied, according to the CLP regulation.
· 2.2 Label elements	······································
	Degulation (EC) No 1272/2009 Void
	Regulation (EC) No 1272/2008 Void
• Hazard pictograms Void	
• Signal word Void	
• Hazard statements Void	
• Hazard statements Void • Additional information:	
• Hazard statements Void • Additional information: Contains nickel. May pro	duce an allergic reaction.
 Hazard statements Void Additional information: Contains nickel. May pro Safety data sheet availab 	
 Hazard statements Void Additional information: Contains nickel. May pro Safety data sheet availab 2.3 Other hazards 	le on request.
 Hazard statements Void Additional information: Contains nickel. May pro Safety data sheet availab 2.3 Other hazards The product does not compared 	
 Hazard statements Void Additional information: Contains nickel. May pro Safety data sheet availab 2.3 Other hazards 	le on request.



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

(Contd. of page 1)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone		
CAS: 7647-01-0	Hydrochloric Acid	2.0%
EINECS: 231-595-7	Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	
· Additional Compone	ents	
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.2%
CAS: 7439-89-6	iron	0.1%
EINECS: 231-096-4		
CAS: 7440-02-0	nickel	0.1%
EINECS: 231-111-4	Carc. 2, H351; STOT RE 1, H372 Skin Sens. 1, H317	
CAS: 7440-09-7	potassium	0.1%
EINECS: 231-119-8	Water-react. 1, H260 Skin Corr. 1B, H314	
CAS: 7440-23-5	sodium	0.1%
EINECS: 231-132-9	Water-react. 1, H260 Skin Corr. 1B, H314	
CAS: 7440-47-3	chromium	0.1%
EINECS: 231-157-5		
CAS: 7440-50-8	copper	0.1%
EINECS: 231-159-6		
CAS: 7440-66-6	zinc	0.1%
EINECS: 231-175-3		
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-70-2	calcium	0.1%
EINECS: 231-179-5	🚸 Water-react. 2, H261	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• *After skin contact: Generally the product does not irritate the skin.*

• After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 01.07.2021

Revision: 01.07.2021

(Contd. of page 2)

Trade name: STD-AA TEST MIX

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Absorb with liquid-binaing material (sana, alatomite, acta binaers, univers
- 6.4 Reference to other sections
- No dangerous substances are released. See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

WEL Short-term value: 8 mg/m³, 5 ppm

Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

(Contd. on page 4)

GB –



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

(Contd. of page 3) • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. · **Respiratory protection:** Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Goggles recommended during refilling

9.1 Information on basic physical a	nd chemical properties	
General Information		
Appearance:	T · · · 1	
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless Not determined.	
Odour threshold:	Not determinea.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	0 °C	
Initial boiling point and boiling ra	unge: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

	(Contd. of page 4
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	97.2 %
Solids content:	0.7%
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

(Contd. of page 5)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN1789	
	01/1/07	
· 14.2 UN proper shipping name · ADR	1789 HYDROCHLORIC ACID	
· IMDG, IATA	HYDROCHLORIC ACID	
· · ·	триостроние лено	
· 14.3 Transport hazard class(es)		
·ADR		
· Class	8 (C1) Corrosive substances.	
· Label	8	
· IMDG, IATA		
· Class	8 Corrosive substances.	
· Label	8	



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

	(Contd. of page
14.4 Packing group	
ADR, IMDĞ, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
•	
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	Ε
14.7 Transport in bulk according to Annex II o	f
Marpol and the IBC Code	, Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	51.
Excepted quantities (EQ)	SE Code: El
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Transport category Tunnel restriction code	S E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID, 8, III

SECTION 15: Regulatory information

·15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.2%
	Hydrochloric Acid Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	2.0%
	iron	0.1%

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 8)

GB



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

(Contd. of page 7)

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

H250 Catches fire spontaneously if exposed to air.
H260 In contact with water releases flammable gases which may ignite spontaneously.
H261 In contact with water releases flammable gases.
H300 Fatal if swallowed.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS:

Environmental, Health and Safety PerkinElmer Chalfont Road Buckinghamshire Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX : 0800-89 17 14

• Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

GB



Printing date 01.07.2021

Revision: 01.07.2021

Trade name: STD-AA TEST MIX

(Contd. of page 8)

ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.