


Printing date 07/28/2021

Review date 07/28/2021





Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

(Contd. of page 1) · Hazard statements H225 Highly flammable liquid and vapor. H312 Harmful in contact with skin. H331 Toxic if inhaled. H319 Causes serious eve irritation. H371 May cause damage to organs. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P241 *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. P242 Take precautionary measures against static discharge. P243 Do not breathe dust/fume/gas/mist/vapors/spray. P260 P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. P280 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eves: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 IF exposed or concerned: Call a poison center/doctor. P312 Call a poison center/doctor if you feel unwell. P321 Specific treatment (see on this label). *P362*+*P364* Take off contaminated clothing and wash it before reuse. If eve irritation persists: Get medical advice/attention. *P337+P313* P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. P403+P233 P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH *2 *Health* = *2FIRE 2 Fire = 2*Reactivity* = 0REACTIVITY 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 3)

USA



Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 2)

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

75-05-8 acet	onitrile	77.8401%
	Flam. Liq. 2, H225 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2A, H319	
67-56-1 meth	hanol	9.901%
🦂 E	Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	
Additional C	omponents	
7732-18-5	Water	12.0%
	SpectraSynQ 2721	0.188%
540-69-2	ammonium formate	0.0339%
99-76-3	methyl 4-hydroxybenzoate	0.025%
393-11-3	4-Nitro-3-(trifluoro-methyl) aniline	0.011%
	Acute Tox. 3, H301; Acute Tox. 3, H311 Acute Tox. 4, H332	
105809-15-2	SpectraSynQ 1621	0.001%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

USA



Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 3)

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals DAC 1.

· PAC-1:		
75-05-8	acetonitrile	13 ppm
67-56-1	methanol	530 ppm
540-69-2	ammonium formate	3.7 mg/m ³
· PAC-2:		
75-05-8	acetonitrile	50 ppm
67-56-1	methanol	2,100 ppm
540-69-2	ammonium formate	41 mg/m ³
· PAC-3:		
75-05-8	acetonitrile	150 ppm
67-56-1	methanol	7200* ppm
540-69-2	ammonium formate	240 mg/m ³

(Contd. on page 5)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

(Contd. of page 4)

7 Har	ndling and storage
• Prec Ensu Oper Prev • Infor Keep Prote	dling: autions for safe handling ure good ventilation/exhaustion at the workplace. In and handle receptacle with care. Went formation of aerosols. Trmation about protection against explosions and fires: to ignition sources away - Do not smoke. ect against electrostatic charges. To respiratory protective device available.
 Store Require Information Furta Keep Store Keep 	ditions for safe storage, including any incompatibilities age: wirements to be met by storerooms and receptacles: Store in a cool location. rmation about storage in one common storage facility: Not required. ther information about storage conditions: o receptacle tightly sealed. e in cool, dry conditions in well sealed receptacles. o refrigerated
· Spec	<i>ific end use(s)</i> No further relevant information available.
8 Exp	ific end use(s) No further relevant information available. posure controls/personal protection itional information about design of technical systems: No further data; see item 7.
8 Exp • Addi	oosure controls/personal protection
8 Exp • Addi • Cont	posure controls/personal protection itional information about design of technical systems: No further data; see item 7.
8 Exp • Addi • Cont • Com	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters
8 Exp · Addi · Cont · Com 75-0. PEL	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile Long-term value: 70 mg/m ³ , 40 ppm
8 Exp · Addi · Cont · Com 75-0. PEL	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile
8 Exp · Addi · Cont · Com 75-0. PEL REL	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile Long-term value: 70 mg/m ³ , 40 ppm
8 Exp · Addi · Cont · Com 75-0. PEL REL TLV	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile Long-term value: 70 mg/m³, 40 ppm Long-term value: 34 mg/m³, 20 ppm Long-term value: 34 mg/m³, 20 ppm
8 Exp • Addi • Cont • Com 75-0. PEL REL TLV 67-50	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile Long-term value: 70 mg/m³, 40 ppm Long-term value: 34 mg/m³, 20 ppm Long-term value: 34 mg/m³, 20 ppm Skin
8 Exp • Addi • Cont • Com 75-0. PEL REL TLV 67-50 PEL	posure controls/personal protection itional information about design of technical systems: No further data; see item 7. trol parameters ponents with limit values that require monitoring at the workplace: 5-8 acetonitrile Long-term value: 70 mg/m³, 40 ppm Long-term value: 34 mg/m³, 20 ppm Skin 6-1 methanol

67-56-1 methanol BEI 15 mg/L

Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)

(Contd. on page 6)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

(Contd. of page 5) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles or safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification Characteristic Odor: Not determined. · Odor threshold: · pH-value: Not determined. · Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 7)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

	(Contd. of page 6)
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	5 °C (41 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
• Density at 20 •C (68 •F):	1 g/cm ³ (8.345 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	9.9 %
Water:	12.0 %
VOC content:	9.90 %
• Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

(Contd. of page 7)

11 Toxicological information

Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

75-05-8 acetonitrile

LD50 2730 mg/kg (rat) Oral

Dermal LD50 1250 mg/kg (rabbit)

67-56-1 methanol

LD50 5628 mg/kg (rat) Oral

Dermal LD50 15800 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 9)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

(Contd. of page 8)

13 Disposal considerations


· Waste treatment methods

· Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.



[·] Uncleaned packagings:



*

Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

	(Contd. of page
Label	3/6.1
IATA	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group	
DOT, ADR, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	550 F-E,S-D
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E2
Excepted quantutes (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S
Ŭ	(ACETONITRILE, METHANOL), 3 (6.1), II

15 Regulatory information	
· Safety, health and environmental regulations/legislation specific for the substance or mixture	
75-05-8 acetonitrile	77.8401%
Flam. Liq. 2, H225 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2A, H319	
(C	ontd. on page 11
	US



Printing date 07/28/2021

Review date 07/28/2021

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

7732-18-5	Water	(Contd. of page 12.0%
	methanol	9.901%
07-30-1	 <i>Constant of the interval of the </i>	9.9017
Sara	•	
Section 35:	5 (extremely hazardous substances):	
None of the	ingredients is listed.	
Section 31.	3 (Specific toxic chemical listings):	
75-05-8 ac		
67-56-1 m	ethanol	
TSCA (Tox	cic Substances Control Act):	
0	ents are listed.	
75-05-8	acetonitrile	ACTIV
7732-18-5	Water	ACTIV
	methanol	ACTIV
	ammonium formate	ACTIV
99-76-3	methyl 4-hydroxybenzoate	ACTIV
Hazardous	Air Pollutants	
75-05-8 ac	retonitrile	
67-56-1 m	ethanol	
Proposition	1 65	
Chemicals	known to cause cancer:	
None of the	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
Chemicals	known to cause developmental toxicity:	
67-56-1 m	ethanol	
Canceroge	nity categories	
Ũ	ronmental Protection Agency)	
75-05-8 ac	- · · ·	CBD,
TLV (Thre	shold Limit Value established by ACGIH)	
75-05-8 ac	• •	A
NIOSH-Co	(National Institute for Occupational Safety and Health)	
	<i>p</i> ingredients is listed.	
none of the	ingreatents is tistea.	(Contd. on page



Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 11)

Trade name: CALIBRATION MIX- LC/MS ESI (-) ION MIX

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Water hazard class: Generally not hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronvms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

• * Data compared to the previous version altered.