

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** WAV CALIBRATION P-2 TEST MIX
- **Article number:** N0582152
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600  
PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Hydrochloric Acid

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

(Contd. of page 1)

· **Hazard statements**

H318 Causes serious eye damage.

· **Precautionary statements**

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.



· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**









· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7647-01-0	Hydrochloric Acid	5.0%
EINECS: 231-595-7	 Skin Corr. 1B, H314; Eye Dam. 1, H318  Acute Tox. 4, H302; STOT SE 3, H335	

· **Additional Components**

CAS: 7732-18-5	Water	94.9539%
EINECS: 231-791-2		
CAS: 7440-09-7	potassium	0.01%
EINECS: 231-119-8	 Water-react. 1, H260  Skin Corr. 1B, H314	
CAS: 7723-14-0	red phosphorus	0.01%
EINECS: 231-768-7	 Flam. Liq. 2, H225; Flam. Sol. 1, H228 Aquatic Chronic 3, H412	
CAS: 7783-20-2	ammonium sulphate	0.01%
EINECS: 231-984-1	 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 7439-91-0	lanthanum	0.002%
EINECS: 231-099-0		
CAS: 7439-93-2	lithium	0.002%
EINECS: 231-102-5	 Water-react. 1, H260  Skin Corr. 1B, H314	
CAS: 7439-96-5	manganese	0.002%
EINECS: 231-105-1		
CAS: 7439-98-7	molybdenum	0.002%
EINECS: 231-107-2		
CAS: 7440-02-0	nickel	0.002%
EINECS: 231-111-4	 Carc. 2, H351; STOT RE 1, H372  Skin Sens. 1, H317	






(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

		(Contd. of page 2)
CAS: 7440-20-2	Scandium from Scandium Oxide	0.002%
CAS: 7440-23-5 EINECS: 231-132-9	sodium  Water-react. 1, H260  Skin Corr. 1B, H314	0.002%
CAS: 7440-38-2 EINECS: 231-148-6	Arsenic  Acute Tox. 3, H301; Acute Tox. 3, H331  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.002%
CAS: 7440-70-2 EINECS: 231-179-5	calcium  Water-react. 2, H261	0.0001%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

See Section 13 for disposal information.

(Contd. of page 3)

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:**

### 7647-01-0 Hydrochloric Acid

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm
	Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

· **Eye protection:**

(Contd. of page 4)



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Transparent
· <b>Odour:</b>	Odourless
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/freezing point:</b>	0 °C
· <b>Initial boiling point and boiling range:</b>	100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.  
Not determined.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· <b>Density at 20 °C:</b>	1 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.

· **Solubility in / Miscibility with water:** Fully miscible.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

Trade name: WAV CALIBRATION P-2 TEST MIX

(Contd. of page 5)

· <b>Solvent content:</b>	
<b>Water:</b>	95.0 %
<b>Solids content:</b>	3.1 %
· <b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**



(Contd. of page 6)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- |   |                                |
|---|--------------------------------|
| · <b>14.1 UN-Number</b>   | UN1789                         |
| · <b>ADR, IMDG, IATA</b>  |                                |
| · <b>14.2 UN proper shipping name</b>   | 1789 HYDROCHLORIC ACID         |
| · <b>ADR</b>  | HYDROCHLORIC ACID, solution    |
| · <b>IMDG, IATA</b>   | HYDROCHLORIC ACID              |
| · <b>14.3 Transport hazard class(es)</b>  |                                |
| · <b>ADR</b>  |                                |
|  |                                |
| · <b>Class</b>  | 8 (C1) Corrosive substances.   |
| · <b>Label</b>  | 8                              |
| · <b>IMDG, IATA</b>   |                                |
|  |                                |
| · <b>Class</b>  | 8 Corrosive substances.        |
| · <b>Label</b>  | 8                              |
| · <b>14.4 Packing group</b>   | II                             |
| · <b>ADR, IMDG, IATA</b>  |                                |
| · <b>14.5 Environmental hazards:</b>  |                                |
| · <b>Marine pollutant:</b>  | No                             |
| · <b>14.6 Special precautions for user</b>  | Warning: Corrosive substances. |

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021





**Trade name: WAV CALIBRATION P-2 TEST MIX**

(Contd. of page 7)

- |  |   |
|--|---|
| · <b>Hazard identification number (Kemler code):</b>                             | 80  |
| · <b>EMS Number:</b>   | F-A,S-B   |
| · <b>Segregation groups</b>  | Strong acids  |
| · <b>Stowage Category</b>  | C   |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.   |
| · <b>Transport/Additional information:</b>                                       |   |
| · <b>ADR</b>   |   |
| · <b>Limited quantities (LQ)</b>   | 1L  |
| · <b>Excepted quantities (EQ)</b>  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>Transport category</b>  | 2   |
| · <b>Tunnel restriction code</b>   | E   |
| · <b>IMDG</b>  |   |
| · <b>Limited quantities (LQ)</b>   | 1L  |
| · <b>Excepted quantities (EQ)</b>  | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>UN "Model Regulation":</b>  | UN 1789 HYDROCHLORIC ACID, 8, II  |

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5 EINECS: 231-791-2	Water	94.9539%
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid  Skin Corr. 1B, H314; Eye Dam. 1, H318  Acute Tox. 4, H302; STOT SE 3, H335	5.0%
CAS: 7440-09-7 EINECS: 231-119-8	potassium  Water-react. 1, H260  Skin Corr. 1B, H314	0.01%

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

(Contd. of page 8)

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

### · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H228 Flammable solid.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

### · Department issuing SDS:

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX  
United Kingdom  
Telephone : 0800-89 60 46  
FAX : 0800-89 17 14

### · Contact:

Within the USA: 1-(800)-762-4000  
Outside the USA: 1-(203)-712-8488

### · Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

**according to 1907/2006/EC, Article 31**

Printing date 13.05.2021

Revision: 13.05.2021

**Trade name: WAV CALIBRATION P-2 TEST MIX**

(Contd. of page 9)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

GB