28.08.2018	Kit components
Product code	Description
N0770395	Kit- Optima 400 Solution N0691579, N0773120, N9300221, N9302946
Components:	
N0691579	STD ZOD MULTIELEMENT
N0773120	OPTIMA BLANK SOLUTION

N9300221 N9302946 FIVE ELEMENT A/S STD CAL 4

WAVECALMIX VIS ZODIAC



Revision: 28.08.2018 Printing date 28.08.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

# 1 Identification

- · Product identifier
- · Trade name: STD ZOD MULTIELEMENT
- · Article number: N0691579
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc. 710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

203-925-4600

Supplier/Local:

PerkinElmer Australia Lvl 2, Bldg 5, Brandon Office Park

530-540 Springvale Road

Glen Waverley

Melbourne

VIC 3150

Australia

1-800-033-391

ausales@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

### 2 Hazard(s) Identification

Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning

(Contd. on page 2)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

*P264* Wash thoroughly after handling.

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and	Information	n on Ingredients
o composition units		

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

7697-37-2	Nitric Acid	<b>♦</b> Ox. Liq. 2, H27 <b>♦</b> Skin Corr. 1A,	72 H314 2.0%
Additional (	Components		
7440-09-7	potassium	Water-react. 1, H260 Skin Corr. 1B, H314	0.005%
7440-38-2	Arsenic	♠ Acute Tox. 3, H301; Acute Tox. 3, H331	0.005%
1317-35-7	trimanganese tetraoxide		0.001%
7440-02-0	nickel	© Carc. 2, H351; STOT RE 1, H372 Skin Sens. 1, H317	0.001%
1312-81-8	lanthanum oxide		0.001%
10042-76-9	strontium nitrate	<b>ⓑ</b> Ox. Sol. 2, H272	0.001%
7440-66-6	zinc	<b>№</b> Water-react. 2, H261	0.001%
7439-93-2	lithium		0.001%
7439-95-4	magnesium	� Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
7440-39-3	barium	Water-react. 2, H261	0.0001%
7732-18-5	Water		97.98389

• Additional information: For the wording of the listed hazard phrases refer to section 16.

AU



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page 2)

### 4 First Aid Measures

- Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · *Specific end use(s) No further relevant information available.*

**A I** I .



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page 3)

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Transparent
Odour: Odourless

(Contd. on page 5)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

	(Contd. of page
· Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/freezing point: Initial boiling point and boiling range	0 °C : 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:  Lower:  Upper:	Not determined. Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density Evaporation rate	I g/cm³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Water:	98.0 %
Solids content: Other information	0.1 % No further relevant information available.

# 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

AU•



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page 5)

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
· UN-Number · ADG, IMDG, IATA	UN3264
· UN proper shipping name · ADG	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(Contd. on page 7)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page
DIC, INORGANIC, N.O. JTANT
DIC, INORGANIC, N.O.
S.
_



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

TD (A.11): 1: C :	(Contd. of page
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
-	N.O.S. (NITRIC ACID), 8, III

15 Regulato	ry information		
· Safety, hea	alth and environmental regulations/legisla	tion specific for the substance or mixture	
7732-18-5	Water		97.9838%
7697-37-2	Nitric Acid	© Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%
7440-38-2	Arsenic	♦ Acute Tox. 3, H301; Acute Tox. 3, H331	0.005%

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 9)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: STD ZOD MULTIELEMENT

(Contd. of page 8)

#### · Relevant phrases

H250 Catches fire spontaneously if exposed to air.

H260 In contact with water releases flammable gases which may ignite spontaneously.

H261 In contact with water releases flammable gases.

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

### · Department issuing SDS: Environmental, Health and Safety

### · Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

#### · Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* Data compared to the previous version altered.

AU -



Revision: 28.08.2018 Printing date 28.08.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

# 1 Identification

- · Product identifier
- · Trade name: OPTIMA BLANK SOLUTION
- · Article number: N0773120
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc. 710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com 203-925-4600

Supplier/Local:

PerkinElmer Australia

Lvl 2, Bldg 5, Brandon Office Park

530-540 Springvale Road

Glen Waverley

Melbourne

VIC 3150

Australia

1-800-033-391

ausales@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

### 2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning

(Contd. on page 2)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eve irritation.

· Precautionary statements

*P264 Wash thoroughly after handling.* 

*P280 Wear protective gloves / eye protection / face protection.* 

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:	
-----------------------	--

7697-37-2 Nitric Acid

Ox. Liq. 2, H272 Skin Corr. 1A, H314

· Additional Components

7732-18-5 Water

98.0%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First Aid Measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

(Contd. on page 4)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 3)

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

General Information		
Appearance:		
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	$0~^{\circ}C$	
Initial boiling point and boiling ra	unge: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

(Contd. on page 5)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

		(Contd. of page
· Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.0 %	
· Other information	No further relevant information available.	

# 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

# 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)



Printing date 28.08.2018 Revision: 28.08.2018

#### Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 5)

- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14	Trans	port	info	rmai	tion

· UN-Number · ADG, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot ADG$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(nitric acid)
	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Nitric Acid solution)
· IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(nitric acid), MARINE POLLUTANT
· IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(nitric acid)

- · Transport hazard class(es)
- $\cdot ADG$



• Class 8 (C1) Corrosive substances. • Label 8

(Contd. on page 7)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

	(Contd. of pag
IMDG	
Class Label	8 Corrosive substances.
IATA	
Class Label	8 Corrosive substances.
Packing group ADG, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Acids A SW2 Clear of living quarters.
Transport in bulk according to Annex II of and the IBC Code	<b>f Marpol</b> Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	Haximum net quantity per outer packaging. 1000 mi 3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

AII -



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 7)

· UN ''Model Regulation'':

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulato	ry information		
· Safety, hea	lth and environmental regulations/legislation specific for the substa	nce or mixture	
7732-18-5	Water		98.0%
7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: OPTIMA BLANK SOLUTION

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 2: Oxidizing liquids – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* Data compared to the previous version altered.



Revision: 28.08.2018 Printing date 28.08.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

# 1 Identification

- · Product identifier
- · Trade name: FIVE ELEMENT A/S STD CAL 4
- · Article number: N9300221
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600

Supplier/Local:

PerkinElmer Australia

Lvl 2, Bldg 5, Brandon Office Park

530-540 Springvale Road

Glen Waverley

Melbourne

VIC 3150

Australia

1-800-033-391

ausales@perkinelmer.com · Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

### 2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS05
- · Signal word Danger

(Contd. on page 2)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 1)

#### Hazard-determining components of labelling:

Nitric Acid

#### · Hazard statements

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

*P260* Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Com	position a	nd In	formation	on l	Ingredients
		IVUV III	Joinnation		II CONTOINED

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
Additional	Components	
7440-28-0	thallium	0.01%
	Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373	
7440-38-2	Arsenic	0.01%
	♦ Acute Tox. 3, H301; Acute Tox. 3, H331	
7782-49-2	selenium	0.0059
	Acute Tox. 3, H301; Acute Tox. 3, H331 STOT RE 2, H373	
7439-92-1	lead	0.0059
	Acute Tox. 3, H301  Repr. 1A, H360-H362  Acute Tox. 4, H332	
7440-43-9	cadmium (non-pyrophoric)	0.0059
	Acute Tox. 2, H330 Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372	
7732-18-5	Water	94.965

ΑU



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · **Protective equipment:** No special measures required.

### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.

(Contd. on page 4)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

· Body protection: Apron

(Contd. of page 4)

Information on basic physical and chem	ical properties	
General Information	• •	
Appearance:		
Form:	Liquid	
Colour:	Transparent	
Odour: Odour threshold:	Characteristic	
	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	0 °C	
Initial boiling point and boiling range.	: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	95.0 %	



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 5)

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Caustic effect on skin and mucous membranes.
- · Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

ΑIJ



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 6)

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Trans	mant in	forme	ati 0.00
14 Irans	port ti	ujormi	auon

· UN-Number · ADG, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot ADG$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Nitric Acid)
	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Nitric Acid solution)
· IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Nitric Acid), MARINE POLLUTANT
· IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(Nitric Acid)

- · Transport hazard class(es)
- $\cdot$  ADG



· Class 8 (C1) Corrosive substances.

· Label

· IMDG



· Class 8 Corrosive substances.

·Label

 $\cdot$  IATA



· Class 8 Corrosive substances.

(Contd. on page 8)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

	(Contd. of page
Label	8
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II o	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
- · · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
- -	N.O.S. (NITRIC ACID), 8, III

	ry information		
· Safety, hea	alth and environmental regulations/legislat	ion specific for the substance or mixture	
7732-18-5	Water		94.965%
7697-37-2	Nitric Acid	© Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%
7440-38-2	Arsenic	♦ Acute Tox. 3, H301; Acute Tox. 3, H331	0.01%

<sup>·</sup> Directive 2012/18/EU

(Contd. on page 9)

<sup>·</sup> Named dangerous substances - ANNEX I None of the ingredients is listed.



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 8)

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H361 Suspected of damaging fertility or the unborn child.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

(Contd. on page 10)





Printing date 28.08.2018 Revision: 28.08.2018

Trade name: FIVE ELEMENT A/S STD CAL 4

(Contd. of page 9)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

\* \* Data compared to the previous version altered.

A T T



Printing date 28.08.2018 Revision: 28.08.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

# 1 Identification

- · Product identifier
- · Trade name: WAVECALMIX VIS ZODIAC
- · Article number: N9302946
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

Customer Care US@perkinelmer.com

203-925-4600

-----

Supplier/Local:

-----

PerkinElmer Australia

Lvl 2, Bldg 5, Brandon Office Park

530-540 Springvale Road

Glen Waverley

Melbourne

VIC 3150

Australia

1-800-033-391

ausales@perkinelmer.com

Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

## 2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning

(Contd. on page 2)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

(Contd. of page 1)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

*P264* Wash thoroughly after handling.

*P280* Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

7697-37-2	Nitric Acid	� Ox. Liq. 2, H2 → Skin Corr. 1A,	72 H314 2.0%
Additional (	Components		
7440-09-7	potassium	Water-react. 1, H260     Skin Corr. 1B, H314	0.005%
7439-93-2	lithium	♦ Water-react. 1, H260  ♦ Skin Corr. 1B, H314	0.001%
1317-35-7	trimanganese tetraoxide		0.001%
1312-81-8	lanthanum oxide		0.001%
7440-23-5	sodium	♦ Water-react. 1, H260 ♦ Skin Corr. 1B, H314	0.001%
10042-76-9	strontium nitrate	<b>♦</b> Ox. Sol. 2, H272	0.001%
7440-70-2	calcium	♦ Water-react. 2, H261	0.0001%
7440-39-3	barium		0.0001%
7732-18-5	Water		97.9898%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First Aid Measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

(Contd. of page 3)

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

### 9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Transparent
Odour: Odourless
Odour threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 5)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

	(Contd. of p	ag
Change in condition Melting point/freezing point:	0 °C	
Initial boiling point and boiling range	: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	$1 \text{ g/cm}^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.0 %	
Other information	No further relevant information available.	

# 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

AU •



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

(Contd. of page 5)

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

# 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

### 14 Transport information

· UN-Number

· **ADG, IMDG, IATA** UN3264

· UN proper shipping name

· ADG 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)

(Contd. on page 7)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

	(Contd. of page
IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.,
7.45	(Nitric Acid), MARINE POLLUTANT
IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (Nitric Acid)
Transport hazard class(es)	
ADG	
F-3	
Class Label	8 (C1) Corrosive substances. 8
	0
IMDG	
ALL SECTION	
( <u>1</u> )	
• V	
Class	8 Corrosive substances.
Label	8
IATA	
F. 3.	
<u> </u>	
Class	8 Corrosive substances.
Label	8
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	V
Marine pollutant:	No Symbol (fish and tree)
Special precautions for user Danger code (Kemler):	Warning: Corrosive substances. 80
EMS Number:	60 F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex I	
and the IBC Code	Not applicable.

— AU



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

	(Contd. of page
Transport/Additional information:	
· ADG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
3	N.O.S. (NITRIC ACID), 8, III

5 Regulatory information				
· Safety, health and environmental regulations/legislation specific for the substance or mixture				
7732-18-5	Water		97.9898%	
7697-37-2	Nitric Acid	© Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%	
7440-09-7	potassium	Water-react. 1, H260 Skin Corr. 1B, H314	0.005%	

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 9)



Printing date 28.08.2018 Revision: 28.08.2018

Trade name: WAVECALMIX VIS ZODIAC

(Contd. of page 8)

#### · Relevant phrases

H260 In contact with water releases flammable gases which may ignite spontaneously.

H261 In contact with water releases flammable gases.

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

· Department issuing SDS: Environmental, Health and Safety

#### · Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

### · Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

\* \* Data compared to the previous version altered.

ΑU