

*

*

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Revision: 28.07.2021

1.1 Produc	et identifier
Trade nan	e: WIRE ASSY-NICKEL STD
Article nui	nber: N5190869
CAS Num	ber:
7440-02-0	
EC numbe	<i>r</i> :
231-111-4	
Index num	
028-002-0	
	nt identified uses of the substance or mixture and uses advised against relevant information available.
	n of the substance / the mixture Laboratory chemicals
	•
	of the supplier of the safety data sheet
Manufacti	urer/Supplier:
PerkinElm	an Inc
	er, inc. port Avenue
	ponnecticut 06484 USA
	CareUS@perkinelmer.com
203-925-4	
PerkinElm	
	oad Buckinghamshire
	a HP9 2FX
cc.uk@per	kinelmer.com
United Kin	
P: 0800 89	
F: 0800-89	17 14
PerkinElm	er Inc
	t Business Park, Unit A
	t CF72 8YW
United Kin	gdom
	kinelmer.com
P: 44 1443	
	ency telephone number:
	EC (within US) 800-424-9300
	EC (from outside US) $+1.703-527-3887$ (call collect)
CHEMIKI	EC (within AU) +(61)-290372994
SECTIO	N 2: Hazards identification
2.1 Classif	ication of the substance or mixture
Classificat	ion according to Regulation (EC) No 1272/2008
	GHS08 health hazard

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 2)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

	(Contd. of pag
$\mathbf{\Lambda}$	
	GHS07
\ : /	011507
Skin Sens	s. 1 H317 May cause an allergic skin reaction.
· 2.2 Labe	l elements
·Labelling	g according to Regulation (EC) No 1272/2008
	tance is classified and labelled according to the CLP regulation.
· Hazard p	pictograms GHS07, GHS08
· Signal w	ord Danger
· Hazard-a	letermining components of labelling:
nickel	ween mining components of mocume.
· Hazard s	tatements
-	ty cause an allergic skin reaction.
	spected of causing cancer.
H372 Ca	uses damage to organs through prolonged or repeated exposure.
· Precautio	onary statements
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	313 IF exposed or concerned: Get medical advice/attention.
	313 If skin irritation or rash occurs: Get medical advice/attention.
P405	Store locked up.
P501 • 2.3 Othe	Dispose of contents/container in accordance with local/regional/national/international regulation
	r nazaras duct does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds
formalde	
	f PBT and vPvB assessment
	t applicable.
	ot applicable.
	11

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances · CAS No. Description
- 7440-02-0 nickel
- · Identification number(s)
- EC number: 231-111-4
- · Index number: 028-002-00-7

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

(Contd. of page 2)

• *After inhalation:* Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections

No dangerous substances are released.

- No uangerous substances are released.
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 8 for hijor mation on personal protect See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

• Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7440-02-0 nickel

WEL Long-term value: 0.5 mg/m³ as Ni; Sk; Carc

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. of page 3)



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

(Contd. of page 4)

Colour: Odour: Odour threshold: pH-value: Change in condition	Solid in various forms Light grey Characteristic Not determined. Not applicable.
Form: Colour: Odour: Odour threshold: pH-value: Change in condition	Light grey Characteristic Not determined.
Colour: Odour: Odour threshold: pH-value: Change in condition	Light grey Characteristic Not determined.
Odour: Odour threshold: pH-value: Change in condition	Characteristic Not determined.
Odour threshold: pH-value: Change in condition	Not determined.
pH-value: Change in condition	
Change in condition	Not applicable.
	1453 °C
Initial boiling point and boiling range:	2730 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Product is not flammable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
	Product does not present an explosion hazard. Not determined.
Explosion limits:	
-	Not determined.
	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	8.91 g/cm ³
.	Not determined.
	Not applicable.
Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
	Not applicable.
Kinematic:	Not applicable.
Solids content:	100.0 %

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6) GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

(Contd. of page 5)

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- *Respiratory or skin sensitisation May cause an allergic skin reaction.*
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity
- Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
- Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

(Contd. of page 6)

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
UN ''Model Regulation'':	Non regulated according to above specifications.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Waterhazard class: Water hazard class 2 (Assessment by list): hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GF



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: WIRE ASSY-NICKEL STD

(Contd. of page 7)

SECTION 16: Other information	
Disclaimer The information provided in this Material Safety Data Sheet is based on our present knowledg and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, a should be used with caution. Although certain hazards are described, we cannot guarantee th these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be liable for any damage resulting from handling or from contact with the product.	and at
Department issuing SDS: Environmental, Health and Safety PerkinElmer Chalfont Road Buckinghamshire Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX : 0800-89 17 14	
 FAX: 0800-891714 Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conc Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals 	erning the International

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

Carc. 2: Carcinogenicity – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

 \cdot * Data compared to the previous version altered.

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1