

Review date 07/27/2021 Printing date 07/28/2021

1 Identification

- · Product identifier
- · Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION
- · Article number N8125034
- · Application of the substance / the mixture Laboratory chemicals
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

203-925-4600

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0

Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH

Health = 0

Fire = 0REACTIVITY 0 Reactivity = 0

Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 1)

3 Composition/information on ingredients

· CAS No. Description 7732-18-5 Water

• EC number: 231-791-2

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components: Void

7732-18-5	Water	99.36%
	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	0.5%
7440-45-1	cerium • Water-react. 2, H261	0.02%
7439-92-1	lead ♦ Carc. 2, H351; Repr. 1A, H360	0.01%
7439-89-6	iron Acute Tox. 2, H300	0.01%
7439-95-4	magnesium Pyr. Sol. 1, H250; Water-react. 1, H260	0.01%
7440-09-7	potassium Water-react. 1, H260 Skin Corr. 1B, H314	0.01%
7440-16-6	rhodium	0.01%
7440-23-5	sodium Water-react. 1, H260 Skin Corr. 1B, H314	0.01%
7440-39-3	barium Water-react. 2, H261	0.01%
7440-41-7	beryllium Acute Tox. 3, H301; Acute Tox. 2, H330 Carc. 1B, H350; STOT RE 1, H372 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.01%
7440-48-4	cobalt Resp. Sens. 1, H334; Carc. 2, H351 Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.01%
7440-61-1	uranium	0.01%
7440-70-2	calcium Water-react. 2, H261	0.01%

USA



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

 7440-74-6
 Indium
 (Contd. of page 2)

 0.01%
 0.01%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7697-37-2	Nitric Acid	0.16 ppm
7440-45-1	cerium	30 mg/m^3
7439-92-1	lead	0.15 mg/m^3
7439-89-6	iron	3.2 mg/m^3
7439-95-4	magnesium	18 mg/m³
7440-09-7	potassium	2.3 mg/m^3
7440-16-6	rhodium	$3 mg/m^3$
7440-23-5	sodium	13 mg/m³
		(Contd. on page

- USA



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

7440 20 2	1 .	(Contd. of page
7440-39-3		1.5 mg/m^3
7440-41-7	•	0.0023 mg/m
7440-48-4		0.18 mg/m^3
7440-61-1		0.6 mg/m^3
7440-74-6	Indium	0.3 mg/m^3
<i>PAC-2:</i>		
7697-37-2	Nitric Acid	24 ppm
7440-45-1	cerium	330 mg/m^3
7439-92-1	lead	120 mg/m^3
7439-89-6	iron	35 mg/m^3
7439-95-4	magnesium	200 mg/m^3
7440-09-7	potassium	25 mg/m³
7440-16-6	rhodium	33 mg/m^3
7440-23-5	sodium	140 mg/m^3
7440-39-3	barium	180 mg/m^3
7440-41-7	beryllium	0.025 mg/m
7440-48-4	cobalt	$2 mg/m^3$
7440-61-1	uranium	$5 mg/m^3$
7440-74-6	Indium	3.3 mg/m^3
<i>PAC-3:</i>		
7697-37-2	Nitric Acid	92 ppm
7440-45-1	cerium	2,000 mg/m ⁻
7439-92-1	lead	700 mg/m^3
7439-89-6	iron	150 mg/m^3
7439-95-4	magnesium	1,200 mg/m ⁻
7440-09-7		150 mg/m^3
7440-16-6	rhodium	200 mg/m^3
7440-23-5	sodium	870 mg/m^3
7440-39-3	barium	1,100 mg/m
7440-41-7	beryllium	0.1 mg/m^3
7440-48-4	· ·	20 mg/m^3
7440-61-1	uranium	30 mg/m^3
7440-74-6		20 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 5)



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Color:
Codor:
Odorless
Odor threshold:
Not determined.

• pH-value at 20 •C (68 •F): <4

· Change in condition

Melting point/Melting range: $0 \, ^{\circ}C \, (32 \, ^{\circ}F)$

(Contd. on page 6)



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

		(Contd. of page
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water	·): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.4 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

USA



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7439-92-1 lead	28
7440-41-7 beryllium	1
7440-48-4 cobalt	2B
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-41-7 beryllium	K
7440-48-4 cobalt	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

USA



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT, ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex I	II of
MARPOL73/78 and the IBC Code	Not applicable.
· UN ''Model Regulation'':	Non regulated according to above specifications.

Safety, hed	alth and environmental regulations/legis	lation specific for the substance or mixture	
7732-18-5	Water		99.36%
7697-37-2	Nitric Acid	♠ Ox. Liq. 2, H272♦ Skin Corr. 1A, H314	0.5%
7440-45-1	cerium	🚳 Water-react. 2, H261	0.02%
Sara			
	5 (extremely hazardous substances):		
7697-37-2	Nitric Acid		
Section 31	3 (Specific toxic chemical listings):		
7697-37-2	Nitric Acid		
7439-92-1	load		



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

		(Contd. of page
7440-39-3 b		
7440-41-7 b	•	
7440-48-4 c		
	Substances Control Act):	
All ingredien		ACTI
		ACTIV
7697-37-2 N		ACTIV
7440-45-1 c		ACTIV
7439-92-1 16		ACTIV
7439-89-6 ii		ACTIV
7439-95-4 n		ACTIV
7440-09-7 p		ACTIV
7440-16-6 r		ACTIV
7440-23-5 s		ACTIV
7440-39-3 b		ACTIV
7440-41-7 b	•	ACTIV
7440-48-4 c		ACTIV
7440-61-1 u		ACTIV
7440-70-2 c		ACTIV
7440-74-6 II	ndium	ACTIV
Hazardous A	ir Pollutants	
7439-92-1 le	ead	
7440-48-4 c	obalt	
Proposition	55	
Chemicals k	nown to cause cancer:	
7439-92-1 le	ead	
7440-41-7 b	eryllium	
7440-48-4 c	obalt	
Chemicals k	nown to cause reproductive toxicity for females:	
7439-92-1 le		
Chemicals k	nown to cause reproductive toxicity for males:	
7439-92-1 le	-	
Chemicals k	nown to cause developmental toxicity:	
7439-92-1 le		
Cancerogen	· •	
	nmental Protection Agency)	
7439-92-1 le		B2
7440-39-3 b		D, CBD(inh), NL(oral)
	eryllium	B1, K/L(inh), CBD(ora



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 9)

		(Contd. of page 9)
TLV (Thre	shold Limit Value established by ACGIH)	
7439-92-1	lead	A3
7440-16-6	rhodium	A4
7440-39-3	barium	A4
7440-41-7	beryllium	A1
7440-48-4	cobalt	A3
7440-61-1	uranium	Al
NIOSH-Ca	a (National Institute for Occupational Safety and Health)	
7440-41-7	beryllium	
7440-61-1	uranium	

- · National regulations:
- Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

- · Department issuing SDS: Environmental, Health and Safety
- · Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)



Printing date 07/28/2021 Review date 07/27/2021

Trade name: ELAN 6100 DRC SENSITIVITY / DETECTION LIMIT SOLUTION

(Contd. of page 10)

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

OSHA: Occupational Sajety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* * Data compared to the previous version altered.

JSA -