

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

1 Identification

- **Product identifier**
- **Trade name:** ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION
- **Article number** N8125035
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

USA

(Contd. on page 2)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021













Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 1)

3 Composition/information on ingredients

- CAS No. Description
7732-18-5 Water
- EC number: 231-791-2
- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- Hazardous components: Void

Additional Components

7732-18-5	Water	99.37%
7697-37-2	Nitric Acid  Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-39-3	barium  Water-react. 2, H261	0.01%
7429-90-5	aluminium	0.0001%
7439-92-1	lead  Carc. 2, H351; Repr. 1A, H360	0.0001%
7439-95-4	magnesium  Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
7439-96-5	manganese	0.0001%
7440-16-6	rhodium	0.0001%
7440-29-1	thorium  Carc. 1A, H350	0.0001%
7440-43-9	cadmium  Acute Tox. 3, H301; Acute Tox. 2, H330  Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0001%
7440-45-1	cerium  Water-react. 2, H261	0.0001%
7440-47-3	chromium	0.0001%
7440-50-8	copper	0.0001%
7440-61-1	uranium  Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373 Aquatic Chronic 4, H413	0.0001%
7440-74-6	Indium	0.0001%

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 2)

- **After swallowing:** *If symptoms persist consult doctor.*
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Not required.*
- **Environmental precautions:**
*Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.*
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
*No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
7440-39-3	barium	1.5 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7439-96-5	manganese	3 mg/m ³
7440-16-6	rhodium	3 mg/m ³
7440-29-1	thorium	30 mg/m ³
7440-43-9	cadmium	0.10 mg/m ³
7440-45-1	cerium	30 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-50-8	copper	3 mg/m ³
7440-61-1	uranium	0.6 mg/m ³
7440-74-6	Indium	0.3 mg/m ³

· **PAC-2:**

7697-37-2	Nitric Acid	24 ppm
7440-39-3	barium	180 mg/m ³

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 3)

7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7439-96-5	manganese	5 mg/m ³
7440-16-6	rhodium	33 mg/m ³
7440-29-1	thorium	330 mg/m ³
7440-43-9	cadmium	0.76 mg/m ³
7440-45-1	cerium	330 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-61-1	uranium	5 mg/m ³
7440-74-6	Indium	3.3 mg/m ³

· PAC-3:

7697-37-2	Nitric Acid	92 ppm
7440-39-3	barium	1,100 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-16-6	rhodium	200 mg/m ³
7440-29-1	thorium	2,000 mg/m ³
7440-43-9	cadmium	4.7 mg/m ³
7440-45-1	cerium	2,000 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-61-1	uranium	30 mg/m ³
7440-74-6	Indium	20 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 5)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 4)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Transparent
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
Not determined.
- **Explosion limits:**

Lower:	Not determined.
--------	-----------------

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 5)

Upper:	<i>Not determined.</i>
· Vapor pressure at 20 °C (68 °F):	<i>23 hPa (17.3 mm Hg)</i>
· Density at 20 °C (68 °F):	<i>1 g/cm³ (8.345 lbs/gal)</i>
· Relative density	<i>Not determined.</i>
· Vapor density	<i>Not determined.</i>
· Evaporation rate	<i>Not determined.</i>
· Solubility in / Miscibility with Water:	<i>Fully miscible.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
Dynamic:	<i>Not determined.</i>
Kinematic:	<i>Not determined.</i>
· Solvent content:	
Water:	<i>99.4 %</i>
VOC content:	<i>0.00 %</i>
· Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
 - **Primary irritant effect:**
 - **on the skin:** *No irritant effect.*
 - **on the eye:** *No irritating effect.*
 - **Sensitization:** *No sensitizing effects known.*
 - **Additional toxicological information:**
- The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.*

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 6)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7439-92-1	lead	2B
7440-29-1	thorium	1
7440-43-9	cadmium	1
7440-47-3	chromium	3

· **NTP (National Toxicology Program)**

7439-92-1	lead	R
7440-43-9	cadmium	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9	cadmium	
-----------	---------	--

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void

(Contd. on page 8)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021




Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 7)

· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Non regulated according to above specifications. Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		99.37%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
7440-39-3	barium	 Water-react. 2, H261	0.01%

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	Nitric Acid
-----------	-------------

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	Nitric Acid
7440-39-3	barium
7429-90-5	aluminium
7439-92-1	lead
7439-96-5	manganese
7440-43-9	cadmium
7440-47-3	chromium
7440-50-8	copper

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7732-18-5	Water	ACTIVE
7697-37-2	Nitric Acid	ACTIVE
7440-39-3	barium	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-92-1	lead	ACTIVE

(Contd. on page 9)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 8)

7439-95-4	magnesium	ACTIVE
7439-96-5	manganese	ACTIVE
7440-16-6	rhodium	ACTIVE
7440-29-1	thorium	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-45-1	cerium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-50-8	copper	ACTIVE
7440-61-1	uranium	ACTIVE
7440-74-6	Indium	ACTIVE

· **Hazardous Air Pollutants**

7439-92-1	lead
7439-96-5	manganese

· **Proposition 65**

· **Chemicals known to cause cancer:**

7439-92-1	lead
7440-43-9	cadmium

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
7440-43-9	cadmium

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
7440-43-9	cadmium

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7440-39-3	barium	D, CBD(inh), NL(oral)
7439-92-1	lead	B2
7439-96-5	manganese	D
7440-43-9	cadmium	B1
7440-47-3	chromium	D
7440-50-8	copper	D

· **TLV (Threshold Limit Value established by ACGIH)**

7440-39-3	barium	A4
7429-90-5	aluminium	A4
7439-92-1	lead	A3
7440-16-6	rhodium	A4
7440-43-9	cadmium	A2

(Contd. on page 10)

acc. to OSHA HCS

Printing date 07/01/2021

Review date 07/01/2021

Trade name: ELAN 6100 DRC SETUP / STABILITY / MASSCALIBRATION SOLUTION

(Contd. of page 9)

7440-47-3	chromium	A4
7440-61-1	uranium	A1

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-43-9	cadmium
7440-61-1	uranium

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Water hazard class:** *Water hazard class 1 (Self-assessment): slightly hazardous for water.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** *Environmental, Health and Safety*

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

· *** Data compared to the previous version altered.**