

Product code	Description
<b>N8140504</b>	<b>Nexion Sloution Kit</b>

## Components:

N8145051	NexION Setup Solution
N8145050	NexION Rinse Solution
N8145055	NexION STD/DRC Mode Detection Limit Blank Solution
N8145056	NexION STD/DRC Mode Detection Limit Standard Solution
N8145059	NexION Dual Detector Calibration Solution
N8145054	NexION Cell Stability Solution
N8145057	NEXION KED MODE DETECTION LIMIT BLANK SOLUTION
N8145058	NexION KED Mode Detection Limit Standard Solution
N8145052	NexION KED Mode Setup Solution

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION Setup Solution
- **Article number:** N8145051
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600  
PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 1)

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.


· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**








· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	1.0%
-------------------------------------	-------------	---	------

· **Additional Components**

CAS: 7439-93-2 EINECS: 231-102-5	lithium  Water-react. 1, H260  Skin Corr. 1B, H314	0.0001%
CAS: 7440-41-7 EINECS: 231-150-7	beryllium  Acute Tox. 3, H301; Acute Tox. 2, H330  Carc. 1B, H350i; STOT RE 1, H372  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.0001%
CAS: 7439-95-4 EINECS: 231-104-6	magnesium  Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
CAS: 7439-89-6 EINECS: 231-096-4	iron	0.0001%
CAS: 7440-74-6 EINECS: 231-180-0	Indium	0.0001%
CAS: 7440-45-1 EINECS: 231-154-9	cerium  Water-react. 2, H261	0.0001%

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

		(Contd. of page 2)
CAS: 7439-92-1 EINECS: 231-100-4	lead ⚠ Repr. 1A, H360FD-H362 ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	0.0001%
CAS: 7440-61-1 EINECS: 231-170-6	uranium ⚠ Acute Tox. 2, H300; Acute Tox. 2, H330 ⚠ STOT RE 2, H373 Aquatic Chronic 4, H413	0.0001%
CAS: 7732-18-5 EINECS: 231-791-2	Water	98.9992%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

GB

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 3)

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

**7697-37-2 Nitric Acid**

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Respiratory protection:** Not required.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

· **Eye protection:**

(Contd. of page 4)



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Colour:</b>	Not determined.
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/freezing point:</b>	0 °C
· <b>Initial boiling point and boiling range:</b>	100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

· **Solvent content:**

· **Water:** 99.0 %

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 5)

· **9.2 Other information**

No further relevant information available.

\* **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

\* **SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

\* **SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 6)

· **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(Nitric Acid)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric  
Acid)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Corrosive substances.

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

Acids

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018






Trade name: NexION Setup Solution

(Contd. of page 7)

· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5 EINECS: 231-791-2	Water	98.9992%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid  Ox. Liq. 2, H272  Skin Corr. 1A, H314	1.0%
CAS: 7440-41-7 EINECS: 231-150-7	beryllium  Acute Tox. 3, H301; Acute Tox. 2, H330  Carc. 1B, H350i; STOT RE 1, H372  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.0001%

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 8)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· **Relevant phrases**

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H350i May cause cancer by inhalation.
- H360FD May damage fertility. May damage the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS:**

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX  
United Kingdom  
Telephone : 0800-89 60 46  
FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000  
Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 10)

**according to 1907/2006/EC, Article 31**

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Setup Solution**

(Contd. of page 9)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

· **\* Data compared to the previous version altered.**

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION Rinse Solution
- **Article number:** N8145050
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600  
PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

(Contd. of page 1)

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2	Nitric Acid	 Ox. Liq. 2, H272	1.0%
EINECS: 231-714-2		 Skin Corr. 1A, H314	

· **Additional Components**

CAS: 7732-18-5	Water	99.0%
EINECS: 231-791-2		

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**7697-37-2 Nitric Acid**

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

Trade name: NexION Rinse Solution

(Contd. of page 4)

· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	99.0 %
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

(Contd. of page 5)


## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |   |  |
|---|--|
| · <b>14.1 UN-Number</b>   | UN3264   |
| · <b>ADR, IMDG, IATA</b>  |  |
| · <b>14.2 UN proper shipping name</b>   | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) |
| · <b>ADR</b>  |  |
| · <b>IMDG, IATA</b>   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)      |
| · <b>14.3 Transport hazard class(es)</b>  |  |
| · <b>ADR</b>  |  |
|  |  |
| · <b>Class</b>  | 8 (C1) Corrosive substances.                                   |

(Contd. on page 7)


according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

Trade name: NexION Rinse Solution

(Contd. of page 6)

· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances.
· <b>Label</b>	8
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Corrosive substances.
· <b>Danger code (Kemler):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Acids
· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

\*

**SECTION 15: Regulatory information**

· <b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b>			
CAS: 7732-18-5	Water		99.0%
EINECS: 231-791-2			

(Contd. on page 8)

GB

**according to 1907/2006/EC, Article 31**

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

CAS: 7697-37-2 EINECS: 231-714-2		Nitric Acid	(Contd. of page 7)	
				1.0%

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations:**
- **Information about limitation of use:**  
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· **Relevant phrases**

H272 May intensify fire; oxidiser.  
H314 Causes severe skin burns and eye damage.

· **Department issuing SDS:**

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX  
United Kingdom  
Telephone : 0800-89 60 46  
FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000  
Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

*according to 1907/2006/EC, Article 31*

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Rinse Solution**

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Ox. Liq. 2: Oxidizing liquids – Category 2  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
· **\* Data compared to the previous version altered.**

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION STD/DRC Mode Detection Limit Blank Solution
- **Article number:** N8145055
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600  
PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**  
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**



· **vPvB:** Not applicable.

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:** Void

#### · Additional Components

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
CAS: 7732-18-5 EINECS: 231-791-2	Water		99.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**

See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. of page 2)

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Fluid

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**

(Contd. of page 3)

· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not determined.
· <b>Change in condition</b>	
<b>Melting point/freezing point:</b>	0 °C
<b>Initial boiling point and boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gas):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	23 hPa
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	99.5 %
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**

(Contd. of page 4)

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |                                       |      |
|---------------------------------------|------|
| · <b>14.1 UN-Number</b>               |      |
| · <b>ADR, ADN, IMDG, IATA</b>         | Void |
| · <b>14.2 UN proper shipping name</b> |      |
| · <b>ADR, ADN, IMDG, IATA</b>         | Void |

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018


**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**

(Contd. of page 5)

- |  |  |
|--|--|
| · <b>14.3 Transport hazard class(es)</b>   |  |
| · <b>ADR, ADN, IMDG, IATA</b>  |  |
| · <b>Class</b>   | Void   |
| · <b>14.4 Packing group</b>  |  |
| · <b>ADR, IMDG, IATA</b>   | Void   |
| · <b>14.5 Environmental hazards:</b>   |  |
| · <b>Marine pollutant:</b>   | No   |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable.  |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable.  |
| · <b>UN "Model Regulation":</b>  | Non regulated according to above specifications.<br>Void |

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS: 7732-18-5 EINECS: 231-791-2	Water		99.5%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid		0.5%

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**  
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Waterhazard class:** Generally not hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

- **Relevant phrases**  
H272 May intensify fire; oxidiser.

(Contd. on page 7)

**according to 1907/2006/EC, Article 31**

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Blank Solution**

(Contd. of page 6)

*H314 Causes severe skin burns and eye damage.*

· **Department issuing SDS:**

*Environmental, Health and Safety*

*PerkinElmer*

*Chalfont Road*

*Buckinghamshire*

*Seer Green*

*HP9 2FX*

*United Kingdom*

*Telephone : 0800-89 60 46*

*FAX : 0800-89 17 14*

· **Contact:**

*Within the USA: 1-(800)-762-4000*

*Outside the USA: 1-(203)-712-8488*

· **Abbreviations and acronyms**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

· **\* Data compared to the previous version altered.**

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION STD/DRC Mode Detection Limit Standard Solution
- **Article number:** N8145056
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600  
PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**  
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**











· **vPvB:** Not applicable.

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:** Void

#### · Additional Components

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid  Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
CAS: 7440-41-7 EINECS: 231-150-7	beryllium  Acute Tox. 3, H301; Acute Tox. 2, H330  Carc. 1B, H350i; STOT RE 1, H372  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.0001%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt  Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%
CAS: 7440-74-6 EINECS: 231-180-0	Indium	0.0001%
CAS: 7439-89-6 EINECS: 231-096-4	iron	0.0001%
CAS: 7440-61-1 EINECS: 231-170-6	uranium  Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373 Aquatic Chronic 4, H413	0.0001%
CAS: 7440-70-2 EINECS: 231-179-5	calcium  Water-react. 2, H261	0.0001%
CAS: 7732-18-5 EINECS: 231-791-2	Water	99.4994%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

\*

## **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

\*

## **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

\*

## **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

**SECTION 9: Physical and chemical properties**

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gas):** Not applicable.
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not determined.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

Trade name: NexION STD/DRC Mode Detection Limit Standard Solution

(Contd. of page 4)

· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Water:</b>	99.5 %
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **UN "Model Regulation":** Non regulated according to above specifications.  
Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5	Water		99.4994%
EINECS: 231-791-2			





(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**

		(Contd. of page 6)	
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.5%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt	 Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Information about limitation of use:**  
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Waterhazard class:** Generally not hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

### Relevant phrases

- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H350i May cause cancer by inhalation.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

### Department issuing SDS:

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX

(Contd. on page 8)

*according to 1907/2006/EC, Article 31*

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION STD/DRC Mode Detection Limit Standard Solution**

(Contd. of page 7)

United Kingdom

Telephone : 0800-89 60 46

FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· **\* Data compared to the previous version altered.**

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION Dual Detector Calibration Solution
- **Article number:** N8145059
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

(Contd. of page 1)

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.


· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**










· **3.2 Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	2.0%
-------------------------------------	-------------	---	------

· **Additional Components**

CAS: 7439-93-2 EINECS: 231-102-5	lithium	 Water-react. 1, H260  Skin Corr. 1B, H314	0.0001%
CAS: 7439-95-4 EINECS: 231-104-6	magnesium	 Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
CAS: 7429-90-5 EINECS: 231-072-3	aluminium		0.0001%
CAS: 7439-96-5 EINECS: 231-105-1	manganese		0.0001%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt	 Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%
CAS: 7440-02-0 EINECS: 231-111-4	nickel	 Carc. 2, H351; STOT RE 1, H372  Skin Sens. 1, H317	0.0001%
CAS: 7440-50-8 EINECS: 231-159-6	copper		0.0001%
CAS: 7440-66-6 EINECS: 231-175-3	zinc	 Water-react. 2, H261  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0001%
CAS: 7440-74-6 EINECS: 231-180-0	Indium		0.0001%







(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

		(Contd. of page 2)	
CAS: 7440-39-3 EINECS: 231-149-1	barium	 Water-react. 2, H261	0.0001%
CAS: 7440-45-1 EINECS: 231-154-9	cerium	 Water-react. 2, H261	0.0001%
CAS: 7440-27-9 EINECS: 231-137-6	terbium		0.0001%
CAS: 7439-92-1 EINECS: 231-100-4	lead	 Repr. 1A, H360FD-H362  Acute Tox. 4, H302; Acute Tox. 4, H332	0.0001%
CAS: 7440-61-1 EINECS: 231-170-6	uranium	 Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373 Aquatic Chronic 4, H413	0.0001%
CAS: 7732-18-5 EINECS: 231-791-2	Water		97.9885%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

See Section 13 for disposal information.

(Contd. of page 3)

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

**7697-37-2 Nitric Acid**

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

· **Eye protection:**

(Contd. of page 4)



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

##### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

##### · Change in condition

· <b>Melting point/freezing point:</b>	0 °C
· <b>Initial boiling point and boiling range:</b>	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

##### · Explosion limits:

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

##### · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

##### · Viscosity:

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

##### · Solvent content:

· **Water:** 98.0 %

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

(Contd. of page 5)

- **9.2 Other information** *No further relevant information available.*

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
*Causes skin irritation.*
- **Serious eye damage/irritation**  
*Causes serious eye irritation.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Generally not hazardous for water*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **12.6 Other adverse effects** *No further relevant information available.*

GB

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018



**Trade name: NexION Dual Detector Calibration Solution**

(Contd. of page 6)

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |  |   |
|--|---|
| · <b>14.1 UN-Number</b>                    |   |
| · <b>ADR, IMDG, IATA</b>                   | UN3264  |
| · <b>14.2 UN proper shipping name</b>      |   |
| · <b>ADR</b>                               | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)                      |
| · <b>IMDG, IATA</b>                        | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid)                           |
| · <b>14.3 Transport hazard class(es)</b>   |   |
| · <b>ADR</b>                               |   |
|  |  |
| · <b>Class</b>                             | 8 (C1) Corrosive substances.  |
| · <b>Label</b>                             | 8   |
| · <b>IMDG, IATA</b>                        |   |
|  |  |
| · <b>Class</b>                             | 8 Corrosive substances.   |
| · <b>Label</b>                             | 8   |
| · <b>14.4 Packing group</b>                |   |
| · <b>ADR, IMDG, IATA</b>                   | III   |
| · <b>14.5 Environmental hazards:</b>       |   |
| · <b>Marine pollutant:</b>                 | No  |
| · <b>14.6 Special precautions for user</b> | Warning: Corrosive substances.  |
| · <b>Danger code (Kemler):</b>             | 80  |
| · <b>EMS Number:</b>                       | F-A,S-B   |
| · <b>Segregation groups</b>                | Acids   |
| · <b>Stowage Category</b>                  | A   |

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018




**Trade name: NexION Dual Detector Calibration Solution**

(Contd. of page 7)

· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5 EINECS: 231-791-2	Water		97.9885%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	2.0%
CAS: 7439-95-4 EINECS: 231-104-6	magnesium	 Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Generally not hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be

(Contd. on page 9)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

(Contd. of page 8)

*considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.*

**Relevant phrases**

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

**Department issuing SDS:**

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX  
United Kingdom  
Telephone : 0800-89 60 46  
FAX : 0800-89 17 14

**Contact:**

Within the USA: 1-(800)-762-4000  
Outside the USA: 1-(203)-712-8488

**Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Ox. Liq. 2: Oxidizing liquids – Category 2

(Contd. on page 10)

*according to 1907/2006/EC, Article 31*

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Dual Detector Calibration Solution**

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
**\* Data compared to the previous version altered.**

(Contd. of page 9)

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION Cell Stability Solution
- **Article number:** N8145054
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS07
- **Signal word** Warning

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

(Contd. of page 1)

**Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

**Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P337+P313 If eye irritation persists: Get medical advice/attention.

**2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**






**3.2 Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	1.0%
-------------------------------------	-------------	---	------

**Additional Components**

CAS: 7439-95-4 EINECS: 231-104-6	magnesium  Pyr. Sol. 1, H250; Water-react. 1, H260	0.0001%
CAS: 7440-47-3 EINECS: 231-157-5	chromium	0.0001%
CAS: 7439-89-6 EINECS: 231-096-4	iron	0.0001%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt  Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%
CAS: 7440-50-8 EINECS: 231-159-6	copper	0.0001%
CAS: 7782-49-2 EINECS: 231-957-4	selenium  Acute Tox. 3, H301; Acute Tox. 3, H331  STOT RE 2, H373 Aquatic Chronic 4, H413	0.0001%






(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

		(Contd. of page 2)
CAS: 7440-74-6 EINECS: 231-180-0	Indium	0.0001%
CAS: 7440-43-9 EINECS: 231-152-8	cadmium (non-pyrophoric)  Acute Tox. 2, H330  Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361fd; STOT RE 1, H372  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0001%
CAS: 7439-92-1 EINECS: 231-100-4	lead  Repr. 1A, H360FD-H362  Acute Tox. 4, H302; Acute Tox. 4, H332	0.0001%
CAS: 7732-18-5 EINECS: 231-791-2	Water	98.9991%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

(Contd. of page 3)

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

**7697-37-2 Nitric Acid**

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

### 8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

- **Respiratory protection:** Not required.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

· **Eye protection:**

(Contd. of page 4)



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:**

Liquid

· **Colour:**

According to product specification

· **Odour:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

· **Melting point/freezing point:**

0 °C

· **Initial boiling point and boiling range:**

100 °C

· **Flash point:**

Not applicable.

· **Flammability (solid, gas):**

Not applicable.

· **Decomposition temperature:**

Not determined.

· **Auto-ignition temperature:**

Product is not selfigniting.

· **Explosive properties:**

Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Vapour pressure at 20 °C:**

23 hPa

· **Density:**

Not determined.

· **Relative density**

Not determined.

· **Vapour density**

Not determined.

· **Evaporation rate**

Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:**

Not determined.

· **Viscosity:**

· **Dynamic:**

Not determined.

· **Kinematic:**

Not determined.

· **Solvent content:**

· **Water:**

99.0 %

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name:** NexION Cell Stability Solution

(Contd. of page 5)

· **9.2 Other information**

No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name:** NexION Cell Stability Solution

· **12.6 Other adverse effects** No further relevant information available.

(Contd. of page 6)

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(Nitric Acid)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric  
Acid)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

Acids

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018



**Trade name: NexION Cell Stability Solution**

(Contd. of page 7)

· <b>Stowage Category</b>	A
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5 EINECS: 231-791-2	Water		98.9991%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	1.0%
CAS: 7440-47-3 EINECS: 231-157-5	chromium		0.0001%

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made

(Contd. on page 9)

**according to 1907/2006/EC, Article 31**

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

(Contd. of page 8)

concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

**· Relevant phrases**

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H272 May intensify fire; oxidiser.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H360FD May damage fertility. May damage the unborn child.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

**· Department issuing SDS:**

Environmental, Health and Safety  
PerkinElmer  
Chalfont Road  
Buckinghamshire  
Seer Green  
HP9 2FX  
United Kingdom  
Telephone : 0800-89 60 46  
FAX : 0800-89 17 14

**· Contact:**

Within the USA: 1-(800)-762-4000  
Outside the USA: 1-(203)-712-8488

**· Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

*according to 1907/2006/EC, Article 31*

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION Cell Stability Solution**

(Contd. of page 9)

PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Ox. Liq. 2: Oxidizing liquids – Category 2  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
· **\* Data compared to the previous version altered.**

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NEXION KED MODE DETECTION LIMIT BLANK SOLUTION
- **Article number:** N8145057
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**

Safety data sheet available on request.

- **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

(Contd. of page 1)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%
-------------------------------------	-------------------	--	------

· **Additional Components**

CAS: 7732-18-5 EINECS: 231-791-2	Water	99.0%
-------------------------------------	-------	-------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

(Contd. of page 2)

· **6.4 Reference to other sections**

No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

\* **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

\* **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**7647-01-0 Hydrochloric Acid**

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)
-----	--

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

- **Respiratory protection:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

· **Eye protection:** Goggles recommended during refilling

(Contd. of page 3)

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

##### · Appearance:

· <b>Form:</b>	Fluid
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

#### · Change in condition

· <b>Melting point/freezing point:</b>	0 °C
· <b>Initial boiling point and boiling range:</b>	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

#### · Explosion limits:

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

#### · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

#### · Viscosity:

· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.

#### · Solvent content:

· **Water:** 99.0 %

· **9.2 Other information** No further relevant information available.

GB

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION

(Contd. of page 4)

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## \* SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## \* SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## \* SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

GB

according to 1907/2006/EC, Article 31

Printing date 05.07.2018



Revision: 05.07.2018

**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

· <b>14.1 UN-Number</b>	
· <b>ADR, IMDG, IATA</b>	UN1789
· <b>14.2 UN proper shipping name</b>	
· <b>ADR</b>	1789 HYDROCHLORIC ACID solution
· <b>IMDG, IATA</b>	HYDROCHLORIC ACID solution
· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR</b>	
	
· <b>Class</b>	8 (C1) Corrosive substances.
· <b>Label</b>	8
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	8 Corrosive substances.
· <b>Label</b>	8
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Warning: Corrosive substances.
· <b>Danger code (Kemler):</b>	80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Acids
· <b>Stowage Category</b>	E
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018



**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

(Contd. of page 6)

· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	E
<hr/>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CAS: 7732-18-5 EINECS: 231-791-2	Water		99.0%
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Generally not hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

**Disclaimer**

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· **Relevant phrases**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· **Department issuing SDS:**

Environmental, Health and Safety

PerkinElmer

Chalfont Road

Buckinghamshire

Seer Green

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NEXION KED MODE DETECTION LIMIT BLANK SOLUTION**

(Contd. of page 7)

HP9 2FX

United Kingdom

Telephone : 0800-89 60 46

FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

GB



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION KED Mode Detection Limit Standard Solution
- **Article number:** N8145058
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Safety data sheet available on request.

- **2.3 Other hazards**  
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 1)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.







### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%
-------------------------------------	-------------------	--	------

#### · **Additional Components**

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.1%
CAS: 7440-38-2 EINECS: 231-148-6	Arsenic	 Acute Tox. 3, H301; Acute Tox. 3, H331  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.001%
CAS: 7782-49-2 EINECS: 231-957-4	selenium	 Acute Tox. 3, H301; Acute Tox. 3, H331  STOT RE 2, H373 Aquatic Chronic 4, H413	0.001%
CAS: 7440-62-2 EINECS: 231-171-1	vanadium		0.001%
CAS: 7732-18-5 EINECS: 231-791-2	Water		98.897%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

#### 7647-01-0 Hydrochloric Acid

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)
-----	--

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

- **Respiratory protection:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 3)

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:** Goggles recommended during refilling

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

· **Solubility in / Miscibility with water:** Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**  
Dynamic: Not determined.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 4)

<b>Kinematic:</b>	<i>Not determined.</i>
· <b>Solvent content:</b>	
<b>Water:</b>	98.9 %
· <b>9.2 Other information</b>	<i>No further relevant information available.</i>

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** *No further relevant information available.*
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known.*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *No dangerous decomposition products known.*

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** *Based on available data, the classification criteria are not met.*
- **Primary irritant effect:**
- **Skin corrosion/irritation** *Based on available data, the classification criteria are not met.*
- **Serious eye damage/irritation** *Based on available data, the classification criteria are not met.*
- **Respiratory or skin sensitisation** *Based on available data, the classification criteria are not met.*
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** *Based on available data, the classification criteria are not met.*
- **Carcinogenicity** *Based on available data, the classification criteria are not met.*
- **Reproductive toxicity** *Based on available data, the classification criteria are not met.*
- **STOT-single exposure** *Based on available data, the classification criteria are not met.*
- **STOT-repeated exposure** *Based on available data, the classification criteria are not met.*
- **Aspiration hazard** *Based on available data, the classification criteria are not met.*

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Generally not hazardous for water*
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 5)

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** Smaller quantities can be disposed of with household waste.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(HYDROCHLORIC ACID, Nitric Acid)

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(HYDROCHLORIC ACID)

· **IMDG, IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(HYDROCHLORIC ACID, Nitric Acid)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG, IATA**



· **Class**

8 Corrosive substances.

· **Label**

8

· **14.4 Packing group**

· **ADR, IMDG, IATA**

III

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Warning: Corrosive substances.

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018





**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 6)

· Segregation groups	Acids
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID), 8, III

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS: 7732-18-5 EINECS: 231-791-2	Water		98.897%
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.1%

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Waterhazard class: Generally not hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made

(Contd. on page 8)

**according to 1907/2006/EC, Article 31**

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 7)

concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· **Relevant phrases**

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS:**

Environmental, Health and Safety

PerkinElmer

Chalfont Road

Buckinghamshire

Seer Green

HP9 2FX

United Kingdom

Telephone : 0800-89 60 46

FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** NexION KED Mode Setup Solution
- **Article number:** N8145052
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Laboratory chemicals
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

PerkinElmer, Inc.  
Chalfont Road Buckinghamshire  
Seer Green HP9 2FX  
cc.uk@perkinelmer.com  
United Kingdom  
P: 0800 896 046  
F: 0800-89 17 14

PerkinElmer, Inc.  
Llantrisant Business Park, Unit A  
Llantrisant CF72 8YW  
United Kingdom  
cc.uk@perkinelmer.com  
P: 44 1443 234005

- **1.4 Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**  
Safety data sheet available on request.
- **2.3 Other hazards**  
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Setup Solution**

(Contd. of page 1)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.






### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · **Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%
-------------------------------------	-------------------	--	------

#### · **Additional Components**

CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	0.0001%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt	 Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%
CAS: 7440-45-1 EINECS: 231-154-9	cerium	 Water-react. 2, H261	0.0001%
CAS: 7732-18-5 EINECS: 231-791-2	Water		98.9996%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

GB

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Setup Solution**

(Contd. of page 2)

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

#### 7647-01-0 Hydrochloric Acid

WEL	Short-term value: 8 mg/m <sup>3</sup> , 5 ppm Long-term value: 2 mg/m <sup>3</sup> , 1 ppm (gas and aerosol mists)
-----	--

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

- **Respiratory protection:** Not required.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Setup Solution**

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gas):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapour pressure at 20 °C:** 23 hPa

Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

Trade name: NexION KED Mode Setup Solution

(Contd. of page 4)

- **Solvent content:**
- Water:** 99.0 %
- **9.2 Other information** No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018



Trade name: NexION KED Mode Setup Solution

(Contd. of page 5)

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

- |   |  |
|---|--|
| · <b>14.1 UN-Number</b>   | UN3264   |
| · <b>ADR, IMDG, IATA</b>  |  |
| · <b>14.2 UN proper shipping name</b>   | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| · <b>ADR</b>  | (HYDROCHLORIC ACID, Nitric Acid)                 |
| · <b>IMDG, IATA</b>   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.      |
|   | (HYDROCHLORIC ACID, Nitric Acid)                 |
| · <b>14.3 Transport hazard class(es)</b>  |  |
| · <b>ADR</b>  |  |
|  |  |
| · <b>Class</b>  | 8 (C1) Corrosive substances.                     |
| · <b>Label</b>  | 8  |
| · <b>IMDG, IATA</b>   |  |
|  |  |
| · <b>Class</b>  | 8 Corrosive substances.                          |
| · <b>Label</b>  | 8  |
| · <b>14.4 Packing group</b>   | III  |
| · <b>ADR, IMDG, IATA</b>  |  |
| · <b>14.5 Environmental hazards:</b>  |  |
| · <b>Marine pollutant:</b>  | No   |
| · <b>14.6 Special precautions for user</b>  | Warning: Corrosive substances.                   |
| · <b>Danger code (Kemler):</b>  | 80   |
| · <b>EMS Number:</b>  | F-A,S-B  |
| · <b>Segregation groups</b>   | Acids  |
| · <b>Stowage Category</b>   | A  |
| · <b>Stowage Code</b>   | SW2 Clear of living quarters.                    |

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Setup Solution**





(Contd. of page 6)

· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>		Not applicable.
· <b>Transport/Additional information:</b>		
· <b>ADR</b>		
· <b>Limited quantities (LQ)</b>	5L	
· <b>Excepted quantities (EQ)</b>	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· <b>Transport category</b>	3	
· <b>Tunnel restriction code</b>	E	
· <b>IMDG</b>		
· <b>Limited quantities (LQ)</b>	5L	
· <b>Excepted quantities (EQ)</b>	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· <b>UN "Model Regulation":</b>	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID), 8, III	

\*

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

CAS: 7732-18-5 EINECS: 231-791-2	Water		98.9996%
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	 Skin Corr. 1B, H314  STOT SE 3, H335	1.0%
CAS: 7440-48-4 EINECS: 231-158-0	cobalt	 Resp. Sens. 1, H334  Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0001%

### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

### · National regulations:

### · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· **Waterhazard class:** Generally not hazardous for water.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

\*

## SECTION 16: Other information

### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and

(Contd. on page 8)

according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Revision: 05.07.2018

**Trade name: NexION KED Mode Setup Solution**

(Contd. of page 7)

*should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.*

· **Relevant phrases**

H261 In contact with water releases flammable gases.

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H413 May cause long lasting harmful effects to aquatic life.

· **Department issuing SDS:**

Environmental, Health and Safety

PerkinElmer

Chalfont Road

Buckinghamshire

Seer Green

HP9 2FX

United Kingdom

Telephone : 0800-89 60 46

FAX : 0800-89 17 14

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**