

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

## 1 Identification

- **Product identifier**
- **Trade name:** NexION KED Mode Detection Limit Standard Solution
- **Article number** N8145058
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.  
710 Bridgeport Avenue  
Shelton, Connecticut 06484 USA  
CustomerCareUS@perkinelmer.com  
203-925-4600

- **Emergency telephone number:**  
CHEMTREC (within US) 800-424-9300  
CHEMTREC (from outside US) +1 703-527-3887 (call collect)  
CHEMTREC (within AU) +(61)-290372994

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

|            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = *0    |
| FIRE       | 0 | Fire = 0       |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**  
The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021



**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 1)








### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Hazardous components:

|           |  |      |
|-----------|--|------|
| 7647-01-0 | Hydrochloric Acid  | 1.0% |
|           |  Skin Corr. 1B, H314; Eye Dam. 1, H318<br> Acute Tox. 4, H302; STOT SE 3, H335 |      |

#### · Additional Components

|           |  |         |
|-----------|--|---------|
| 7732-18-5 | Water  | 98.897% |
| 7697-37-2 | Nitric Acid  | 0.1%    |
|           |  Ox. Liq. 2, H272<br> Skin Corr. 1A, H314  |         |
| 7440-38-2 | Arsenic  | 0.001%  |
|           |  Acute Tox. 3, H301; Acute Tox. 3, H331<br> Carc. 1A, H350<br> Aquatic Acute 1, H400; Aquatic Chronic 1, H410 |         |
| 7440-62-2 | vanadium   | 0.001%  |
| 7782-49-2 | selenium   | 0.001%  |
|           |  Acute Tox. 3, H301; Acute Tox. 3, H331<br> STOT RE 2, H373<br>Aquatic Chronic 4, H413   |         |

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire fighting measures that suit the environment.  
Water
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

|           |                   |                       |
|-----------|-------------------|-----------------------|
| 7647-01-0 | Hydrochloric Acid | 1.8 ppm               |
| 7697-37-2 | Nitric Acid       | 0.16 ppm              |
| 7440-38-2 | Arsenic           | 1.5 mg/m <sup>3</sup> |
| 7440-62-2 | vanadium          | 3 mg/m <sup>3</sup>   |
| 7782-49-2 | selenium          | 0.6 mg/m <sup>3</sup> |

### · PAC-2:

|           |                   |                       |
|-----------|-------------------|-----------------------|
| 7647-01-0 | Hydrochloric Acid | 22 ppm                |
| 7697-37-2 | Nitric Acid       | 24 ppm                |
| 7440-38-2 | Arsenic           | 17 mg/m <sup>3</sup>  |
| 7440-62-2 | vanadium          | 5.8 mg/m <sup>3</sup> |
| 7782-49-2 | selenium          | 6.6 mg/m <sup>3</sup> |

### · PAC-3:

|           |                   |                       |
|-----------|-------------------|-----------------------|
| 7647-01-0 | Hydrochloric Acid | 100 ppm               |
| 7697-37-2 | Nitric Acid       | 92 ppm                |
| 7440-38-2 | Arsenic           | 100 mg/m <sup>3</sup> |
| 7440-62-2 | vanadium          | 35 mg/m <sup>3</sup>  |
| 7782-49-2 | selenium          | 40 mg/m <sup>3</sup>  |

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 7647-01-0 Hydrochloric Acid

|     |   |
|-----|---|
| PEL | Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm    |
| REL | Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm    |
| TLV | Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

|                        |                                    |
|------------------------|------------------------------------|
| <b>Form:</b>           | Liquid                             |
| <b>Color:</b>          | According to product specification |
| <b>Odor:</b>           | Characteristic                     |
| <b>Odor threshold:</b> | Not determined.                    |

(Contd. on page 5)

**acc. to OSHA HCS**

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 4)

|   |  |
|---|--|
| · <b>pH-value:</b>                                | Not determined.  |
| · <b>Change in condition</b>                      |  |
| <b>Melting point/Melting range:</b>               | 0 °C (32 °F)   |
| <b>Boiling point/Boiling range:</b>               | Undetermined.  |
| · <b>Flash point:</b>                             | Not applicable.  |
| · <b>Flammability (solid, gaseous):</b>           | Not applicable.  |
| · <b>Decomposition temperature:</b>               | Not determined.  |
| · <b>Auto igniting:</b>                           | Product is not selfigniting.                                     |
| · <b>Danger of explosion:</b>                     | Product does not present an explosion hazard.<br>Not determined. |
| · <b>Explosion limits:</b>                        |  |
| <b>Lower:</b>                                     | Not determined.  |
| <b>Upper:</b>                                     | Not determined.  |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 23 hPa (17.3 mm Hg)  |
| · <b>Density:</b>                                 | Not determined.  |
| · <b>Relative density</b>                         | Not determined.  |
| · <b>Vapor density</b>                            | Not determined.  |
| · <b>Evaporation rate</b>                         | Not determined.  |
| · <b>Solubility in / Miscibility with</b>         |  |
| <b>Water:</b>                                     | Fully miscible.  |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.  |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.  |
| <b>Kinematic:</b>                                 | Not determined.  |
| · <b>Solvent content:</b>                         |  |
| <b>Water:</b>                                     | 98.9 %   |
| <b>VOC content:</b>                               | 0.00 %   |
| · <b>Other information</b>                        | No further relevant information available.                       |

\*

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

USA

(Contd. on page 6)

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: NexION KED Mode Detection Limit Standard Solution

(Contd. of page 5)

## 11 Toxicological information

### · Information on toxicological effects

#### · Acute toxicity:

#### · Primary irritant effect:

· on the skin: No irritant effect.

· on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

#### · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

|           |                   |   |
|-----------|-------------------|---|
| 7647-01-0 | Hydrochloric Acid | 3 |
| 7440-38-2 | Arsenic           | 1 |
| 7782-49-2 | selenium          | 3 |

#### · NTP (National Toxicology Program)

|           |         |   |
|-----------|---------|---|
| 7440-38-2 | Arsenic | K |
|-----------|---------|---|

#### · OSHA-Ca (Occupational Safety & Health Administration)

|           |         |  |
|-----------|---------|--|
| 7440-38-2 | Arsenic |  |
|-----------|---------|--|

## 12 Ecological information

### · Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

### · Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

### · Additional ecological information:

· General notes: Not hazardous for water.

### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

### · Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

### · Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

acc. to OSHA HCS

Printing date 07/27/2021




Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. of page 6)

## 14 Transport information

|  |   |
|--|---|
| · <b>UN-Number</b>                                   |   |
| · <b>DOT, ADR, IMDG, IATA</b>                        | UN3264  |
| · <b>UN proper shipping name</b>                     |   |
| · <b>DOT</b>   | Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid, Nitric Acid)  |
| · <b>ADR</b>   | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Nitric Acid)<br>3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID) |
| · <b>IMDG, IATA</b>                                  | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Nitric Acid)  |
| · <b>Transport hazard class(es)</b>                  |   |
| · <b>DOT</b>   |   |
|  |   |
| · <b>Class</b>                                       | 8 Corrosive substances  |
| · <b>Label</b>                                       | 8   |
| · <b>ADR</b>   |   |
|  |    |
| · <b>Class</b>                                       | 8 (C1) Corrosive substances   |
| · <b>Label</b>                                       | 8   |
| · <b>IMDG, IATA</b>                                  |   |
|  |    |
| · <b>Class</b>                                       | 8 Corrosive substances  |
| · <b>Label</b>                                       | 8   |
| · <b>Packing group</b>                               |   |
| · <b>DOT, ADR, IMDG, IATA</b>                        | III   |
| · <b>Environmental hazards:</b>                      |   |
| · <b>Marine pollutant:</b>                           | No  |
| · <b>Special precautions for user</b>                | Warning: Corrosive substances   |
| · <b>Hazard identification number (Kemler code):</b> | 80  |

(Contd. on page 8)

**acc. to OSHA HCS**

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**





(Contd. of page 7)

|  |  |
|--|--|
| · <b>EMS Number:</b>   | F-A,S-B  |
| · <b>Segregation groups</b>  | Acids  |
| · <b>Stowage Category</b>  | A  |
| · <b>Stowage Code</b>  | SW2 Clear of living quarters.  |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.  |
| · <b>Transport/Additional information:</b>                                       |  |
| · <b>DOT</b>   |  |
| · <b>Quantity limitations</b>  | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L  |
| · <b>ADR</b>   |  |
| · <b>Excepted quantities (EQ)</b>  | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>IMDG</b>  |  |
| · <b>Limited quantities (LQ)</b>   | 5L   |
| · <b>Excepted quantities (EQ)</b>  | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>UN "Model Regulation":</b>  | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, NITRIC ACID), 8, III                     |

\*

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

|           |  |         |
|-----------|--|---------|
| 7732-18-5 | Water  | 98.897% |
| 7647-01-0 | Hydrochloric Acid  | 1.0%    |
|           |  Skin Corr. 1B, H314; Eye Dam. 1, H318<br> Acute Tox. 4, H302; STOT SE 3, H335 |         |
| 7697-37-2 | Nitric Acid  | 0.1%    |
|           |  Ox. Liq. 2, H272<br> Skin Corr. 1A, H314                                      |         |

· **Sara**

· **Section 355 (extremely hazardous substances):**

|           |                   |
|-----------|-------------------|
| 7647-01-0 | Hydrochloric Acid |
| 7697-37-2 | Nitric Acid       |

· **Section 313 (Specific toxic chemical listings):**

|           |                   |
|-----------|-------------------|
| 7647-01-0 | Hydrochloric Acid |
| 7697-37-2 | Nitric Acid       |
| 7440-38-2 | Arsenic           |
| 7440-62-2 | vanadium          |
| 7782-49-2 | selenium          |

(Contd. on page 9)



acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 8)

- **TSCA (Toxic Substances Control Act):**  
All ingredients are listed.

|           |                   |        |
|-----------|-------------------|--------|
| 7732-18-5 | Water             | ACTIVE |
| 7647-01-0 | Hydrochloric Acid | ACTIVE |
| 7697-37-2 | Nitric Acid       | ACTIVE |
| 7440-38-2 | Arsenic           | ACTIVE |
| 7440-62-2 | vanadium          | ACTIVE |
| 7782-49-2 | selenium          | ACTIVE |

- **Hazardous Air Pollutants**

|           |                   |
|-----------|-------------------|
| 7647-01-0 | Hydrochloric Acid |
|-----------|-------------------|

- **Proposition 65**

- **Chemicals known to cause cancer:**

|           |         |
|-----------|---------|
| 7440-38-2 | Arsenic |
|-----------|---------|

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **EPA (Environmental Protection Agency)**

|           |          |   |
|-----------|----------|---|
| 7440-38-2 | Arsenic  | A |
| 7782-49-2 | selenium | D |

- **TLV (Threshold Limit Value established by ACGIH)**

|           |                   |    |
|-----------|-------------------|----|
| 7647-01-0 | Hydrochloric Acid | A4 |
| 7440-38-2 | Arsenic           | A1 |

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

|           |         |
|-----------|---------|
| 7440-38-2 | Arsenic |
|-----------|---------|

- **National regulations:**

- **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- **Water hazard class:** Generally not hazardous for water.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and

(Contd. on page 10)

**acc. to OSHA HCS**

Printing date 07/27/2021

Review date 07/27/2021

**Trade name: NexION KED Mode Detection Limit Standard Solution**

(Contd. of page 9)

*should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.*

· **Department issuing SDS:** Environmental, Health and Safety

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**

USA