

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

1 Identification

- **Product identifier**
- **Trade name:** AFT Multi Element Solution
- **Article number** N8145061
- **Application of the substance / the mixture** Laboratory chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600

- **Emergency telephone number:**
CHEMTREC (within US) 800-424-9300
CHEMTREC (from outside US) +1 703-527-3887 (call collect)
CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

- **Classification of the substance or mixture**



Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS07
- **Signal word** Warning

- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.

- **Precautionary statements**
P264 Wash thoroughly after handling.
P280 Wear protective gloves / eye protection / face protection.
P302+P352 If on skin: Wash with plenty of water.
P321 Specific treatment (see on this label).
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 0
Reactivity = 0

(Contd. on page 2)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

· **Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients














· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Hazardous components:**

7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	2.0%
-----------	-------------	---	------

· **Additional Components**

7732-18-5	Water		97.9816%
7439-92-1	lead		0.002%
	 Carc. 2, H351; Repr. 1A, H360		
7440-17-7	rubidium		0.002%
	 Water-react. 1, H260  Skin Corr. 1B, H314; Eye Dam. 1, H318		
7440-24-6	strontium		0.002%
	 Water-react. 1, H260		
7440-61-1	uranium		0.002%
	 Acute Tox. 2, H300; Acute Tox. 2, H330  STOT RE 2, H373 Aquatic Chronic 4, H413		
7440-62-2	vanadium		0.002%
7440-66-6	zinc		0.002%
	 Pyr. Sol. 1, H250; Water-react. 1, H260  Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
7782-49-2	selenium		0.002%
	 Acute Tox. 3, H301; Acute Tox. 3, H331  STOT RE 2, H373 Aquatic Chronic 4, H413		
7429-90-5	aluminium		0.0002%
7439-89-6	iron		0.0002%
	 Acute Tox. 2, H300		
7439-93-2	lithium		0.0002%
	 Water-react. 1, H260  Skin Corr. 1B, H314		

(Contd. on page 3)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

		(Contd. of page 2)
7439-95-4	magnesium ⚠️ Pyr. Sol. 1, H250; Water-react. 1, H260	0.0002%
7439-96-5	manganese	0.0002%
7440-02-0	nickel ⚠️ Carc. 2, H351; STOT RE 1, H372 ⚠️ Skin Sens. 1, H317	0.0002%
7440-09-7	potassium ⚠️ Water-react. 1, H260 ⚠️ Skin Corr. 1B, H314	0.0002%
7440-22-4	silver	0.0002%
7440-23-5	sodium ⚠️ Water-react. 1, H260 ⚠️ Skin Corr. 1B, H314	0.0002%
7440-28-0	thallium ⚠️ Acute Tox. 2, H300; Acute Tox. 2, H330 ⚠️ STOT RE 2, H373 Aquatic Chronic 4, H413	0.0002%
7440-38-2	Arsenic ⚠️ Acute Tox. 3, H301; Acute Tox. 3, H331 ⚠️ Carc. 1A, H350 ⚠️ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0002%
7440-39-3	barium ⚠️ Water-react. 2, H261	0.0002%
7440-41-7	beryllium ⚠️ Acute Tox. 3, H301; Acute Tox. 2, H330 ⚠️ Carc. 1B, H350; STOT RE 1, H372 ⚠️ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	0.0002%
7440-43-9	cadmium ⚠️ Acute Tox. 3, H301; Acute Tox. 2, H330 ⚠️ Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H372 ⚠️ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0002%
7440-47-3	chromium	0.0002%
7440-48-4	cobalt ⚠️ Resp. Sens. 1, H334; Carc. 2, H351 ⚠️ Skin Sens. 1, H317 Aquatic Chronic 4, H413	0.0002%
7440-50-8	copper	0.0002%
7440-55-3	gallium ⚠️ Skin Corr. 1B, H314	0.0002%
7440-69-9	bismuth	0.0002%
7440-70-2	calcium ⚠️ Water-react. 2, H261	0.0002%
7440-74-6	Indium	0.0002%

(Contd. on page 4)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

14644-55-4 cesium vanadium trioxide

(Contd. of page 3)

0.0002%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	Nitric Acid	0.16 ppm
7439-92-1	lead	0.15 mg/m ³
7440-17-7	rubidium	3.9 mg/m ³
7440-24-6	strontium	30 mg/m ³
7440-61-1	uranium	0.6 mg/m ³
7440-62-2	vanadium	3 mg/m ³

(Contd. on page 5)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 4)		
7440-66-6	<i>zinc</i>	6 mg/m ³
7782-49-2	<i>selenium</i>	0.6 mg/m ³
7439-89-6	<i>iron</i>	3.2 mg/m ³
7439-93-2	<i>lithium</i>	3.3 mg/m ³
7439-95-4	<i>magnesium</i>	18 mg/m ³
7439-96-5	<i>manganese</i>	3 mg/m ³
7440-02-0	<i>nickel</i>	4.5 mg/m ³
7440-09-7	<i>potassium</i>	2.3 mg/m ³
7440-22-4	<i>silver</i>	0.3 mg/m ³
7440-23-5	<i>sodium</i>	13 mg/m ³
7440-28-0	<i>thallium</i>	0.06 mg/m ³
7440-38-2	<i>Arsenic</i>	1.5 mg/m ³
7440-39-3	<i>barium</i>	1.5 mg/m ³
7440-41-7	<i>beryllium</i>	0.0023 mg/m ³
7440-43-9	<i>cadmium</i>	0.10 mg/m ³
7440-47-3	<i>chromium</i>	1.5 mg/m ³
7440-48-4	<i>cobalt</i>	0.18 mg/m ³
7440-50-8	<i>copper</i>	3 mg/m ³
7440-55-3	<i>gallium</i>	30 mg/m ³
7440-69-9	<i>bismuth</i>	15 mg/m ³
7440-74-6	<i>Indium</i>	0.3 mg/m ³

PAC-2:

7697-37-2	<i>Nitric Acid</i>	24 ppm
7439-92-1	<i>lead</i>	120 mg/m ³
7440-17-7	<i>rubidium</i>	43 mg/m ³
7440-24-6	<i>strontium</i>	330 mg/m ³
7440-61-1	<i>uranium</i>	5 mg/m ³
7440-62-2	<i>vanadium</i>	5.8 mg/m ³
7440-66-6	<i>zinc</i>	21 mg/m ³
7782-49-2	<i>selenium</i>	6.6 mg/m ³
7439-89-6	<i>iron</i>	35 mg/m ³
7439-93-2	<i>lithium</i>	36 mg/m ³
7439-95-4	<i>magnesium</i>	200 mg/m ³
7439-96-5	<i>manganese</i>	5 mg/m ³
7440-02-0	<i>nickel</i>	50 mg/m ³
7440-09-7	<i>potassium</i>	25 mg/m ³
7440-22-4	<i>silver</i>	170 mg/m ³
7440-23-5	<i>sodium</i>	140 mg/m ³
7440-28-0	<i>thallium</i>	3.3 mg/m ³
7440-38-2	<i>Arsenic</i>	17 mg/m ³

(Contd. on page 6)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

		(Contd. of page 5)
7440-39-3	barium	180 mg/m ³
7440-41-7	beryllium	0.025 mg/m ³
7440-43-9	cadmium	0.76 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-55-3	gallium	330 mg/m ³
7440-69-9	bismuth	170 mg/m ³
7440-74-6	Indium	3.3 mg/m ³
PAC-3:		
7697-37-2	Nitric Acid	92 ppm
7439-92-1	lead	700 mg/m ³
7440-17-7	rubidium	260 mg/m ³
7440-24-6	strontium	2,000 mg/m ³
7440-61-1	uranium	30 mg/m ³
7440-62-2	vanadium	35 mg/m ³
7440-66-6	zinc	120 mg/m ³
7782-49-2	selenium	40 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-93-2	lithium	220 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-02-0	nickel	99 mg/m ³
7440-09-7	potassium	150 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-28-0	thallium	20 mg/m ³
7440-38-2	Arsenic	100 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-41-7	beryllium	0.1 mg/m ³
7440-43-9	cadmium	4.7 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-55-3	gallium	2,000 mg/m ³
7440-69-9	bismuth	990 mg/m ³
7440-74-6	Indium	20 mg/m ³

USA

(Contd. on page 7)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 6)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7697-37-2 Nitric Acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 8)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 7)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles or safety glasses

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· Melting point/Melting range:	0 °C (32 °F)
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.
Not determined.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

· **Solubility in / Miscibility with**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

(Contd. on page 9)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 8)

Kinematic:	Not determined.
· Solvent content:	
Water:	98.0 %
VOC content:	0.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
7439-92-1	lead	2B
7782-49-2	selenium	3
7440-02-0	nickel	2B
7440-38-2	Arsenic	1
7440-41-7	beryllium	1
7440-43-9	cadmium	1
7440-47-3	chromium	3
7440-48-4	cobalt	2B

- **NTP (National Toxicology Program)**

7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	Arsenic	K
7440-41-7	beryllium	K

(Contd. on page 10)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 9)

7440-43-9	cadmium	K
7440-48-4	cobalt	R

· OSHA-Ca (Occupational Safety & Health Administration)

7440-38-2	Arsenic
7440-43-9	cadmium

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Dispose of container and materials in accordance with local, regional and national regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT	Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid)

(Contd. on page 11)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 10)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances
· **Label** 8

· **ADR**



· **Class** 8 (C1) Corrosive substances
· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances
· **Label** 8

· **Packing group**

· **DOT, ADR, IMDG, IATA** III

· **Environmental hazards:**

· **Marine pollutant:** No

· **Special precautions for user** Warning: Corrosive substances

· **Hazard identification number (Kemler code):** 80

· **EMS Number:** F-A,S-B

· **Segregation groups** Acids

· **Stowage Category** A

· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L

· **ADR**

· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 12)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021




Trade name: AFT Multi Element Solution

(Contd. of page 11)

· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

7732-18-5	Water		97.9816%
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272  Skin Corr. 1A, H314	2.0%
7439-92-1	lead	 Carc. 2, H351; Repr. 1A, H360	0.002%

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	Nitric Acid
-----------	-------------

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	Nitric Acid
7439-92-1	lead
7440-62-2	vanadium
7440-66-6	zinc
7782-49-2	selenium
7429-90-5	aluminium
7439-96-5	manganese
7440-02-0	nickel
7440-22-4	silver
7440-28-0	thallium
7440-38-2	Arsenic
7440-39-3	barium
7440-41-7	beryllium
7440-43-9	cadmium
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
14644-55-4	cesium vanadium trioxide

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

7732-18-5	Water	ACTIVE
-----------	-------	--------

(Contd. on page 13)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 12)

7697-37-2	Nitric Acid	ACTIVE
7439-92-1	lead	ACTIVE
7440-17-7	rubidium	ACTIVE
7440-24-6	strontium	ACTIVE
7440-61-1	uranium	ACTIVE
7440-62-2	vanadium	ACTIVE
7440-66-6	zinc	ACTIVE
7782-49-2	selenium	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-89-6	iron	ACTIVE
7439-93-2	lithium	ACTIVE
7439-95-4	magnesium	ACTIVE
7439-96-5	manganese	ACTIVE
7440-02-0	nickel	ACTIVE
7440-09-7	potassium	ACTIVE
7440-22-4	silver	ACTIVE
7440-23-5	sodium	ACTIVE
7440-28-0	thallium	ACTIVE
7440-38-2	Arsenic	ACTIVE
7440-39-3	barium	ACTIVE
7440-41-7	beryllium	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-48-4	cobalt	ACTIVE
7440-50-8	copper	ACTIVE
7440-55-3	gallium	ACTIVE
7440-69-9	bismuth	ACTIVE
7440-70-2	calcium	ACTIVE
7440-74-6	Indium	ACTIVE

· Hazardous Air Pollutants

7439-92-1	lead
7439-96-5	manganese
7440-48-4	cobalt

· Proposition 65

· Chemicals known to cause cancer:

7439-92-1	lead
7440-02-0	nickel
7440-38-2	Arsenic
7440-41-7	beryllium
7440-43-9	cadmium

(Contd. on page 14)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 13)

7440-48-4	cobalt
-----------	--------

· **Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

· **Chemicals known to cause reproductive toxicity for males:**

7439-92-1	lead
-----------	------

7440-43-9	cadmium
-----------	---------

· **Chemicals known to cause developmental toxicity:**

7439-92-1	lead
-----------	------

7440-43-9	cadmium
-----------	---------

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

7439-92-1	lead	B2
-----------	------	----

7440-66-6	zinc	D, I, II
-----------	------	----------

7782-49-2	selenium	D
-----------	----------	---

7439-96-5	manganese	D
-----------	-----------	---

7440-22-4	silver	D
-----------	--------	---

7440-38-2	Arsenic	A
-----------	---------	---

7440-39-3	barium	D, CBD(inh), NL(oral)
-----------	--------	-----------------------

7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
-----------	-----------	-------------------------

7440-43-9	cadmium	B1
-----------	---------	----

7440-47-3	chromium	D
-----------	----------	---

7440-50-8	copper	D
-----------	--------	---

· **TLV (Threshold Limit Value established by ACGIH)**

7439-92-1	lead	A3
-----------	------	----

7440-61-1	uranium	A1
-----------	---------	----

7429-90-5	aluminium	A4
-----------	-----------	----

7440-02-0	nickel	A5
-----------	--------	----

7440-38-2	Arsenic	A1
-----------	---------	----

7440-39-3	barium	A4
-----------	--------	----

7440-41-7	beryllium	A1
-----------	-----------	----

7440-43-9	cadmium	A2
-----------	---------	----

7440-47-3	chromium	A4
-----------	----------	----

7440-48-4	cobalt	A3
-----------	--------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-61-1	uranium
-----------	---------

7440-02-0	nickel
-----------	--------

7440-38-2	Arsenic
-----------	---------

7440-41-7	beryllium
-----------	-----------

7440-43-9	cadmium
-----------	---------

(Contd. on page 15)

acc. to OSHA HCS

Printing date 04/21/2021

Review date 04/21/2021

Trade name: AFT Multi Element Solution

(Contd. of page 14)

- **National regulations:**
- **Information about limitation of use:**
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- **Water hazard class:** *Generally not hazardous for water.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· **Department issuing SDS:** *Environmental, Health and Safety*

· **Contact:**

Within the USA: 1-(800)-762-4000

Outside the USA: 1-(203)-712-8488

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

· *** Data compared to the previous version altered.**