

Printing date 02/25/2020

1 Identification

*Review date 02/25/2020* 

· Product identifier	
• Trade name: <u>NexION Stability Solution, 500 mL</u> • Article number N8162302 • Application of the substance / the mixture Laboratory chemicals	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600	
• Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994	
2 Hazard(s) identification	
Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmon</li> <li>Hazard pictograms GHS07</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>H215 Causes skin imitation</li> </ul>	vized System (GHS).

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Precautionary statements

1 i counionai y siai	
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
<i>P337+P313</i>	If eye irritation persists: Get medical advice/attention.
Classification syste	m:
NEDA	

· NFPA ratings (scale 0 - 4)





Printing date 02/25/2020

Review date 02/25/2020

Trade name: NexION Stability Solution, 500 mL

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

• Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
Additional	Components	
7439-89-6	iron	0.0002%
7440-47-3	chromium	0.0002%
7439-92-1	lead	0.0002%
7439-93-2	lithium Water-react. 1, H260 Skin Corr. 1B, H314	0.0002%
7439-95-4	magnesium Ø Pyr. Sol. 1, H250; Water-react. 1, H260	0.0002%
7440-43-9	cadmium (non-pyrophoric) Acute Tox. 3, H301; Acute Tox. 2, H330 Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361; STOT RE 1, H37 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0002%
7732-18-5	Water	98.9987999

# 4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)



Printing date 02/25/2020

Review date 02/25/2020

Trade name: NexION Stability Solution, 500 mL

(Contd. of page 2)

- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

7697-37-2 Nitric Acid	0.16 ppm
7439-89-6 iron	3.2 mg/m <sup>3</sup>
7440-47-3 chromium	1.5 mg/m <sup>3</sup>
7439-92-1 lead	0.15 mg/m
7439-93-2 lithium	3.3 mg/m <sup>3</sup>
7439-95-4 magnesium	18 mg/m <sup>3</sup>
7440-43-9 cadmium (non-pyrophoric)	0.10 mg/m
7440-50-8 copper	3 mg/m <sup>3</sup>
PAC-2:	
7697-37-2 Nitric Acid	24 ppm
7439-89-6 iron	35 mg/m <sup>3</sup>
7440-47-3 chromium	17 mg/m <sup>3</sup>
7439-92-1 lead	120 mg/m
7439-93-2 lithium	36 mg/m <sup>3</sup>
7439-95-4 magnesium	200 mg/m
7440-43-9 cadmium (non-pyrophoric)	0.76 mg/m
7440-50-8 copper	33 mg/m <sup>3</sup>
<i>PAC-3:</i>	



*Printing date 02/25/2020* 

Review date 02/25/2020

#### Trade name: NexION Stability Solution, 500 mL

7439-89-6	iron	(Contd. of page 3) 150 mg/m <sup>3</sup>
7440-47-3	chromium	99 mg/m <sup>3</sup>
7439-92-1	lead	700 mg/m <sup>3</sup>
7439-93-2	lithium	220 mg/m <sup>3</sup>
7439-95-4	magnesium	1,200 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	$4.7 mg/m^3$
7440-50-8	copper	200 mg/m <sup>3</sup>

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

### 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- *REL* Short-term value: 10 mg/m<sup>3</sup>, 4 ppm
  - Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- *TLV* Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.

(Contd. on page 5)

USA



Printing date 02/25/2020

Review date 02/25/2020

#### Trade name: NexION Stability Solution, 500 mL

Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

# 9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	Dark brown	
Odor:	Characteristic	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	



Printing date 02/25/2020

Review date 02/25/2020

### Trade name: NexION Stability Solution, 500 mL

		(Contd. of page 5
· Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1.00509 g/cm <sup>3</sup> (8.38748 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

· Carcinogenic categories

· IARC (International Agency for Research on Cancer	•)
---	----

7440-47-3 chromium

7439-92-1 lead

(Contd. on page 7)

3

2B

<sup>-</sup> USA



*Printing date 02/25/2020* 

Review date 02/25/2020

(Contd. of page 6)

1

R K

# Trade name: NexION Stability Solution, 500 mL

7440-43-9 cadmium (non-pyrophoric)

· NTP (National Toxicology Program)

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· OSHA-Ca (Occupational Safety & Health Administration)

7440-43-9 cadmium (non-pyrophoric)

# 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

• Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	



Printing date 02/25/2020

Review date 02/25/2020

(Contd. of page 7)

Trade name: NexION Stability Solution, 500 mL

• Environmental hazards:

Not applicable.

· Special precautions for user

Not applicable.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

· UN ''Model Regulation'':

Not applicable. Non regulated according to above specifications. Void

· Safetv. hea	ulth and environmental regulations/legi	islation specific for the substance or mixture	
7732-18-5			98.998799%
7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	1.0%
7439-89-6	iron		0.0002%
· Sara			
· Section 35	5 (extremely hazardous substances):		
7697-37-2	Nitric Acid		
• Section 31	3 (Specific toxic chemical listings):		
	Nitric Acid		
7440-47-3	chromium		
7439-92-1	lead		
7440-43-9	cadmium (non-pyrophoric)		
7440-50-8	copper		
· TSCA (To:	xic Substances Control Act):		
	Nitric Acid		ACTIVI
7439-89-6	iron		ACTIVI
7440-47-3	chromium		ACTIV
7439-92-1	lead		ACTIVI
7439-93-2	lithium		ACTIVI
7439-95-4	magnesium		ACTIV
7440-43-9	cadmium (non-pyrophoric)		ACTIVI
7440-50-8	copper		ACTIVI
7732-18-5	Water		ACTIVI
· Hazardous	Air Pollutants		
7439-92-1	lead		
· Proposition	n 65		
· Chemicals	known to cause cancer:		
7439-92-1	lead		
7440-43-9	cadmium (non-pyrophoric)		



Printing date 02/25/2020

Review date 02/25/2020

### Trade name: NexION Stability Solution, 500 mL

(Contd. of page 8)

· Chemicals known to	cause reproductive toxicity for females:
7439-92-1 lead	

· Chemicals known to cause reproductive toxicity for males:

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

· Chemicals known to cause developmental toxicity:

7439-92-1 lead

7440-43-9 cadmium (non-pyrophoric)

## · Cancerogenity categories

· EPA (Environmental Protection Agency)	
7440-47-3 chromium	D
7439-92-1 lead	B2
7440-43-9 cadmium (non-pyrophoric)	B1
7440-50-8 copper	D
· TLV (Threshold Limit Value established by ACGIH)	
7440-47-3 chromium	A4
7439-92-1 lead	A3
7440-43-9 cadmium (non-pyrophoric)	A2
· NIOSH-Ca (National Institute for Occupational Safety and Health)	·
7440-43-9 cadmium (non-pyrophoric)	

· National regulations:

· Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# <u>16</u> Other information

## Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

### • Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 10)

USA



Printing date 02/25/2020

Review date 02/25/2020

#### Trade name: NexION Stability Solution, 500 mL

(Contd. of page 9)

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A