

\*

\*

# according to 1907/2006/EC, Article 31

Printing date 20.04.2021

Revision: 20.04.2021

SECTION 1: Identification of the substance/mixture and of the company	y/undertaking
1.1 Product identifier	
Trade name: CERIUM 1000 PPM A/S STANDARD	
Article number: N9300110	
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> No further relevant information available.	
<b>Application of the substance / the mixture</b> Laboratory chemicals	
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:	
PerkinElmer, Inc.	
710 Bridgeport Avenue	
Shelton, Connecticut 06484 USA	
CustomerCareUS@perkinelmer.com	
203-925-4600	
PerkinElmer, Inc.	
Chalfont Road Buckinghamshire	
Seer Green HP9 2FX	
cc.uk@perkinelmer.com United Kingdom	
P: 0800 896 046	
F: 0800-89 17 14	
PerkinElmer, Inc.	
Llantrisant Business Park, Unit A	
Llantrisant CF72 8YW	
United Kingdom	
cc.uk@perkinelmer.com	
P: 44 1443 234005	
<b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300	
CHEMTREC (within $OS$ ) 800-424-9500 CHEMTREC (from outside US) +1 703-527-3887 (call collect)	
CHEMTREC (within AU) $+(61)-290372994$	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2 H319 Causes serious eye irritation.	
2.2 Label elements	
Labelling according to Regulation (EC) No 1272/2008	
The product is classified and labelled according to the CLP regulation.	
Hazard pictograms GHS07	
Signal word Warning	(Contd. on page 2



Printing date 20.04.2021

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

	(Contd. of page 1)
• Hazard stateme	ents
H315 Causes sk	kin irritation.
H319 Causes se	erious eye irritation.
· Precautionary	statements
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
· 2.3 Other hazar	rds
The product de	pes not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formaldehydes.	
· Results of PBT	and vPvB assessment
· <b>PBT:</b> Not appli	
· vPvB: Not appl	

### **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%
EINECS: 231-714-2		🚸 Skin Corr. 1A, H314	t l
· Additional Compone	ents		
CAS: 7732-18-5	Water		97.9%
EINECS: 231-791-2			
CAS: 7440-45-1	cerium	🛞 Water-react. 2, H261	0.1%
EINECS: 231-154-9			
· Additional informati	on: For the wording of the listed hazard phrases refer t	o section 16.	

**SECTION 4: First aid measures** 

· 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)



*Printing date 20.04.2021* 

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

(Contd. of page 2)

## SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

## • 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

<sup>•</sup> GB



Printing date 20.04.2021

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

(Contd. of page 3)

*Immediately remove all soiled and contaminated clothing* Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

•9.1 Information on basic physical an	nd chemical properties	
· General Information		
· Appearance:	Linuid	
Form: Colour:	Liquid Tugunga guart	
conomit	Transparent Odourless	
· Odour:		
• Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	$0 \ ^{\circ}C$	
Initial boiling point and boiling ra	nge: 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
• Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard. Not determined.	
		(Contd. on page 5)



*Printing date 20.04.2021* 

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 •C:	23 hPa	
Density at 20 °C:	$l g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	<i>97.9 %</i>	
Solids content:	0.1 %	
9.2 Other information	No further relevant information available.	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

• Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



*Printing date 20.04.2021* 

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

(Contd. of page 5)

- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3264
· 14.2 UN proper shipping name	
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr Acid)
· 14.3 Transport hazard class(es)	
ADR	
· Class	8 (C1) Corrosive substances.



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: CERIUM 1000 PPM A/S STANDARD (Contd. of page 6) · Label 8 · IMDG, IATA 8 Corrosive substances. · Class · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: • Marine pollutant: No Warning: Corrosive substances. · 14.6 Special precautions for user · Hazard identification number (Kemler code): 80 F-A, S-B• EMS Number: · Segregation groups Acids · Stowage Category A · Stowage Code SW2 Clear of living quarters. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. • Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 5LCode: El • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 • Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5LCode: E1 • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

SECTION 15: Re	gulatory information	
$\cdot$ 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
CAS: 7732-18-5	Water	97.9%
EINECS: 231-791-2		
		(Contd. on page 8



Printing date 20.04.2021

Revision: 20.04.2021

### Trade name: CERIUM 1000 PPM A/S STANDARD

		(Contd.	of page 7)
CAS: 7697-37-2	Nitric Acid	🚸 Ox. Liq. 2, H272	2.0%
EINECS: 231-714-2		🐼 Skin Corr. 1A, H314	
CAS: 7440-45-1 EINECS: 231-154-9		🚸 Water-react. 2, H261	0.1%

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Waterhazard class: Generally not hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H261 In contact with water releases flammable gases.H272 May intensify fire; oxidiser.H314 Causes severe skin burns and eye damage.

#### · Department issuing SDS:

Environmental, Health and Safety PerkinElmer Chalfont Road Buckinghamshire Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX : 0800-89 17 14 **Contact:** Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

(Contd. on page 9)

GB



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: CERIUM 1000 PPM A/S STANDARD

(Contd. of page 8) · Abbreviations and acronyms RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 • \* Data compared to the previous version altered.