

*

*

according to 1907/2006/EC, Article 31

Printing date 17.02.2021

Revision: 17.02.2021

SECTION 1: Identification of the substance/mixture and of the compo	uny/unuertukting
· 1.1 Product identifier	
• Trade name: <u>ARSENIC 1000 PPM A/S STANDARD</u>	
Article number: N9300180	
1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.	
Application of the substance / the mixture Laboratory chemicals	
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:	
PerkinElmer, Inc.	
710 Bridgeport Avenue	
Shelton, Connecticut 06484 USA	
CustomerCareUS@perkinelmer.com	
203-925-4600	
PerkinElmer, Inc.	
Chalfont Road Buckinghamshire	
Seer Green HP9 2FX	
cc.uk@perkinelmer.com	
United Kingdom	
P: 0800 896 046	
F: 0800-89 17 14	
PerkinElmer, Inc.	
Llantrisant Business Park, Unit A	
Llantrisant CF72 8YW	
United Kingdom	
cc.uk@perkinelmer.com	
P: 44 1443 234005	
1.4 Emergency telephone number:	
CHEMTREC (within US) 800-424-9300	
CHEMTREC (from outside US) $+1$ 703-527-3887 (call collect)	
CHEMTREC (within AU) +(61)-290372994	
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008	
\wedge	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2 H319 Causes serious eye irritation.	
2.2 Label elements	
Labelling according to Regulation (EC) No 1272/2008	
The product is classified and labelled according to the CLP regulation.	
Hazard pictograms GHS07	
Signal word Warning	
	(Contd. on page 2



Printing date 17.02.2021

Revision: 17.02.2021

Trade name: ARSENIC 1000 PPM A/S STANDARD

	(Contd. of page 1)
• Hazard statemen	nts
H315 Causes ski	n irritation.
H319 Causes ser	ious eye irritation.
· Precautionary st	atements
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
· 2.3 Other hazard	ls
The product doe	es not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formaldehydes.	
· Results of PBT a	and vPvB assessment
• PBT: Not applic	able.
• vPvB: Not applie	cable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	Nitric Acid	2.0%
EINECS: 231-714-2	 Ox. Liq. 2, H272 Skin Corr. 1A, H314 	
CAS: 7440-38-2	Arsenic	0.1%
EINECS: 231-148-6	Acute Tox. 3, H301; Acute Tox. 3, H331 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
· Additional Compone	ents	
CAS: 7732-18-5	Water	97.9%
EINECS: 231-791-2		
· Additional informati	ion: For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 17.02.2021

Revision: 17.02.2021

(Contd. of page 2)

Trade name: ARSENIC 1000 PPM A/S STANDARD

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

(Contd. on page 4)

GB



Printing date 17.02.2021

Revision: 17.02.2021

Trade name: ARSENIC 1000 PPM A/S STANDARD

(Contd. of page 3) 7440-38-2 Arsenic WEL Long-term value: 0.1 mg/m³ as As; Carc • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · **Respiratory protection:** Not required. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: **Transparent Odour:** Characteristic · Odour threshold: Not determined.

Not determined.

 $0 \circ C$

• Change in condition Melting point/freezing point:

· pH-value:

(Contd. on page 5)

GB



Printing date 17.02.2021

Revision: 17.02.2021

Trade name: ARSENIC 1000 PPM A/S STANDARD

	(Cont	d. of page 4
Initial boiling point and boiling range	2: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	$l g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.9 %	
Solids content:	0.1 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Printing date 17.02.2021

Revision: 17.02.2021

Trade name: ARSENIC 1000 PPM A/S STANDARD

(Contd. of page 5) • Primary irritant effect: · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eve irritation. • **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. · Additional toxicological information: · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) • Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • *Reproductive toxicity Based on available data, the classification criteria are not met.* • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity: No further relevant information available. • 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available.

- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN3264

(Contd. on page 7)



Printing date 17.02.2021

Revision: 17.02.2021

	(Contd. of page
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(Nitric Acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Niti Acid)
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C1) Corrosive substances. 8
IMDG, IATA	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	111
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category Stowage Code	A SW2 Clean of living guarters
	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	f Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	Ε



Printing date 17.02.2021

Revision: 17.02.2021

Trade name: ARSENIC 1000 PPM A/S STANDARD

	(Contd. of page 7	
·IMDG		
· Limited quantities (LQ)	5L	
\cdot Excepted quantities (EQ)	Code: El	
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC	
	N.O.S. (NITRIC ACID), 8, III	

SECTION 15: R	egulatory information	
· 15.1 Safety, health a	nd environmental regulations/legislation specific for the sub	stance or mixture
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.9%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%
CAS: 7440-38-2 EINECS: 231-148-6	Arsenic Acute Tox. 3, H301; Acute Tox. 3, H331 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.1%
Regulation (EU) No) No 1907/2006 ANNEX XVII Conditions of restriction: 3 649/2012	
7440-38-2 Arsenic		Annex I Part
• DIRECTIVE 2011/ electronic equipmen None of the ingredien		substances in electrical a
· National regulations		
• Information about li Workers are not allo certain cases.	mitation of use: wed to be exposed to this hazardous material. Exceptions ca	n be made by the authorities
· Waterhazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for	water

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 9)

GB



Printing date 17.02.2021 Revision: 17.02.2021 Trade name: ARSENIC 1000 PPM A/S STANDARD (Contd. of page 8) · Relevant phrases H272 May intensify fire; oxidiser. H301 Toxic if swallowed. H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. • Department issuing SDS: Environmental, Health and Safety PerkinElmer Chalfont Road **Buckinghamshire** Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX: 0800-89 17 14 · Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 · Abbreviations and acronyms RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 • * Data compared to the previous version altered.