

Printing date 12/22/2021

Review date 12/22/2021

• Product identif	ier in the second s
· Trade name: T	HREE ELEMENT A/S STD WWP
· Article number	
	he substance / the mixture Laboratory chemicals
· Details of the s	upplier of the safety data sheet
· Manufacturer/S	
PerkinElmer, In	
710 Bridgeport	
	cticut 06484 USA
	IS@perkinelmer.com
203-925-4600	super whether com
· Emergency tele	nhone number:
	vithin US) 800-424-9300
	rom outside US) $+1.703-527-3887$ (call collect)
	ithin AU) +(61)-290372994
	ب مردر
2 Hazard(s) ide	entification
Skin Irrit. 2 H	315 Causes skin irritation.
Eye Irrit. 2A H · Label elements · GHS label elem	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS)
Eye Irrit. 2A H · Label elements · GHS label elem · Hazard pictogra	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07
Eye Irrit. 2A H · Label elements · GHS label elem · Hazard pictogra · Signal word Wa	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) The GHS07 The ans GHS07
Eye Irrit. 2A H · Label elements · GHS label elem · Hazard pictogra	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) The GHS07 The series of the series of the The series of the s
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogre Signal word We Hazard stateme H315 Causes sk	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) The GHS07 The GHS07 The second second The second secon
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogre Signal word We Hazard stateme H315 Causes sk	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 arning nts cin irritation. prious eye irritation.
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogre Signal word We Hazard stateme H315 Causes sk H319 Causes se	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 arning nts cin irritation. prious eye irritation.
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Preceditionary s	319 Causes serious eye irritation. <b>Sents</b> The product is classified and labeled according to the Globally Harmonized System (GHS) <b>ams</b> GHS07 arning <b>nts</b> cin irritation. prious eye irritation. <b>Statements</b>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogre Signal word We Hazard stateme H315 Causes sk H319 Causes se Precautionary so P264	319 Causes serious eye irritation. <b>Sents</b> The product is classified and labeled according to the Globally Harmonized System (GHS) <b>ams</b> GHS07 urning <b>nts</b> cin irritation. prious eye irritation. <b>statements</b> Wash thoroughly after handling.
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Precautionary s P264 P280 P302+P352 P321	319 Causes serious eye irritation. eents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 urning nts cin irritation. erious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label).
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Precautionary s P264 P280 P302+P352 P321	<ul> <li>319 Causes serious eye irritation.</li> <li>ams The product is classified and labeled according to the Globally Harmonized System (GHS) arms GHS07</li> <li>arning</li> <li>nts</li> <li>cin irritation.</li> <li>brious eye irritation.</li> <li>bri</li></ul>
Eye Irrit. 2A H Label elements GHS label eleme Hazard pictogre Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Precautionary s P264 P280 P302+P352 P321 P305+P351+P	<ul> <li>319 Causes serious eye irritation.</li> <li>ams The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07</li> <li>arring nts</li> <li>cin irritation.</li> <li>brious eye ir</li></ul>
Eye Irrit. 2A H - Label elements - GHS label elements - Hazard pictogra - Signal word Wa - Hazard statement H315 Causes sk H319 Causes se - Precautionary se P264 P280 P302+P352 P321 P305+P351+P P332+P313	<ul> <li>319 Causes serious eye irritation.</li> <li>ams The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07</li> <li>arring nts</li> <li>in irritation.</li> <li>brious eye irritation.</li> <li>continue rinsing.</li> <li>brious eye irritation occurs: Get medical advice/attention.</li> </ul>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Precautionary s P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364	<ul> <li>319 Causes serious eye irritation.</li> <li>Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ans GHS07</li> <li>urning nts</li> <li>in irritation.</li> <li>vrious eye irritation.</li> <li>statements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>Specific treatment (see on this label).</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> </ul>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard statements H315 Causes sk H319 Causes se Precautionary se P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313	<ul> <li>319 Causes serious eye irritation.</li> <li>Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07</li> <li>urning nts</li> <li>in irritation.</li> <li>vrious eye irritation.</li> <li>statements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>Specific treatment (see on this label).</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If eye irritation persists: Get medical advice/attention.</li> </ul>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard stateme H315 Causes sk H319 Causes se Precautionary s P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313 Classification s	<ul> <li>319 Causes serious eye irritation.</li> <li>sents The product is classified and labeled according to the Globally Harmonized System (GHS), ams GHS07</li> <li>urning mts</li> <li>scin irritation.</li> <li>setatements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>Specific treatment (see on this label).</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If eye irritation persists: Get medical advice/attention.</li> </ul>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard statements H315 Causes sk H319 Causes se Precautionary se P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313	<ul> <li>319 Causes serious eye irritation.</li> <li>sents The product is classified and labeled according to the Globally Harmonized System (GHS), ams GHS07</li> <li>urning mts</li> <li>scin irritation.</li> <li>setatements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>Specific treatment (see on this label).</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If eye irritation persists: Get medical advice/attention.</li> </ul>
Eye Irrit. 2A H Label elements GHS label elements Hazard pictogra Signal word Wa Hazard statements H315 Causes sk H319 Causes se Precautionary se P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313 Classification se NFPA ratings (	<ul> <li>319 Causes serious eye irritation.</li> <li>sents The product is classified and labeled according to the Globally Harmonized System (GHS), ams GHS07</li> <li>urning mts</li> <li>scin irritation.</li> <li>setatements</li> <li>Wash thoroughly after handling.</li> <li>Wear protective gloves / eye protection / face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>Specific treatment (see on this label).</li> <li>338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing.</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>If eye irritation persists: Get medical advice/attention.</li> </ul>



Printing date 12/22/2021

Review date 12/22/2021

#### Trade name: THREE ELEMENT A/S STD WWP

(Contd. of page 1)

#### • HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition/information on ingredients

- · CAS No. Description
- 7732-18-5 Water
- EC number: 231-791-2
- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components:	
7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
• Additional	Components	
7732-18-5	Water	97.995%
7440-28-0	thallium Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 4, H413	0.002%
7440-36-0	antimony left Acute Tox. 3, H311; Acute Tox. 3, H331	0.002%
7440-22-4	silver	0.001%

# 4 First-aid measures

- $\cdot$  Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 12/22/2021

Review date 12/22/2021

(Contd. of page 2)

Trade name: THREE ELEMENT A/S STD WWP

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

• PAC-1:	
7697-37-2 Nitric Acid	0.16 ppm
7440-28-0 thallium	0.06 mg/m <sup>3</sup>
7440-36-0 antimony	1.5 mg/m <sup>3</sup>
7440-22-4 silver	$0.3 mg/m^3$
· PAC-2:	
7697-37-2 Nitric Acid	24 ppm
7440-28-0 thallium	3.3 mg/m <sup>3</sup>
7440-36-0 antimony	13 mg/m <sup>3</sup>
7440-22-4 silver	170 mg/m³
• PAC-3:	
7697-37-2 Nitric Acid	92 ppm
7440-28-0 thallium	20 mg/m <sup>3</sup>
7440-36-0 antimony	80 mg/m <sup>3</sup>
7440-22-4 silver	990 mg/m <sup>3</sup>

(Contd. on page 4)



Printing date 12/22/2021

Review date 12/22/2021

#### Trade name: THREE ELEMENT A/S STD WWP

(Contd. of page 3)

#### 7 Handling and storage

- · Handling:
- *Precautions for safe handling* No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

*TLV* Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

USA



#### Printing date 12/22/2021

*Review date 12/22/2021* 

#### Trade name: THREE ELEMENT A/S STD WWP

(Contd. of page 4)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

# 9 Physical and chemical properties

General Information		
Appearance:		
Form:	Liquid	
Color:	Transparent	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water)	Not determined.	
Viscosity:		
Dynamic:	Not determined.	



Review date 12/22/2021

#### Trade name: THREE ELEMENT A/S STD WWP

		(Contd. of page 5)
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
• Other information	No further relevant information available.	

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

USA



Printing date 12/22/2021

Review date 12/22/2021

#### Trade name: THREE ELEMENT A/S STD WWP

(Contd. of page 6)

• Additional ecological information:

· General notes:

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Nitric Acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitri Acid)
· Transport hazard class(es)	
DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
Label	8
ADR	



USA

### acc. to OSHA HCS

Printing date 12/22/2021

Review date 12/22/2021

	(Contd. of page
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler c	
EMS Number:	F-A,S-B Acids
Segregation groups Stowage Category	A
Stowage Code	A SW2 Clear of living quarters.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID), 8, III

# IS Regulatory information • Safety, health and environmental regulations/legislation specific for the substance or mixture 7732-18-5 Water 7697-37-2 Nitric Acid • Ox. Liq. 2, H272 Skin Corr. 1A, H314 (Contd. on page 9)



*Printing date 12/22/2021* 

Review date 12/22/2021

## Trade name: THREE ELEMENT A/S STD WWP

		Contd. of page
7440-28-0		0.002%
	<ul> <li>Acute Tox. 2, H300; Acute Tox. 2, H330</li> <li>STOT RE 2, H373</li> </ul>	
	Aquatic Chronic 4, H413	
· Sara		
	5 (extremely hazardous substances):	
7697-37-2	Nitric Acid	
· Section 31	3 (Specific toxic chemical listings):	
7697-37-2	Nitric Acid	
7440-28-0	thallium	
7440-36-0	•	
7440-22-4		
	xic Substances Control Act):	
All ingredi 7732-18-5	ents are listed.	ACTIV
	Nitric Acid	ACTIVI
7440-28-0		ACTIVI
7440-28-0		ACTIVI
7440-22-4		ACTIVI
	Air Pollutants	лени
	e ingredients is listed.	
· Propositio		
-	known to cause cancer:	
	e ingredients is listed.	
-	known to cause reproductive toxicity for females:	
	e ingredients is listed.	
•	known to cause reproductive toxicity for males:	
	e ingredients is listed.	
v		
	known to cause developmental toxicity: e ingredients is listed.	
-	nity categories	
-	ronmental Protection Agency)	
7440-22-4		Ι
	shold Limit Value established by ACGIH)	
None of th	e ingredients is listed.	
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
None of th	e ingredients is listed.	



Printing date 12/22/2021

Review date 12/22/2021

(Contd. of page 9)

#### Trade name: THREE ELEMENT A/S STD WWP

#### · National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

#### · Contact:

*Within the USA:* 1-(800)-762-4000 *Outside the USA:* 1-(203)-712-8488

#### • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A* 

• \* Data compared to the previous version altered.

USA