

*

*

acc. to OSHA HCS

Printing date 04/20/2021

Review date 04/20/2021


Identificat	ion	
· Product iden	ntifier	
	: <u>MERCURY 100 PPM A/S STANDARD</u>	
	ber N9300223	
· Application	of the substance / the mixture Laboratory chemicals	
• Details of th • Manufactur	e supplier of the safety data sheet er/Supplier:	
PerkinElmer	Inc	
710 Bridgep		
Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com		
· Emergency i	telephone number:	
	C (within US) 800-424-9300	
	C (from outside US) $+1$ 703-527-3887 (call collect)	
CHEMTREC	C (within AU) +(61)-290372994	
	• 7 .• 0• .•	
e Hazard(s)	identification	
. Classificatio	n of the substance or mixture	
	n of the substance of mixture	
- <u>-</u> - Ca	orrosion	
Skin Corr. 1.	B H314 Causes severe skin burns and eye damage.	
	H318 Causes serious eye damage.	
	<i>lements</i> The product is classified and labeled according to the Globally Harmonized System (GHS). <i>pgrams</i> GHS05	
	rmining components of labeling:	
Nitric Acid		
· Hazard state		
	s severe skin burns and eye damage.	
	ry statements	
P260	Do not breathe dusts or mists. Wash therewalds, after here ding	
P264 P280	Wash thoroughly after handling.	
	Wear protective gloves/protective clothing/eye protection/face protection.	
	+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361	+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water	
D204 - D240	shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P303+P351	+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing.	
P310	Immediately call a poison center/doctor.	
P321	Specific treatment (see on this label).	
P 3 6 3	Wash contaminated clothing before reuse.	
P 303 P 405	Store locked up.	
1403		



Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD



4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

USA



Printing date 04/20/2021

Review date 04/20/2021

(Contd. of page 2)

Trade name: MERCURY 100 PPM A/S STANDARD

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures				
Mount respiratory protective device.				
Wear protective equipment. Keep unprotected persons away.				
• Environmental precautions:				
Inform respective authorities in case of seepage into water course or sewage system.				
Dilute with plenty of water.				
• Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)).			
Use neutralizing agent.				
Dispose contaminated material as waste according to item 13.				
Ensure adequate ventilation.				
Reference to other sections				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
· Protective Action Criteria for Chemicals				
• PAC-1:				
7697-37-2 Nitric Acid	0.16 ppm			
7439-97-6 mercury	$0.15 mg/m^3$			
• PAC-2:				
7697-37-2 Nitric Acid	24 ppm			
7439-97-6 mercury	1.7 mg/m ³			
PAC-3:				
7697-37-2 Nitric Acid	92 ppm			
7439-97-6 mercury	8.9 mg/m ³			
	· · · · ·			

7 Handling and storage

• Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.



Printing date 04/20/2021

Review date 04/20/2021

(Contd. of page 3)

Trade name: MERCURY 100 PPM A/S STANDARD

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

• Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- *TLV* Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• *Additional information:* The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles or safety glasses

Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Color:	Transparent	
· Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 • C (68 • F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1 g/cm ³ (8.345 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with	T H H H	
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	95.0 %	



Printing date 04/20/2021

Review date 04/20/2021

(Contd. of page 5)

Trade name: MERCURY 100 PPM A/S STANDARD

VOC content:

0.00 %

• Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7439-97-6 mercury

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

• Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

3

USA



Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD

(Contd. of page 6)

- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C (nitric acid) 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nit acid)
· DOT	8 Corrosive substances
· Label	8
$\mathbf{\nabla}$	8 (C9) Corrosive substances



Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD (Contd. of page 7) · Label 8 · IMDG, IATA 8 Corrosive substances · Class · Label 8 · Packing group · DOT, ADR, IMDG, IATA III • Environmental hazards: · Marine pollutant: No Warning: Corrosive substances · Special precautions for user Hazard identification number (Kemler code): 80 F-A, S-B• EMS Number: · Segregation groups Acids · Stowage Category A · Stowage Code SW2 Clear of living quarters. • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: ·DOT · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L $\cdot ADR$ • Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IMDG · Limited quantities (LQ) 5L \cdot Excepted quantities (EQ) Code: El Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. · UN "Model Regulation": (NITRIC ACID), 8, III

Safety, hea	lth and environmental regulations/legislation specific for the substance or mixture	
7732-18-5	Water	94.99%
7697-37-2	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%



Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD

	(Contd. of page
7439-97-6 mercury	0.019
 Acute Tox. 2, H330 Repr. 1B, H360; STOT RE 1, H372 	
Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
• Sara	
Section 355 (extremely hazardous substances):	
7697-37-2 Nitric Acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 Nitric Acid	
7439-97-6 mercury	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
7732-18-5 Water	ACTIV
7697-37-2 Nitric Acid	ACTIV
7439-97-6 mercury	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
7439-97-6 mercury	
Cancerogenity categories	
· EPA (Environmental Protection Agency)	
7439-97-6 mercury	
TLV (Threshold Limit Value established by ACGIH)	
7439-97-6 mercury	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
National regulations:	
Information about limitation of use:	
Workers are not allowed to be exposed to this hazardous material. Exception	es can be made by the authorities
certain cases.	

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.



(Contd. of page 9)

acc. to OSHA HCS

Printing date 04/20/2021

Review date 04/20/2021

Trade name: MERCURY 100 PPM A/S STANDARD

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Ū	other information
	Disclaimer The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.
	Department issuing SDS: Environmental, Health and Safety Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 Abbreviations and acromyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGHI: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINECS: European Isis of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PE: Permissible Exposure Limit REL: Recommended Expo
_	USA