

Printing date 03.01.2019 Revision: 03.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Initial Calibration Verification Standard
- · Article number: N9300224
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.
710 Bridgeport Avenue
Shelton, Connecticut 06484 USA
CustomerCareUS@perkinelmer.com
203-925-4600
PerkinElmer, Inc.
Chalfont Road Buckinghamshire

Seer Green HP9 2FX cc.uk@perkinelmer.com

United Kingdom
P: 0800 896 046

F: 0800-89 17 14

PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005

· 1.4 Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger

(Contd. on page 2)



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 1)

Hazard-determining components of labelling:

Nitric Acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous compone	nts:	
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
· Additional Compone	nts	
CAS: 7439-95-4 EINECS: 231-104-6	magnesium Pyr. Sol. 1, H250; Water-react. 1, H260	0.05%
CAS: 7440-09-7 EINECS: 231-119-8	potassium Water-react. 1, H260 Skin Corr. 1B, H314	0.05%
CAS: 7440-23-5 EINECS: 231-132-9	sodium Water-react. 1, H260 Skin Corr. 1B, H314	0.05%
CAS: 7440-70-2 EINECS: 231-179-5	calcium Water-react. 2, H261	0.05%
CAS: 87-69-4 EINECS: 201-766-0	(+)-tartaric acid ♦ Eye Irrit. 2, H319	0.03%
CAS: 7429-90-5 EINECS: 231-072-3	aluminium	0.02%
		(Contd. on pag

GB :



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

CAS: 7440-39-3	barium	(Contd. of pag 0.02%
EINECS: 231-149-1	Water-react. 2, H261	0.02/6
CAS: 7439-89-6	•	0.01%
EINECS: 231-096-4	iron	0.01%
CAS: 7440-36-0	antimony	0.006%
EINECS: 231-146-5	unumony	0.0007
CAS: 7440-62-2	vanadium	0.005%
EINECS: 231-171-1		
CAS: 7440-48-4	cobalt	0.005%
EINECS: 231-158-0	V Itespi sensi 1, 11ee i	
	Skin Sens. 1, H317	
	Aquatic Chronic 4, H413	
CAS: 7440-02-0	nickel	0.004%
EINECS: 231-111-4	₩ CW. C. 2, 110 C1, S1 C1 112 1, 110 / 2	
	🔖 Skin Sens. 1, H317	
CAS: 7440-50-8	copper	0.00259
EINECS: 231-159-6		
CAS: 7440-66-6	zinc	0.0029
EINECS: 231-175-3	♦ Water-react. 2, H261	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 1317-35-7	trimanganese tetraoxide	0.00159
EINECS: 215-266-5		
CAS: 7440-28-0	thallium	0.0019
EINECS: 231-138-1	♦ Acute Tox. 2, H300; Acute Tox. 2, H330	
	♦ STOT RE 2, H373	
	Aquatic Chronic 4, H413	
CAS: 7440-47-3	chromium	0.0019
EINECS: 231-157-5		
CAS: 7440-38-2	Arsenic	0.0019
EINECS: 231-148-6		
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-22-4	silver	0.001%
EINECS: 231-131-3		
CAS: 7782-49-2	selenium	0.0005
	Acute Tox. 3, H301; Acute Tox. 3, H331	
	STOT RE 2, H373	
	Aquatic Chronic 4, H413	
CAS: 7440-43-9	cadmium (non-pyrophoric)	0.00059
EINECS: 231-152-8		
	Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361fd; STOT RE 1, H372	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-41-7	beryllium	0.00059
EINECS: 231-150-7	Acute Tox. 3, H301; Acute Tox. 2, H330	
	💰 Carc. 1B, H350i; STOT RE 1, H372	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3,	
	H335	



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

		(C	ontd. of page 3)
		lead	0.0003%
	EINECS: 231-100-4	♠ Repr. 1A, H360FD-H362♠ Acute Tox. 4, H302; Acute Tox. 4, H332	-
	CAS: 7732-18-5 EINECS: 231-791-2	Water	94.6882%
L	EINECS, 231-/91-2		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 4)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 5)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9.1 Information on basic physical and c	chemical properties	
General Information	• •	
Appearance:		
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	$0~^{\circ}C$	
Initial boiling point and boiling range	2: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm^3	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content: Water:	94.7 %	
Solids content: 9.2 Other information	0.2 % No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 8)



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 7)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3264
· 14.2 UN proper shipping name	
·ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (nitric acid)
	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitracid)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	8 (C1) Corrosive substances.
· Label	8
· IMDG, IATA	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	III

GB •



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

	(Contd. of page
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	8
· EMS Number:	F- A , S - B
· Segregation groups	Acids
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
Transport/Additional information:	
· Iransport/Additional information: 	
· ADR	_
· Limited quantities (LQ)	5
· Excepted quantities (EQ)	Code: E
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5
· Excepted quantities (\widetilde{EQ})	Code: E
· UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO N.O.S. (NITRIC ACID), 8, III

SECTION 15: Re	egulatory information				
· 15.1 Safety, health a	· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
CAS: 7732-18-5 EINECS: 231-791-2	Water		94.6882%		
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%		
CAS: 7440-09-7 EINECS: 231-119-8	potassium	Water-react. 1, H260 Skin Corr. 1B, H314	0.05%		

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GR



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 9)

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

- *H250 Catches fire spontaneously if exposed to air.*
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.
- H350i May cause cancer by inhalation.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H400 Very toxic to aquatic life.*
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

Department issuing SDS:

Environmental, Health and Safety

PerkinElmer

Chalfont Road

Buckinghamshire

Seer Green

HP9 2FX

United Kingdom

Telephone : 0800-89 60 46 FAX : 0800-89 17 14

(Contd. on page 11)



Printing date 03.01.2019 Revision: 03.01.2019

Trade name: Initial Calibration Verification Standard

(Contd. of page 10)

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* * Data compared to the previous version altered.

GB .