

Printing date 09/16/2022

Review date 09/16/2022

8		
1 Identification		
· Product identifier		
• Trade name: <u>STD</u> • Article number N9300241	D-TCLP 1- 2 x 500mL	
• Application of the	e substance / the mixture Laboratory chemicals	
• Details of the supp • Manufacturer/Su	plier of the safety data sheet pplier:	
203-925-4600 • Emergency teleph CHEMTREC (with CHEMTREC (fron	cut 06484 USA @perkinelmer.com	
2 Hazard(s) iden	ntification	
Corrosi	the substance or mixture ion 3 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.	
· Label elements	nts The product is classified and labeled according to the Glo ns GHS05	bally Harmonized System (GHS).
nitric acid • Hazard statement. H314 Causes seve • Precautionary sta P260 P264 P280 P301+P330+P33 P303+P361+P35. P304+P340	ere skin burns and eye damage.	ed clothing. Rinse skin with water/ table for breathing.
		USA



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1-2 x 500mL

(Contd. of page 1) P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3 $\mathbf{0}$ Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 *Health* = 3FIRE 0 Fire = 0*Reactivity* = 0REACTIVITY 0 · Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions. · Hazardous components: 7697-37-2 nitric acid 5.0% · Additional Components 7732-18-5 Water 94.939% 7440-39-3 barium 0.05% 7439-92-1 lead 0.0025% 7440-22-4 silver 0.0025% 7440-38-2 Arsenic 0.0025% 7440-47-3 chromium 0.0025% 7440-43-9 cadmium 0.0005%

4 First-aid measures

7782-49-2 selenium

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

0.0005%

USA



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1-2 x 500mL

(Contd. of page 2)

- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal p	recautions, protective equipment and emergency procedures	
Mount resp	viratory protective device.	
Wear prote	ctive equipment. Keep unprotected persons away.	
	ental precautions: Dilute with plenty of water.	
	nd material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	lizing agent.	
	ntaminated material as waste according to item 13.	
	equate ventilation.	
	to other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
	Action Criteria for Chemicals	
• PAC-1 :		
7440-39-3	barium	1.5 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7440-22-4	silver	$0.3 \ mg/m^3$
7440-38-2	Arsenic	1.5 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-43-9	cadmium	0.10 mg/m ³
7782-49-2	selenium	0.6 mg/m ³
· PAC-2:		
7440-39-3	barium	180 mg/m ³
7439-92-1	lead	120 mg/m ³
7440-22-4	silver	170 mg/m ³
7440-38-2	Arsenic	17 mg/m ³
7440-47-3	chromium	17 mg/m ³
		(Contd. on page



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1-2 x 500mL

		(Contd. of page 3)
7440-43-9		0.76 mg/m^3
7782-49-2	selenium	$6.6 mg/m^3$
· PAC-3:		
7440-39-3	barium	1,100 mg/m ³
7439-92-1	lead	700 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-38-2	Arsenic	100 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-43-9	cadmium	$4.7 mg/m^3$
7782-49-2	selenium	40 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Immediately remove all solied and contaminated clothin
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1- 2 x 500mL

Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:
Tightly sealed goggles or safety glasses

Appearance:		
Form:	Liquid	
Color:	Dark brown	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1-2 x 500mL

		(Contd. of page 5
Vapor pressure at 20 $\bullet C$ (68 $\bullet F$):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.02723 g/cm ³ (8.57223 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	94.9 %	
VOC content:	0.00 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7) USA



Printing date 09/16/2022

Review date 09/16/2022

(Contd. of page 6)

Trade name: STD-TCLP 1- 2 x 500mL

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

•	Carcino	genic	categories
		50	emego

7439-92-1 lead 7440-38-2 Arsenic 7440-47-3 chromium 7440-43-9 cadmium 7782-49-2 selenium NTP (National Toxicology Program)	2B 1 3 1 3
7440-47-3 chromium 7440-43-9 cadmium 7782-49-2 selenium	1
7440-43-9 cadmium 7782-49-2 selenium	1
7782-49-2 selenium	1 3
	3
NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-38-2 Arsenic	K
7440-43-9 cadmium	K
OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 Arsenic	
7440-43-9 cadmium	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

(Contd. on page 8)



Printing date 09/16/2022

Review date 09/16/2022

(Contd. of page 7)

Trade name: STD-TCLP 1-2 x 500mL

• Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT ADR IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8
ADR	
Class Label	8 (C1) Corrosive substances 8
IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code	F-A,S-B Acids A
Stowage Code	SW2 Clear of living quarters.



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1- 2 x 500mL

	(Contd. of page
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 8, III

	th and environmental regulations/legislation specific for t	the substance or mixture
7732-18-5	Water	94.939%
7697-37-2	nitric acid	5.0%
7440-39-3	barium	0.05%
Sara		· · · · ·
Section 355	(extremely hazardous substances):	
None of the	ingredients is listed.	
Section 313	(Specific toxic chemical listings):	
7440-39-3	barium	
7439-92-1	lead	
7440-22-4	silver	
7440-38-2	Arsenic	
7440-47-3	chromium	
7440-43-9	cadmium	
7782-49-2	selenium	
TSCA (Tox	ic Substances Control Act):	
7732-18-5	Water	ACTIVE
7440-39-3	barium	ACTIVI



Printing date 09/16/2022

Review date 09/16/2022

Trade name: STD-TCLP 1- 2 x 500mL

7420 02 1	1 1	(C	ontd. of page
7439-92-1			ACTIV
7440-22-4			ACTIV
7440-38-2			ACTIV
7440-47-3			ACTIV
7440-43-9			ACTIV
7782-49-2			ACTIV
	Air Pollutants		
7439-92-1			
Proposition			
	known to cause cancer:		
7439-92-1			
7440-38-2			
7440-43-9	cadmium		
Chemicals I	known to cause reproductive toxicity for females:		
7439-92-1	lead		
Chemicals I	known to cause reproductive toxicity for males:		
7439-92-1			
7440-43-9	cadmium		
Chemicals	known to cause developmental toxicity:		
7439-92-1			
7440-43-9			
-	ity categories		
	onmental Protection Agency)		
7440-39-3		D, CBD(inh	ı), NL(ora
7439-92-1		<i>B2</i>	
7440-22-4		D	
7440-38-2		A	
7440-47-3		D	
7440-43-9		B1	
7782-49-2	selenium	D	
TLV (Thres	hold Limit Value)		
7440-39-3	barium		A
7439-92-1	lead		A
7440-38-2	Arsenic		A
7440-47-3	chromium		A
7440-43-9	cadmium		A
NIOSH-Ca	(National Institute for Occupational Safety and Health)		
7440-38-2			
7440-43-9			
		(7	ntd. on page



Printing date 09/16/2022

Review date 09/16/2022

(Contd. of page 10)

Trade name: STD-TCLP 1-2 x 500mL

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product. · Department issuing SDS: Environmental, Health and Safety · Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1