

*

according to 1907/2006/EC, Article 31

Printing date 27.07.2021

Revision: 27.07.2021

1.1 Product identifier	
1.1 Product identifier	
Trade name: <u>STD-AS QC 21 ELEMENTS</u>	
Article number: N9300281	
1.2 Relevant identified uses of the substance or mixture and uses advised agains	st
No further relevant information available.	
Application of the substance / the mixture Laboratory chemicals	
1.3 Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
PerkinElmer, Inc.	
710 Bridgeport Avenue	
Shelton, Connecticut 06484 USA	
CustomerCareUS@perkinelmer.com	
203-925-4600	
PerkinElmer, Inc.	
Chalfont Road Buckinghamshire	
Seer Green HP9 2FX	
cc.uk@perkinelmer.com	
United Kingdom	
P: 0800 896 046	
F: 0800-89 17 14	
PerkinElmer, Inc.	
Llantrisant Business Park, Unit A	
Llantrisant CF72 8YW	
United Kingdom	
cc.uk@perkinelmer.com	
P: 44 1443 234005	
1.4 Emergency telephone number:	
CHEMTREC (within US) 800-424-9300	
CHEMTREC (from outside US) +1 703-527-3887 (call collect)	
CHEMTREC (within AU) +(61)-290372994	
SECTION 2: Hazards identification	
·	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008	
F GUIGAS	
GHS05 corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
2.2 Label elements	
Labelling according to Regulation (EC) No 1272/2008	
The product is classified and labelled according to the CLP regulation.	



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

	(Contd. of page 1)
Hazard-det	ermining components of labelling:
Nitric Acid	
Hazard stat	tements
H314 Cause	es severe skin burns and eye damage.
Precaution	ary statements
P260	Do not breathe dusts or mists.
P303+P361	1+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other h	azards
The product formaldehyddiad	ct does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or des.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous compon	ents:	
CAS: 7697-37-2	Nitric Acid	5.0%
EINECS: 231-714-2	🕸 Ox. Lig. 2, H272	
	🚯 Skin Corr. 1A, H314	
CAS: 7664-39-3	Hydrofluoric acid	0.1%
EINECS: 231-634-8	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	
Additional Compon	ents	
CAS: 7732-18-5	Water	94.49%
EINECS: 231-791-2		
CAS: 133-37-9	(+-)-tartaric acid	0.2%
EINECS: 205-105-7		
CAS: 1313-27-5	molybdenum trioxide	0.01%
EINECS: 215-204-7	<i>Acute Tox. 3, H301</i>	
	🐼 Carc. 2, H351	
	🚯 Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 1317-35-7	trimanganese tetraoxide	0.01%
EINECS: 215-266-5		
	1	(Contd. on page



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

CAS: 7439-89-6	iron	td. of page 0.01%
EINECS: 231-096-4	\bigotimes Acute Tox. 2, H300	- 0.01/
CAS: 7439-92-1	lead	0.01%
		0.01%
EINECS: 231-100-4	🗞 Repr. 1A, H360FD-H362	
CAS: 7439-93-2	lithium	0.01%
EINECS: 231-102-5	🚸 Water-react. 1, H260	
	Skin Corr. 1B, H314	
CAS: 7439-95-4	magnesium	0.01%
EINECS: 231-104-6	🚱 Pyr. Sol. 1, H250; Water-react. 1, H260	-
CAS: 7440-02-0	nickel	0.01%
EINECS: 231-111-4	W <i>Carc. 2, H351; STOT RE 1, H372</i>	- 0.017
EINECS. 251 111 7	Skin Sens. 1, H317	
CAS: 7440-28-0	thallium	0.01%
		0.01%
EINECS: 231-138-1	Acute Tox. 2, H300; Acute Tox. 2, H330	
	STOT RE 2, H373	
<u> </u>	Aquatic Chronic 4, H413	0.015
CAS: 7440-32-6	titanium	0.01%
EINECS: 231-142-3	Pyr. Sol. 1, H250; Self-heat. 1, H251; Water-react. 1, H260	
CAS: 7440-36-0	antimony	0.01%
EINECS: 231-146-5		
CAS: 7440-38-2	Arsenic	0.01%
EINECS: 231-148-6	<i> </i>	1
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 7440-41-7	beryllium	0.01%
EINECS: 231-150-7		-
201201201100 /	& Carc. 1B, H350i; STOT RE 1, H372	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 7440-43-9	cadmium	0.01%
EINECS: 231-152-8	Acute Tox. 3, H301; Acute Tox. 2, H330	- 0.01/
LINDCO. 201-102-0	$\overset{()}{\&}$ Muta. 2, H341; Carc. 1B, H350; Repr. 2, H361fd; STOT RE 1, H372	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS. 7440 47 2		0.010
CAS: 7440-47-3 EINECS: 231-157-5	chromium	0.01%
		0.01
CAS: 7440-48-4	cobalt	0.01%
<i>EINECS: 231-158-0</i>	Resp. Sens. 1, H334	
	Skin Sens. 1, H317	
	Aquatic Chronic 4, H413	
CAS: 7440-50-8	copper	0.01%
EINECS: 231-159-6		
CAS: 7440-62-2	vanadium	0.01%
EINECS: 231-171-1		
CAS: 7440-66-6	zinc	0.01%
EINECS: 231-175-3	O Pyr. Sol. 1, H250; Water-react. 1, H260	-
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	V ·	td. on page



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

	(Conto	d. of page 3)	
	calcium	0.01%	
EINECS: 231-179-5	🚸 Water-react. 2, H261		
CAS: 7782-49-2	selenium	0.01%	
EINECS: 231-957-4	 Acute Tox. 3, H301; Acute Tox. 3, H331 STOT RE 2, H373 Aquatic Chronic 4, H413 		
	strontium nitrate	0.01%	
EINECS: 233-131-9	🞯 Ox. Sol. 2, H272		
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 5)

GB



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

(Contd. of page 4)

• 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

7664-39-3 Hydrofluoric acid

WEL Short-term value: 2.5 mg/m³, 3 ppm

Long-term value: 1.5 mg/m³, 1.8 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

(Contd. on page 6)



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance

of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Ph	vsical and	chemical	nronerties
	ysicai ana	cnemicai	properties

General Information Appearance:		
Form:	Liquid	
Colour:	Transparent	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	$0 \ ^{\circ}C$	
Initial boiling point and boiling range	: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	$l g/cm^3$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

	(Contd. of page 6
· Solubility in / Miscibility with water:	Fully miscible.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	94.5 %
Solids content:	0.2 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- \cdot Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

(Contd. of page 7)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN3264
· 14.2 UN proper shipping name · ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
· IMDG, IATA	(nitric acid, HYDROGEN FLUORIDE) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (nitric acid, HYDROGEN FLUORIDE)
14.3 Transport hazard class(es)	
ADR	
· Class	8 (C1) Corrosive substances.
	(Contd. on page



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS (Contd. of page 8) · Label 8 · IMDG, IATA 8 Corrosive substances. · Class · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: • Marine pollutant: No Warning: Corrosive substances. · 14.6 Special precautions for user · Hazard identification number (Kemler code): 80 F-A, S-B• EMS Number: · Segregation groups Acids · Stowage Category A · Stowage Code SW2 Clear of living quarters. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. • Transport/Additional information: $\cdot ADR$ \cdot Limited quantities (LQ) 5LCode: El • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 • Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5LCode: E1 • Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROGEN FLUORIDE), 8, III

SECTION 15: Regulatory information		
· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
CAS: 7732-18-5 EINECS: 231-791-2	Water	94.49%
		(Contd. on page 10



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

		(Contd	. of page 9)
CAS: 7697-37-2	Nitric Acid	🚸 Ox. Liq. 2, H272	5.0%
EINECS: 231-714-2		� Ox. Liq. 2, H272 ↔ Skin Corr. 1A, H314	
CAS: 133-37-9	(+-)-tartaric acid		0.2%
EINECS: 205-105-7			

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H251 Self-heating: may catch fire.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H350 May cause cancer.

(Contd. on page 11)



Printing date 27.07.2021

Revision: 27.07.2021

Trade name: STD-AS QC 21 ELEMENTS

		(Contd. of page 10)
H350i	May cause cancer by inhalation.	
H351	Suspected of causing cancer.	
H360FL	D May damage fertility. May damage the unborn child.	
	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H362	May cause harm to breast-fed children.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H400 H410	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
H413		
	May cause long lasting harmful effects to aquatic life.	
	nent issuing SDS:	
	umental, Health and Safety	
PerkinE		
Chalfon		
Bucking	ghamshire	
Seer Gre		
HP9 2F.	^T X	
United k	Kingdom	
Telephor	one : 0800-89 60 46	
FAX: 0a	0800-89 17 14	
· Contact.		
Within the	the USA: 1-(800)-762-4000	
	the USA: 1-(203)-712-8488	
· Abbrevia	iations and acronyms	
Internation	glement international concernant le transport des marchandises dangereuses par chemin de fer (Regula mal Transport of Dangerous Goods by Rail)	ations Concerning the
	ternational Civil Aviation Organisation cord européen sur le transport des marchandises dangereuses par Route (European Agreement concer	ning the International
	of Dangerous Goods by Road)	ung ine international
	iternational Maritime Code for Dangerous Goods	
	ernational Air Transport Association	
	bally Harmonised System of Classification and Labelling of Chemicals	
	European Inventory of Existing Commercial Chemical Substances	
	European List of Notified Chemical Substances emical Abstracts Service (division of the American Chemical Society)	
	sistent, Bioaccumulative and Toxic	
vPvB: very	y Persistent and very Bioaccumulative	
	2: Oxidizing liquids – Category 2	
	c. 2: Acute toxicity – Category 2	
	c. 1: Acute toxicity – Category 1 : 1A: Skin corrosion/irritation – Category 1A	
	: 1A: Skin corrosion/irritation – Category 1A : 1B: Skin corrosion/irritation – Category 1B	
	1: Serious eye damage/eye irritation – Category 1	
	compared to the previous version altered.	
		GB