

*

*

acc. to OSHA HCS

Printing date 08/20/2021

Review date 08/20/2021

Product identifi	er
Trade name: Si	TD, Manganese, 1000 ppm
Article number	
Application of t	he substance / the mixture Laboratory chemicals
Details of the su Manufacturer/S	upplier of the safety data sheet Supplier:
PerkinElmer, In	C
710 Bridgeport	
	eticut 06484 USA
CustomerCarel	IS@perkinelmer.com
203-925-4600	
Emergency tele	
	ithin US) 800-424-9300
	om outside US) +1 703-527-3887 (call collect) vithin AU) +(61)-290372994
CHEMIKEC (M	
Hazard(s) ide	ntification
	•
Classification of	f the substance or mixture
$\mathbf{\Lambda}$	
\mathbf{V}	
Skin Irrit. 2 H	315 Causes skin irritation.
	319 Causes serious eye irritation.
Label elements	ente The and destination of the
GHS label elem Hazard pictogro	ents The product is classified and labeled according to the Globally Harmonized System (GHS).
Signal word Wa	
Hazard stateme	
H315 Causes sk	
	rious eye irritation.
Precautionary s	
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
<i>P321</i>	Specific treatment (see on this label).
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese
CICA + CCCA	and easy to do. Continue rinsing.
P332+P313 P362+P364	If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
	If eye irritation persists: Get medical advice/attention.
P337 + P313	
P337+P313 Classification s	
Classification s	
Classification s NFPA ratings (
Classification s NFPA ratings (lealth = 2
Classification s NFPA ratings (
Classification s NFPA ratings (lealth = 2 irre = 0



Printing date 08/20/2021

HEALTH

· Other hazards

formaldehvdes.

FIRE

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

Health = 2

Fire = 0

· Results of PBT and vPvB assessment

· HMIS-ratings (scale 0 - 4)

2

0

REACTIVITY O Reactivity = 0

(Contd. of page 1) The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or

3 Composition/information on ingredients

· CAS No. Description

· PBT: Not applicable. · vPvB: Not applicable.

- 7732-18-5 Water
- EC number: 231-791-2
- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components:	
7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
· Additional	Components	
7732-18-5	Water	97.9%
1317-35-7	trimanganese tetraoxide	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

USA



Printing date 08/20/2021

Review date 08/20/2021

(Contd. of page 2)

Trade name: STD, Manganese, 1000 ppm

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required. • Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

	Jerre La construit de la construit	
· PAC-1:		
7697-37-2	Nitric Acid	0.16 ppm
1317-35-7	trimanganese tetraoxide	4.2 mg/m ³
· PAC-2:		
7697-37-2	Nitric Acid	24 ppm
1317-35-7	trimanganese tetraoxide	$6.9 mg/m^3$
· PAC-3:		
7697-37-2	Nitric Acid	92 ppm
1317-35-7	trimanganese tetraoxide	$41 mg/m^3$

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

• Information about protection against explosions and fires: The product is not flammable.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

USA



Printing date 08/20/2021

Color:

· Odor:

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

(Contd. of page 3) · Control parameters • Components with limit values that require monitoring at the workplace: 7697-37-2 Nitric Acid PEL Long-term value: 5 mg/m³, 2 ppm *REL* Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Breathing equipment: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles or safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid

> Transparent Odorless

> > (Contd. on page 5)



Printing date 08/20/2021

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

		(Contd. of page
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	<i>97.9</i> %	
VOC content:	0.00 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

• *Incompatible materials:* No further relevant information available.

(Contd. on page 6)

USA



Printing date 08/20/2021

Review date 08/20/2021

(Contd. of page 5)

Trade name: STD, Manganese, 1000 ppm

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

USA



*

acc. to OSHA HCS

Printing date 08/20/2021

Review date 08/20/2021

(Contd. of page 6)

Trade name: STD, Manganese, 1000 ppm

• Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr Acid)
· Transport hazard class(es)	
DOT	
A CONTRACTOR	
· Class	8 Corrosive substances
· Label	8
· Class · Label	8 (C1) Corrosive substances 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Hazard identification number (Kemler	
· EMS Number: · Segregation groups · Stowage Category	F-A,S-B Acids A



*

acc. to OSHA HCS

Printing date 08/20/2021

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

	(Contd. of page
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: El
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III

7732-18-5	Ith and environmental regulations/legislation specific for the substance or mixture	97.9
	Nitric Acid Ox. Liq. 2, H272	
1317-35-7	trimanganese tetraoxide	0.19
Sara	· · · · ·	
Section 35.	5 (extremely hazardous substances):	
7697-37-2	Nitric Acid	
Section 31	3 (Specific toxic chemical listings):	
7697-37-2	Nitric Acid	
1317-35-7	trimanganese tetraoxide	
	vic Substances Control Act): ents are listed.	
7732-18-5	Water	ACTIV
7697-37-2	Nitric Acid	ACTIV
1317-35-7	trimanganese tetraoxide	ACTIV
Hazardous	Air Pollutants	· ·



Printing date 08/20/2021

· Proposition 65

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

(Contd. of page 8)

D

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

1317-35-7 trimanganese tetraoxide

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

Contact:
Within the USA: 1-(800)-762-4000
Outside the USA: 1-(203)-712-8488
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADE: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation



Printing date 08/20/2021

Review date 08/20/2021

Trade name: STD, Manganese, 1000 ppm

(Contd. of page 9)

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A * Data compared to the previous version altered.

USA •