

Printing date 03.07.2018

Revision: 03.07.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification	
Product identifier	
Trade name: STD, Yttrium, 10 ppmArticle number: N9303757Relevant identified uses of the substance or mixture and uses advised againstNo further relevant information available.Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600	
Supplier/Local:	
PerkinElmer Australia Lvl 2, Bldg 5, Brandon Office Park 530-540 Springvale Road Glen Waverley Melbourne VIC 3150 Australia 1-800-033-391 ausales@perkinelmer.com Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994	
Hazard(s) Identification	
Classification of the substance or mixture	
Skin Irrit. 2 H315 Causes skin irritation.	
<i>Eye Irrit. 2A H319 Causes serious eye irritation.</i> <i>Label elements</i>	

· GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

• Hazard pictograms GHS07

· Signal word Warning

(Contd. on page 2)

<sup>-</sup> AU



Printing date 03.07.2018

Revision: 03.07.2018

#### Trade name: STD, Yttrium, 10 ppm

	(Contd. of page 1)
· Hazard stateme	nts
H315 Causes sk	in irritation.
H319 Causes se	rious eye irritation.
· Precautionary s	tatements
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
• Other hazards	
The product do	es not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formaldehydes.	
· Results of PBT	and vPvB assessment
• <b>PBT:</b> Not applie	cable.
• vPvB: Not appli	cable.

#### **3** Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
· Additional Components	
7440-65-5 yttrium	0.0001%
7732-18-5 Water	97.9999%
Additional information. For the wording of the listed	harand physics using to social 16

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **4** First Aid Measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire Fighting Measures

· Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

<sup>=</sup> AU



*Printing date 03.07.2018* 

Revision: 03.07.2018

Trade name: STD, Yttrium, 10 ppm

(Contd. of page 2)

• Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters

· Protective equipment: No special measures required.

#### **6** Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures Not required.* • *Environmental precautions:* 

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and Storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing date 03.07.2018

Revision: 03.07.2018

## Trade name: STD, Yttrium, 10 ppm

Avoid contact with the eyes and skin. • <b>Respiratory protection:</b> Not required. • <b>Protection of hands:</b>	(Contd. of page 3)
Protective gloves	
Selection of the glove material on conside • Material of gloves The selection of the suitable gloves does varies from manufacturer to manufactur of the glove material can not be calculate • Penetration time of glove material	e and resistant to the product/ the substance/ the preparation. eration of the penetration times, rates of diffusion and the degradation not only depend on the material, but also on further marks of quality and er. As the product is a preparation of several substances, the resistance ed in advance and has therefore to be checked prior to the application. found out by the manufacturer of the protective gloves and has to be
Tightly sealed goggles	
9 Physical and Chemical Properties	
Information on basic physical and chem	ical properties
· General Information	
· Appearance: Form:	Liquid
Colour:	Transparent
· Odour:	Odourless
• Odour threshold:	Not determined.
· pH-value:	Not determined.
• Change in condition Melting point/freezing point: Initial boiling point and boiling range.	0 °C • 100 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
	(Contd. on page 5)



*Printing date 03.07.2018* 

Revision: 03.07.2018

Trade name: STD, Yttrium, 10 ppm

	(Contd. of page
• Vapour pressure at 20 •C:	23 hPa
· Density at 20 °C:	$l g/cm^3$
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	98.0 %
• Other information	No further relevant information available.

## 10 Stability and Reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· *Conditions to avoid No further relevant information available.* 

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

### **12 Ecological Information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

<sup>-</sup> AU



Printing date 03.07.2018

Revision: 03.07.2018

Trade name: STD, Yttrium, 10 ppm

(Contd. of page 5)

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

• Additional ecological information:

• General notes: Generally not hazardous for water

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADG, IMDG, IATA	UN3264
UN proper shipping name	
ADG	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O
IMDG, IATA	(Nitric Acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(Nitric Acid)
Transport hazard class(es)	
ADG	
- Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
	8



Printing date 03.07.2018

Revision: 03.07.2018

Trade name: STD, Yttrium, 10 ppm

	(Contd. of page	
Packing group		
ADG, ĬMDG, IATA	III	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Corrosive substances.	
Danger code (Kemler):	80	
EMS Number:	F- $A$ , $S$ - $B$	
Segregation groups	Acids	
Stowage Category	A	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	
Transport/Additional information:		
ADG		
Limited quantities (LQ)	5L	
Excepted quantities $(EQ)$	Code: El	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
Transport category	3	
Tunnel restriction code	E	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities $(\widetilde{E}Q)$	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC	
č	N.O.S. (NITRIC ACID), 8, III	

5 Regulato	ry information		
· Safety, hea	lth and environmental regulations/legislation specific for	r the substance or mixture	
7732-18-5	Water		97.9999%
7697-37-2	Nitric Acid	<ul> <li>Ø Ox. Liq. 2, H272</li> <li>Ø Skin Corr. 1A, H314</li> </ul>	2.0%
7440-65-5	yttrium		0.0001%

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

(Contd. on page 8)

AU



Printing date 03.07.2018

Revision: 03.07.2018

Trade name: STD, Yttrium, 10 ppm

(Contd. of page 7)

• Waterhazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

### Disclaimer

Disclaimer
The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.
· Relevant phrases
H272 May intensify fire; oxidiser.
H314 Causes severe skin burns and eye damage.
• Department issuing SDS: Environmental, Health and Safety • Contact:
Within the USA: 1-(800)-762-4000
Outside the USA: 1-(203)-712-8488
· Abbreviations and acronyms
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 2: Oxidizing liquids – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2
Skin Irrii. 2. Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
AU -