

\*

# according to WHS Regulations

Printing date 23.04.2021

Revision: 23.04.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

Identification	
Product identifier	
Trade name: Palladium 1000 PPM A/S standardArticle number: N9303789Relevant identified uses of the substance or mixture and uses advised againstNo further relevant information available.Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600	
Supplier/Local:	
PerkinElmer Australia Lvl 2, Bldg 5, Brandon Office Park 530-540 Springvale Road Glen Waverley Melbourne VIC 3150 Australia 1-800-033-391 ausales@perkinelmer.com Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994	
Hazard(s) Identification	
Classification of the substance or mixture	
Corrosion	
Skin Corr. 1 H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
STOT SE 3 H335 May cause respiratory irritation.	
si si si si iisso may cause respiratory irraation.	(Contd. on pag



rade name: Palla	dium 1000 PPM A/S standard	
		(Contd. of page 1
· Label elements	x	
	, <b>nents</b> The product is classified and labelled according to the	e Globally Harmonised System (GHS)
	rams GHS05, GHS07	
· Signal word D		
0	õ	
	nining components of labelling:	
Hydrochloric A • Hazard statem		
-	ems evere skin burns and eye damage.	
	se respiratory irritation.	
· Precautionary		
P260	Do not breathe dusts or mists.	
	2353 IF ON SKIN (or hair): Remove/Take off immediately with water/shower.	all contaminated clothing. Rinse skin
P305+P351+P	2338 IF IN EYES: Rinse cautiously with water for severa	al minutes. Remove contact lenses, i
	present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P321	Specific treatment (see on this label).	
P403+P233	Store in a well-ventilated place. Keep container tightly	
P501	Dispose of contents/container in accordance with l regulations.	local/regional/national/internationa
• Other hazards		
The product d	loes not contain any organic halogen compounds (AOX),	nitrates, heavy metal compounds of
formaldehydes.		
	T and vPvB assessment	
• <b>PBT:</b> Not appl		
• vPvB: Not app	licable.	

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

 • Dangerous components:
 10.0%

 7647-01-0
 Hydrochloric Acid
 10.0%

 Skin Corr. 1, H314; Eye Dam. 1, H318
 10.0%

 • Additional Components
 7732-18-5

 7732-18-5
 Water
 89.9%

 7440-05-3
 palladium
 © Ox. Sol. 2, H272
 0.1%

 • Additional information: For the wording of the listed hazard phrases refer to section 16.
 10.0%

# 4 First Aid Measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

**<sup>–</sup>** AU



*Printing date 23.04.2021* 

Revision: 23.04.2021

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire Fighting Measures

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- *CO2, powder or water spray. Fight larger fires with water spray. Use fire extinguishing methods suitable to surrounding conditions.*
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
   Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system.
- Dilute with plenty of water. • Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and Storage

#### • Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about fire and explosion protection: The product is not flammable. Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

AU



Printing date 23.04.2021 Revision: 23.04.2021 Trade name: Palladium 1000 PPM A/S standard (Contd. of page 3) • Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed. · Specific end use(s) No further relevant information available. 8 Exposure controls and personal protection • Additional information about design of technical facilities: No further data; see item 7. · Control parameters · Ingredients with limit values that require monitoring at the workplace: 7647-01-0 Hydrochloric Acid WES Peak limitation: 7.5 mg/m<sup>3</sup>, 5 ppm · Additional information: The lists valid during the making were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. • Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles

(Contd. on page 5)



Printing date 23.04.2021

Revision: 23.04.2021

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 4)

Information on basic physical and chem	ical properties
General Information	
Appearance:	
Form:	Liquid
Colour:	Transparent
Odour: Odour threshold:	Odourless Not determined.
pH-value at 20 °C:	1
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range	: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.02602 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	80.0.0/
Water:	89.9 %
Solids content:	0.1 %
Other information	No further relevant information available.

# 10 Stability and Reactivity

• *Reactivity* No further relevant information available.



*Printing date 23.04.2021* 

Revision: 23.04.2021

(Contd. of page 5)

#### Trade name: Palladium 1000 PPM A/S standard

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological Information**

- · Information on toxicological effects
- Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.
- · Serious eye damage/irritation
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## **12 Ecological Information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 23.04.2021

Revision: 23.04.2021

#### Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 6)

# 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

· UN-Number · ADG, IMDG, IATA	UN1789
· UN proper shipping name · ADG	1789 HYDROCHLORIC ACID mixture
· ADG	1789 HIDROCHLORIC ACID mixiure 1789 HYDROCHLORIC ACID
· IMDG, IATA	HYDROCHLORIC ACID mixture
• Transport hazard class(es)	
-	
· ADG	
8	
· Class · Label	8 (C1) Corrosive substances.
• LADEI 	8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· Packing group	
· ADG, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
• EMS Number:	F-A,S-B
· Segregation groups	Strong acids
· Stowage Category	C

<sup>·</sup> Uncleaned packaging:



Printing date 23.04.2021

Revision: 23.04.2021

#### Trade name: Palladium 1000 PPM A/S standard

	(Contd. of page 7			
· Transport in bulk according to Annex II of Marpol				
and the IBC Code	Not applicable.			
· Transport/Additional information:				
· ADG				
· Limited quantities (LQ)	1L			
· Excepted quantities $(\widetilde{E}Q)$	Code: E2			
• • • •	Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per outer packaging: 500 ml			
· Transport category	2			
• Tunnel restriction code	Ε			
· IMDG				
· Limited quantities (LQ)	1L			
· Excepted quantities $(\widetilde{E}Q)$	Code: E2			
	Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per outer packaging: 500 ml			
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID MIXTURE, 8, 11			

# 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture 7732-18-5 Water 89.9% 7647-01-0 Hydrochloric Acid 10.0% Skin Corr. 1, H314; Eye Dam. 1, H318 10.0% Acute Tox. 4, H302; STOT SE 3, H335 0.1% Ox. Sol. 2, H272 0.1% None of the ingredients is listed.

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• National regulations:

• Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be

(Contd. on page 9)

AU



Printing date 23.04.2021

Revision: 23.04.2021

#### Trade name: Palladium 1000 PPM A/S standard

considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.	(Contd. of page 8)
Relevant phrases H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
Department issuing SDS: Environmental, Health and Safety Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488	
Abbreviations and acronyms RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation	as Concerning the
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	the International
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT 5: 4: Specific target organ toxicity (aigda organum) – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.	