

acc. to OSHA HCS

Printing date 04/23/2021

Review date 04/23/2021

· Product iden	ifier
	Palladium 1000 PPM A/S standard
Article numb	
	f the substance / the mixture Laboratory chemicals
• Details of the • Manufacture	supplier of the safety data sheet r/Supplier:
PerkinElmer,	Inc.
710 Bridgepo	
	necticut 06484 USA eUS@perkinelmer.com
203-925-460	
	lephone number:
	(within US) 800-424-9300
	(from outside US) + 1 703-527-3887 (call collect)
CHEMIKEC	(within AU) +(61)-290372994
2 Hazard(s)	dentification
Classification	of the substance or mixture
	of the substance of mixture
LE Co	rrosion
Skin Corr 18	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	······································
\sim	
STOT SE 3	H335 May cause respiratory irritation.
	ments The product is classified and labeled according to the Globally Harmonized System (GHS).
	grams GHS05, GHS07
• Signal word	
	mining components of labeling:
Hydrochloric • Hazard stater	
	nems severe skin burns and eye damage.
	use respiratory irritation.
· Precautionar	y statements
	Do not breathe dusts or mists.
P260	Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.
P260 P264	
P260 P264 P271	
P260 P264 P271 P280	Wear protective gloves/protective clothing/eye protection/face protection. P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P260 P264 P271 P280 P301+P330+	Wear protective gloves/protective clothing/eye protection/face protection. P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with wate
P260 P264 P271 P280 P301+P330+	Wear protective gloves/protective clothing/eye protection/face protection. P331 If swallowed: Rinse mouth. Do NOT induce vomiting.



Printing date 04/23/2021

7440-05-3 palladium

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

Trade name: Pal	ladium 1000 PPM A/S standard	
P310 P321 P363	IF INHALED: Remove person to fresh air and keep comfortable for brea -P338 If in eyes: Rinse cautiously with water for several minutes. Remove con and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse.	
P403+P233 P405 P501	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/no regulations.	ational/international
· Classification · NFPA rating		
· HMIS-rating HEALTH *2 FIRE 0 REACTIVITY 0	3 Health = *3	
formaldehyde	does not contain any organic halogen compounds (AOX), nitrates, heavy es. 3T and vPvB assessment plicable.	metal compounds or
3 Compositio	on/information on ingredients	
	ater	
· Hazardous c	omponents:	
4	ydrochloric Acid Skin Corr. IB, H314; Eye Dam. I, H318 Acute Tox. 4, H302; STOT SE 3, H335	10.0%
· Additional C	omponents	· · · · ·
7732-18-5 W	-	89.9%

(Contd. on page 3)

0.1%

🚸 Ox. Sol. 2, H272



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed -
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Inform respective authorities in case of seepage into water course or sewage system.	
Dilute with plenty of water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
7647-01-0 Hydrochloric Acid	1.8 ppm
7440-05-3 palladium	6 mg/m ³
· PAC-2:	
7647-01-0 Hydrochloric Acid	22 ppm
	Contd. on page 4



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

7440-05-3 palladium	(Contd. of page 3) 66 mg/m ³
• PAC-3:	
7647-01-0 Hydrochloric Acid	100 ppm
7440-05-3 palladium	400 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- *Information about protection against explosions and fires: The product is not flammable. Keep respiratory protective device available.*
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

- PEL Ceiling limit value: 7 mg/m³, 5 ppm
- *REL Ceiling limit value: 7 mg/m³, 5 ppm*
- TLV Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

USA



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Transparent	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	1	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	0 °C (32 °F) 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

		(Contd. of page 5
· Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1.02602 g/cm ³ (8.56214 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	89.9 %	
VOC content:	0.00 %	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 6)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7647-01-0 Hydrochloric Acid

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1789

(Contd. on page 8)

US A



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

	(Contd. of page
UN proper shipping name DOT ADR IMDG, IATA	Hydrochloric acid mixture 1789 HYDROCHLORIC ACID mixture 1789 HYDROCHLORIC ACID HYDROCHLORIC ACID mixture
Transport hazard class(es)	
Class Label	8 Corrosive substances 8
ADR	
Class Label	8 (C1) Corrosive substances 8
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category	Warning: Corrosive substances 80 F-A,S-B Strong acids C
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
	(Contd. on page



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

	(Contd. of page 8
· ADR	
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID MIXTURE, 8, II

15 Regulatory information

7732-18-5 Water		89.9%
7647-01-0 Hydrochlo	pric Acid	10.0%
🔗 Skin C	orr. 1B, H314; Eye Dam. 1, H318 Tox. 4, H302; STOT SE 3, H335	
7440-05-3 palladium		0.1%
$\bigcirc Ox. So$		
· Sara		
Section 355 (extreme	ly hazardous substances):	
7647-01-0 Hydrochlo	vric Acid	
Section 313 (Specific	toxic chemical listings):	
7647-01-0 Hydrochlo	pric Acid	
TSCA (Toxic Substar		
All ingredients are lis	ted.	
7732-18-5 Water		ACTIVE
7647-01-0 Hydrochle	vric Acid	ACTIVE
7440-05-3 palladium		ACTIVE
Hazardous Air Pollut	ants	
7647-01-0 Hydrochle	oric Acid	
Proposition 65		
• Chemicals known to	cause cancer:	
None of the ingredien	ts is listed.	
Chemicals known to	cause reproductive toxicity for females:	
None of the ingredien	ts is listed.	
Chemicals known to	cause reproductive toxicity for males:	
None of the ingredien	ts is listed.	
Chemicals known to	cause developmental toxicity:	



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 9)

A4

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7647-01-0 Hydrochloric Acid

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: verv Persistent and verv Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 11)

DOT: US Department of Transportation



Printing date 04/23/2021

Review date 04/23/2021

Trade name: Palladium 1000 PPM A/S standard

(Contd. of page 10)

USA

REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.