

*

*

according to 1907/2006/EC, Article 31

Printing date 09.05.2019

Revision: 09.05.2019

SECHON	1: Identification of the substance/mixture and of the company/undertaking
1.1 Product	identifier
	e: <u>STD, Tantalum, 1000 ppm</u>
	ber: N9303803
	t identified uses of the substance or mixture and uses advised against
	elevant information available. of the substance / the mixture Laboratory chemicals
1.3 Details of Manufactur	of the supplier of the safety data sheet er/Supplier:
Ū	••
PerkinElmer	
710 Bridgep	
,	nnecticut 06484 USA
203-925-46	ureUS@perkinelmer.com
PerkinElmer	
	ad Buckinghamshire
Seer Green	
cc.uk@perk	
United King	
P: 0800 896	
F: 0800-89	17 14
PerkinElmer	r Inc
	Business Park, Unit A
Llantrisant (
United King	dom
cc.uk@perk	
P: 44 1443 2	234005
	ncy telephone number:
	C (within US) 800-424-9300
	C (from outside US) $+1$ 703-527-3887 (call collect)
CHEMTRE	C (within AU) +(61)-290372994
SECTION	1. II na na da idaadifaadiaa
SECTION	V 2: Hazards identification
	cation of the substance or mixture
Classificatio	on according to Regulation (EC) No 1272/2008
G	HS06 skull and crossbones
Acute Tox. 3	B H311 Toxic in contact with skin.
$\langle \rangle_{G}$	'HS07
V	
	4 H302 Harmful if swallowed.
Acuto Tor 4	



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

(Contd. of page 1)

	(Contd. of page 1)
· 2.2 Lab	el elements
· Labellin	g according to Regulation (EC) No 1272/2008
	duct is classified and labelled according to the CLP regulation.
	pictograms GHS06
· Signal v	vord Danger
· Hazard	determining components of labelling:
Hydrofl	uoric acid
· Hazard	statements
H302 H	armful if swallowed.
H311 Te	oxic in contact with skin.
· Precaut	ionary statements
P280	Wear protective gloves / protective clothing.
P301+F	312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	
P321	Specific treatment (see on this label).
P405	1
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• 2.3 Oth	er hazards
	duct does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formald	
	of PBT and vPvB assessment
	ot applicable.
· vPvB: N	lot applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dungerous compone		
	Hydrofluoric acid	0.8%
EINECS: 231-634-8	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	
· Additional Compone	ents	
CAS: 33380-11-9	Ammonium Hexafluorotantalate	0.1%
CAS: 7732-18-5	Water	99.1%
EINECS: 231-791-2		
· Additional informat	ion. For the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Contd. on page 3)

⁻ GB



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

(Contd. of page 2)

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation. • *After skin contact:*

Immediately wash with water and soap and rinse thoroughly.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 09.05.2019

• Odour threshold:

· pH-value:

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

(Contd. of page 3)

(Contd. on page 5)

GB

SECTION 8: Exposure	controls/personal protection
• Additional information abou	tt design of technical facilities: No further data; see item 7.
· 8.1 Control parameters	
· Ingredients with limit values	that require monitoring at the workplace:
7664-39-3 Hydrofluoric acid	!
WEL Short-term value: 2.5 m Long-term value: 1.5 m	ng/m ³ , 1.8 ppm
• Additional information: The	lists valid during the making were used as basis.
· 8.2 Exposure controls	
· Personal protective equipment	nt:
• General protective and hygie	
Keep away from foodstuffs, be	
Immediately remove all soiled	
Wash hands before breaks an	
Store protective clothing sepa	
Avoid contact with the eyes an	
• Respiratory protection: Not r • Protection of hands:	equirea.
Trolection of nanas:	
Protective gloves	
Selection of the glove materia	impermeable and resistant to the product/ the substance/ the preparation. al on consideration of the penetration times, rates of diffusion and the degradation
varies from manufacturer to of the glove material can not	gloves does not only depend on the material, but also on further marks of quality an manufacturer. As the product is a preparation of several substances, the resistance be calculated in advance and has therefore to be checked prior to the application.
The exact break trough time	e has to be found out by the manufacturer of the protective gloves and has to l
• Eye protection: Goggles reco	ommended during refilling
• Penetration time The exact break observed.	e of glove ma trough time
SECTION 9: Physical a	and chemical properties
	ysical and chemical properties
• General Information • Appearance:	
Form:	Fluid
Colour:	Transparent
· Odour:	Characteristic

Not determined.

Not determined.



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

		(Contd. of page
Change in condition		
Melting point/freezing point:	0 °C	
Initial boiling point and boiling range	:: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 •C:	23 hPa	
Density at 20 °C:	l g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.1 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

(Contd. of page 5)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity

Harmful if swallowed.

Toxic in contact with skin.

- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA

UN2922

(Contd. on page 7)



L

according to 1907/2006/EC, Article 31

inting date 09.05.2019	Revision: 09.05.20
ade name: STD, Tantalum, 1000 ppm	
	(Contd. of page
· 14.2 UN proper shipping name · ADR	2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROGE. FLUORIDE)
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROGE. FLUORIDE)
· 14.3 Transport hazard class(es)	
·ADR	
· Class · Label	8 (CT1) Corrosive substances. 8+6.1
·IMDG	
· Class	8 Corrosive substances.
·Label	8/6.1
· IATA	8 Corrosive substances.
·Label	8 (6.1)
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler): EMS Number:	86 E 4 S B
· EMS Number: · Stowage Category	F-A,S-B B
· Stowage Code	SW2 Clear of living quarters.
• 14.7 Transport in bulk according to Anne. Marpol and the IBC Code	x II of Not applicable.



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

	(Contd. of page 7
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	Ε
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
• • • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROGEN FLUORIDE), 8 (6.1), III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
	Water	99.1%
EINECS: 231-791-2		
CAS: 7664-39-3	Hydrofluoric acid	0.8%
EINECS: 231-634-8	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	
CAS: 33380-11-9	Ammonium Hexafluorotantalate	0.1%

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

• Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Waterhazard class: Generally not hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held

(Contd. on page 9)

⁻ GB



Printing date 09.05.2019

Revision: 09.05.2019

Trade name: STD, Tantalum, 1000 ppm

		(Contd. of page
liable	for any damage resulting from handling or from contact with the product.	
Relev	ant phrases	
	Fatal if swallowed.	
	Fatal in contact with skin.	
	Causes severe skin burns and eye damage.	
	Fatal if inhaled.	
	-	
	tment issuing SDS:	
	onmental, Health and Safety	
	Elmer	
	ont Road	
Bucki	nghamshire	
Seer (Green	
HP9 2	FX	
United	l Kingdom	
	none : 0800-89 60 46	
	0800-89 17 14	
Conta		
Within	n the USA: 1-(800)-762-4000	
	le the USA: 1-(203)-712-8488	
	viations and acronyms	
	èglement international concernant le transport des marchandises dangereuses par chemin de fer (R	egulations Concerning
	tional Transport of Dangerous Goods by Rail)	egunations concerning i
	International Civil Aviation Organisation	
	lccord européen sur le transport des marchandises dangereuses par Route (European Agreement co	oncerning the Internation
	e of Dangerous Goods by Road)	
	International Maritime Code for Dangerous Goods nternational Air Transport Association	
	lobally Harmonised System of Classification and Labelling of Chemicals	
	S: European Inventory of Existing Commercial Chemical Substances	
	S: European List of Notified Chemical Substances	
	hemical Abstracts Service (division of the American Chemical Society)	
	ersistent, Bioaccumulative and Toxic	
	ery Persistent and very Bioaccumulative ox. 2: Acute toxicity – Category 2	
	ox. 2: Acute toxicity – Category 2 ox. 4: Acute toxicity – Category 4	
	ox. 1: Acute toxicity – Category 1	
Acute 1	ox. 3: Acute toxicity – Category 3	
	rr. 1A: Skin corrosion/irritation – Category 1A	
* Date	a compared to the previous version altered.	