

Printing date 13.04.2018 Revision: 13.04.2018 Hazardous according to criteria of Australian Safety and Compensation Council. 1 Identification · Product identifier · Trade name: STD- Zirconium 1000 PPM 2% HNO3 · Article number: N9303812 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Laboratory chemicals · Details of the supplier of the safety data sheet · Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 -----Supplier/Local: _____ PerkinElmer Australia Lvl 2, Bldg 5, Brandon Office Park 530-540 Springvale Road Glen Waverley Melbourne VIC 3150 Australia 1-800-033-391 ausales@perkinelmer.com · Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 2 Hazard(s) Identification · Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms GHS07

· Signal word Warning

(Contd. on page 2)

⁻ AU



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3

(Contd. of page 1) · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. *P302+P352* IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. *P337*+*P313* If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. P362 · Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
7697-37-2	Nitric Acid	😵 Ox. Liq. 2, H272 🚯 Skin Corr. 1A, H314	2.0%		
· Additional Components					
7440-67-7	zirconium	♦ Pyr. Sol. 1, H250; Water-react. 1, H260	0.1%		
7732-18-5	Water		97.9%		
· Additional	information: For the wording of the listed has	ard phrases refer to section 16.			

4 First Aid Measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

(Contd. on page 3)



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3

(Contd. of page 2)

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: The product is not flammable.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WES Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)


U -



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3



AU



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3

		(Contd. of page 4)
• Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1 g/cm^3	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	97.9 %	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 6)

AU



Printing date 13.04.2018

Revision: 13.04.2018

(Contd. of page 5)

Trade name: STD- Zirconium 1000 PPM 2% HNO3

Irritant

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

UN3264
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Nitric Acid)
8 (C1) Corrosive substances.



AU

according to WHS Regulations

Printing date 13.04.2018

Revision: 13.04.2018

	(Contd. of pag
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80 E 4 6 B
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A SW2 Clean of living guarters
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Transport actoriom	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E
	L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANI

15 Regulatory information						
\cdot Safety, health and environmental regulations/legislation specific for the substance or mixture						
7732-18-5	Water		97.9%			
7697-37-2	Nitric Acid	 Ox. Liq. 2, H272 Skin Corr. 1A, H314 	2.0%			
		(Contd. on page 8			



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3

(Contd. of page 7) 7440-67-7 zirconium **(**) Pyr. Sol. 1, H250; Water-react. 1, H260 0.1% • GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. *P302+P352* IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. · Directive 2012/18/EU • Named dangerous substances - ANNEX I None of the ingredients is listed. · National regulations: · Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases. · Waterhazard class: Generally not hazardous for water. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Disclaimer The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product. · Relevant phrases

H250 Catches fire spontaneously if exposed to air.
H260 In contact with water releases flammable gases which may ignite spontaneously.
H272 May intensify fire; oxidiser.
H314 Causes severe skin burns and eye damage.

· **Department issuing SDS:** Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

(Contd. on page 9)

AU



Printing date 13.04.2018

Revision: 13.04.2018

Trade name: STD- Zirconium 1000 PPM 2% HNO3

(Contd. of page 8) · Abbreviations and acronyms RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A • * Data compared to the previous version altered.