

Printing date 07.10.2020

Revision: 07.10.2020

1.1 Product	identifier
	STD, Tuning Solution 1
	51D, Tuning Solution 1 ber: N9303843
	identified uses of the substance or mixture and uses advised against
	elevant information available.
	of the substance / the mixture Laboratory chemicals
	f the supplier of the safety data sheet
PerkinElmer	Inc
710 Bridgepo	
	necticut 06484 USA
	reUS@perkinelmer.com
203-925-460	
PerkinElmer	, Inc.
	ad Buckinghamshire
Seer Green H	
cc.uk@perki	
United Kinge	
P: 0800 896	
F: 0800-89 1	/ 14
PerkinElmer	Inc
	Business Park, Unit A
Llantrisant C	
United Kingd	
cc.uk@perki	
P: 44 1443 2	
1.4 Emergen	cy telephone number:
	C (within US) 800-424-9300
	C(from outside US) + 1 703-527-3887 (call collect)
CHEMTREC	C (within AU) +(61)-290372994
SECTION	2: Hazards identification
	v
	ation of the substance or mixture n according to Regulation (EC) No 1272/2008
	HS05 corrosion
Eve Dam. 1	H318 Causes serious eye damage.
	· · · · · · · · · · · · · · · · · · ·
	1907
	HS07
	H315 Causes skin irritation.



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1

	(Contd. of page 1)
	ding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. ams GHS05
· Hazard-determi	ining components of labelling:
Hydrochloric A	cid
Nitric Acid	
• Hazard stateme	
H315 Causes sk	
	rious eye damage.
• Precautionary s	
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
· 2.3 Other hazar	rds
The product do formaldehydes.	pes not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
<i>v</i>	and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	nts:	
CAS: 7647-01-0	Hydrochloric Acid	5.0%
EINECS: 231-595-7	 Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335 	-
	Nitric Acid	2.0%
EINECS: 231-714-2	🚸 Ox. Liq. 2, H272	-
	🂑 Skin Corr. 1A, H314	
· Additional Compone	nts	
CAS: 7732-18-5	Water 9	2.988%
EINECS: 231-791-2		
CAS: 7439-92-1	lead	0.001%
EINECS: 231-100-4	🚸 Repr. 1A, H360FD-H362	
CAS: 7439-93-2	lithium	0.001%
EINECS: 231-102-5	🛞 Water-react. 1, H260	
	🔗 Skin Corr. 1B, H314	
	(Contd.	on page 3)



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1

	(Cor	td. of page 2
CAS: 7439-95-4	magnesium	0.001%
EINECS: 231-104-6	🚸 Pyr. Sol. 1, H250; Water-react. 1, H260	
CAS: 7440-16-6	rhodium	0.001%
EINECS: 231-125-0		
CAS: 7440-28-0	thallium	0.001%
EINECS: 231-138-1		
	🕹 STOT RE 2, H373	
	Aquatic Chronic 4, H413	
CAS: 7440-39-3	barium	0.001%
EINECS: 231-149-1	🛞 Water-react. 2, H261	
CAS: 7440-41-7	beryllium	0.001%
EINECS: 231-150-7	<i>↔ Acute Tox. 3, H301; Acute Tox. 2, H330</i>	
	💩 Carc. 1B, H350i; STOT RE 1, H372	
	🐼 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 7440-45-1	cerium	0.001%
EINECS: 231-154-9	🚸 Water-react. 2, H261	
CAS: 7440-48-4	cobalt	0.001%
EINECS: 231-158-0	🛞 Resp. Sens. 1, H334	
	🚯 Skin Sens. 1, H317	
	Aquatic Chronic 4, H413	
CAS: 7440-61-1	uranium	0.001%
EINECS: 231-170-6	V newe row. 2, 11500, newe row. 2, 11550	
	🗞 STOT RE 2, H373	
	Aquatic Chronic 4, H413	
CAS: 7440-65-5	yttrium	0.001%
EINECS: 231-174-8		
CAS: 7440-74-6	Indium	0.001%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

GB



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1

(Contd. of page 3)

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm (gas and aerosol mists)

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

GB



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1 (Contd. of page 4) · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. *Immediately remove all soiled and contaminated clothing* Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles

9.1 Information on basic physical General Information	and chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	Transparent	
· Odour:	Odourless	
• Odour threshold:	Not determined.	
pH-value:	Not determined.	
• Change in condition		
Melting point/freezing point:	$0 \ ^{\circ}C$	
Initial boiling point and boiling	range: 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1

		(Contd. of page 5
• Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard. Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 •C:	23 hPa	
· Density at 20 °C:	$l g/cm^3$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	93.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



Printing date 07.10.2020

Revision: 07.10.2020

(Contd. of page 6)

Trade name: STD, Tuning Solution 1

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

 \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	SECTION	12: Ecol	ogical in	formation
------------------------------------	----------------	----------	-----------	-----------

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	
ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(Nitric Acid, HYDROCHLORIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr
	Acid, HYDROCHLORIC ACID)



according to 1907/2006/EC, Article 31

Printing date 07.10.2020

Revision: 07.10.2020

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
Â	
E.	
8	
\mathbf{V}	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler code):	<i>Warning: Corrosive substances.</i> 80
EMS Number:	<i>F-A,S-B</i>
Segregation groups	Acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transaction of a star a set	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 E
	<i>L</i>
IMDG	11
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
Excepted quantities (EQ)	<i>Maximum net quantity per inner packaging: 30 ml</i>
	Maximum net quantity per outer packaging: 500 ml



Printing date 07.10.2020

Revision: 07.10.2020

(Contd. of page 8)

Trade name: STD, Tuning Solution 1

· UN ''Model Regulation'':

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROCHLORIC ACID), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health a	nd environmental regulations/legislation specific for the substance or mixture	
CAS: 7732-18-5	Water	92.988%
EINECS: 231-791-2		
	Hydrochloric Acid	5.0%
EINECS: 231-595-7	Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	
	Nitric Acid	2.0%
EINECS: 231-714-2	Ox. Liq. 2, H272 Skin Corr. 1A, H314	

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

- H250 Catches fire spontaneously if exposed to air.
- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H261 In contact with water releases flammable gases.
- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

(Contd. on page 10)



Printing date 07.10.2020

Revision: 07.10.2020

Trade name: STD, Tuning Solution 1

		(Contd. of page 9)
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
H350i	May cause cancer by inhalation.	
	D May damage fertility. May damage the unborn child.	
H362	May cause harm to breast-fed children.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H413	May cause long lasting harmful effects to aquatic life.	
	nent issuing SDS:	
	mental, Health and Safety	
PerkinE		
Chalfon		
	thamshire	
Seer Gr		
HP9 2F	X	
United I	Kingdom	
Telepho	ne : 0800-89 60 46	
FAX: 0	800-89 17 14	
· Contact	f	
Within t	he USA: 1-(800)-762-4000	
Outside	the USA: 1-(203)-712-8488	
	ations and acronyms	
RID: Règ	lement international concernant le transport des marchandises dangereuses par chemin de fer (Re nal Transport of Dangerous Goods by Rail)	egulations Concerning the
ICAO: Int	ternational Civil Aviation Organisation	
	cord européen sur le transport des marchandises dangereuses par Route (European Agreement con of Dangarous Goode hy Road)	ncerning the International
	of Dangerous Goods by Road) ternational Maritime Code for Dangerous Goods	
	ernational Air Transport Association	
GHS: Glo	bally Harmonised System of Classification and Labelling of Chemicals	
	European Inventory of Existing Commercial Chemical Substances	
	European List of Notified Chemical Substances	
	mical Abstracts Service (division of the American Chemical Society) sistent, Bioaccumulative and Toxic	
	y Persistent and very Bioaccumulative	
	: Oxidizing liquids – Category 2	
Acute Tox	:. 4: Acute toxicity - oral – Category 4	
	. 1A: Skin corrosion/irritation – Category 1A	
	. 1B: Skin corrosion/irritation – Category 1B 2: Skin corrosion/irritation – Category 2	
	1: Serious eve damage/eve irritation – Category 1	
	3: Specific target organ toxicity (single exposure) – Category 3	
STOTSE		