

*

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Identification	1
· Product identif	er
· Trade name: S	TD 1 MG/L COPPER IN 2% HN03
• Article number	
• Application of	he substance / the mixture Laboratory chemicals
• Details of the s	upplier of the safety data sheet
· Manufacturer/	
PerkinElmer, Ir	С.
710 Bridgeport	Avenue
Shelton, Conne	eticut 06484 USA
	IS@perkinelmer.com
203-925-4600	
· Emergency tele	
	vithin US) 800-424-9300
	rom outside US) + 1.703-527-3887 (call collect)
CHEMIREC (V	vithin AU) +(61)-290372994
Hazard(s) id	entification
Classification of	f the substance on minture
· Classification o	f the substance or mixture
<u><!-- --></u>	
Skin Irrit. 2 H	315 Causes skin irritation.
	315 Causes skin irritation. 319 Causes serious eye irritation.
Eye Irrit. 2A H	
Eye Irrit. 2A H • Label elements	319 Causes serious eye irritation.
Eye Irrit. 2A H Label elements GHS label elem	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS)
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr	319 Causes serious eye irritation. ents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 urning
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) Tams GHS07 Turning nts
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 Trning nts in irritation.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes so	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 arning nts in irritation. rious eye irritation.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh	319 Causes serious eye irritation. Sents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 arning nts in irritation. rious eye irritation.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary	319 Causes serious eye irritation. The product is classified and labeled according to the Globally Harmonized System (GHS) The arms GHS07 The arms of the series o
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary s P264	319 Causes serious eye irritation. ents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 trning nts cin irritation. rious eye irritation. tatements Wash thoroughly after handling.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary s P264 P280	319 Causes serious eye irritation. ents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 trning nts cin irritation. rious eye irritation. tatements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes so H319 Causes so Precautionary so P264 P280 P302+P352 P321	319 Causes serious eye irritation. ents The product is classified and labeled according to the Globally Harmonized System (GHS) ams GHS07 trning nts rin irritation. rious eye irritation. rious eye irritation. tatements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes so Precautionary so P264 P280 P302+P352 P321 P305+P351+P	 319 Causes serious eye irritation. 319 Causes serious eye irritation. ans GHS07 anning nts ani irritation. brious eye irritation. atatements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presand easy to do. Continue rinsing.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sk H319 Causes sc Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313	 319 Causes serious eye irritation. 319 Causes serious eye irritation. ans GHS07 anning nts ani irritation. arious eye irritation. atatements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sk H319 Causes sc Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364	 319 Causes serious eye irritation. ans The product is classified and labeled according to the Globally Harmonized System (GHS) ans GHS07 ans GHS07 ants in irritation. rious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sl H319 Causes se Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313	 319 Causes serious eye irritation. 319 Causes serious eye irritation. ans The product is classified and labeled according to the Globally Harmonized System (GHS) ans GHS07 ants ants in irritation. rious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313 Classification s	 319 Causes serious eye irritation. sents The product is classified and labeled according to the Globally Harmonized System (GHS) and GHS07 urning nts in irritation. rious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sl H319 Causes se Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313	 319 Causes serious eye irritation. sents The product is classified and labeled according to the Globally Harmonized System (GHS) and GHS07 urning nts in irritation. rious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313 Classification s NFPA ratings (319 Causes serious eye irritation. ents The product is classified and labeled according to the Globally Harmonized System (GHS) times GHS07 trining nts in irritation. rious eye irritation. etatements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. scale 0 - 4)
Eye Irrit. 2A H Label elements GHS label elem Hazard pictogr Signal word Wa Hazard stateme H315 Causes sh H319 Causes se Precautionary S P264 P280 P302+P352 P321 P305+P351+P P332+P313 P362+P364 P337+P313 Classification s NFPA ratings (319 Causes serious eye irritation. sents The product is classified and labeled according to the Globally Harmonized System (GHS) and GHS07 urning nts in irritation. rious eye irritation. statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). 338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if press and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.



Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 1)

• HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards


The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.



4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

US A



Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 2)

	recautions, protective equipment and emergency procedures Not required. ntal precautions: Do not allow to enter sewers/surface or ground water.	
	ad material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	o other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
See Section	13 for disposal information.	
Protective	Action Criteria for Chemicals	
• PAC-1:		
7697-37-2	Nitric Acid	0.16 ppn
7440-50-8	copper	3 mg/m ³
/ / / 0 50 0		
• PAC-2:		
• PAC-2:	Nitric Acid	24 ppm
• PAC-2:		24 ppm 33 mg/m
• PAC-2: 7697-37-2		
• PAC-2: 7697-37-2 7440-50-8	copper	

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 4)

USA



Printing date 07/27/2021

Review date 07/27/2021

(Contd. of page 3)

Trade name: STD 1 MG/L COPPER IN 2% HN03

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin. • **Breathing equipment:** Not required.
- **Breatning equipment:** Not req
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles or safety glasses

9 Physical and chemical propertie

Information on basic physical and of General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	



Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

		(Contd. of page 4
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17.3 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1.01007 g/cm ³ (8.42903 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.

(Contd. on page 6)

USA



Printing date 07/27/2021

Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 5)

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN3264
Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)



Review date 07/27/2021

	(Contd. of page
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (Nitric Acid)
IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr Acid)
IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr Acid solution)
Transport hazard class(es)	
DOT	
CORNERVE R	
Class	8 Corrosive substances
Label	8
Class Label IMDG, IATA	8 (C1) Corrosive substances 8
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code): EMS Number:	- 80 F-A,S-B
Segregation groups	Acids
Stowage Category	A SW2 Clean of living quarters
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.



*

acc. to OSHA HCS

Printing date 07/27/2021

Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 7
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
5L
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III
-

Safety, hea	lth and environmental regulations/legisld	ution specific for the substance or mixture	
7732-18-5	Water		97.9999%
7697-37-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314	2.0%
7440-50-8	copper		0.0001%
Sara		,	
Section 355	5 (extremely hazardous substances):		
7697-37-2	Nitric Acid		
Section 313	3 (Specific toxic chemical listings):		
7697-37-2	Nitric Acid		
7440-50-8	copper		
TSCA (Tox	ic Substances Control Act):		
7732-18-5	Water		ACTIVI
7697-37-2	Nitric Acid		ACTIVI
7440-50-8	copper		ACTIVI
Hazardous	Air Pollutants		
None of the	ingredients is listed.		
Proposition	n 65		
Chemicals	known to cause cancer:		
None of the	e ingredients is listed.		
Chemicals	known to cause reproductive toxicity for	females:	
	ingredients is listed.		



Printing date 07/27/2021

Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 8)

D

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

7440-50-8 copper

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Water hazard class: Generally not hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 · Abbreviations and acronvms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

USA



Printing date 07/27/2021

Review date 07/27/2021

Trade name: STD 1 MG/L COPPER IN 2% HN03

(Contd. of page 9)

USA

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Ox. Liq. 2: Oxidizing liquids – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A • * Data compared to the previous version altered.