

Printing date 30.01.2019 Revision: 30.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: STD 1 MG/L LITHIUM IN 2% HCL
- · Article number: N9304240
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

203-925-4600

PerkinElmer, Inc.

Chalfont Road Buckinghamshire

Seer Green HP9 2FX

cc.uk@perkinelmer.com

United Kingdom

P: 0800 896 046

F: 0800-89 17 14

PerkinElmer, Inc.

Llantrisant Business Park, Unit A

Llantrisant CF72 8YW

United Kingdom

cc.uk@perkinelmer.com

P: 44 1443 234005

· 1.4 Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

(Contd. on page 2)



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 1)

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	Dangerous components:				
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	Skin Corr. 1B, H314 Acute Tox. 4, H302; STOT SE 3, H333	2.0%		
· Additional Components					
CAS: 7439-93-2 EINECS: 231-102-5	lithium		0001%		
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.	9999%		

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 2)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

WEL Short-term value: 8 mg/m³, 5 ppm Long-term value: 2 mg/m³, 1 ppm

(gas and aerosol mists)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

GB



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 3)

9.1 Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Colour:	Dark brown			
Odour:	Characteristic			
Odour threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Melting point/freezing point:	Undetermined.			
Initial boiling point and boiling range	2: 100 °C			
Flash point:	Not applicable.			
Flammability (solid, gas):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
	Not determined.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapour pressure at 20 °C:	23 hPa			
Density at 20 °C:	1.003 g/cm³			
Relative density	Not determined.			
Vapour density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
Partition coefficient: n-octanol/water:	Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Solvent content:				
Water:	98.0 %			
Solids content:	0.0 %			
9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 4)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GB



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 5)

SECTION 14: Transport informat	
14.1 UN-Number ADR, IMDG, IATA	UN1789
14.2 UN proper shipping name ADR IMDG IATA	1789 HYDROCHLORIC ACID HYDROCHLORIC ACID, MARINE POLLUTANT HYDROCHLORIC ACID
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C1) Corrosive substances.
IMDG	
Class Label	8 Corrosive substances. 8
IATA Characteristics Characteristics	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Symbol (fish and tree)
14.6 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups	Warning: Corrosive substances. 8 F-A,S-B Acids
4.7 Transport in bulk according to Annex II of Iarpol and the IBC Code Not applicable.	
Transport/Additional information:	
ADR Limited quantities (LQ)	5



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

	(Contd. of page 6
· Excepted quantities (EQ)	Code: E
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5
Excepted quantities $(\widetilde{E}Q)$	Code: E
· UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID, 8, III

SECTION 15: Regulatory information					
· 15.1 Safety, health a	Safety, health and environmental regulations/legislation specific for the substance or mixture				
CAS: 7732-18-5 EINECS: 231-791-2	Water		97.9999%		
CAS: 7647-01-0 EINECS: 231-595-7	Hydrochloric Acid	♦ Skin Corr. 1B, H314♦ Acute Tox. 4, H302; STOT SE 3, H335	2.0%		
CAS: 7439-93-2 EINECS: 231-102-5	lithium	♦ Water-react. 1, H260 Skin Corr. 1B, H314	0.0001%		

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Generally not hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

H260 In contact with water releases flammable gases which may ignite spontaneously.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Department issuing SDS:

Environmental, Health and Safety

PerkinElmer

Chalfont Road

Buckinghamshire

Seer Green

HP9 2FX

(Contd. on page 8)



Printing date 30.01.2019 Revision: 30.01.2019

Trade name: STD 1 MG/L LITHIUM IN 2% HCL

(Contd. of page 7)

United Kingdom

Telephone : 0800-89 60 46 FAX : 0800-89 17 14

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

GB =