

\*

\*

# according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Revision: 27.07.2021

Trade name: STD 1 MG/L VANADIUM IN 2% HNO3 Article number: N9304285 12 Relevant information available. Application of the substance / the mixture Laboratory chemicals 13 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 10 Bridgeport Avenue Shelton, Connecticut 0644 USA Customer CareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 E/X cc. uk@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 E/X cc. uk@perkinelmer.com United Kingdom P: 0800.896 046 F: 0800-89 17 14 PerkinElmer, Inc. Liantrisant Business Park, Unit A Liantrisant Crift Stift Differ TREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification according to Regulation (EC) No 1272/2008 Figure Vark Varing Skin Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Liazard pictograms GHS07 Signal word Warning	SECTION 1: Identification of the substance/mixture and of the comp	oany/undertaking
Article number: N9304285 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacture/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelon, Connecticut 06484 USA Customer Care/USGperkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green IHP 2 FX Cc.uk@perkinelmer.com United Kingdom PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green IHP 2 FX Cc.uk@perkinelmer.com United Kingdom PerkinElmer, Inc. Llamrisant Business Park, Unit A Llamrisant Gr22 8 YW United Kingdom Cc.uk@perkinelmer.com P: 41 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-924-9300 CHEMTREC (within AU) +61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	1.1 Product identifier	
1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance i the mixture Laboratory chemicals 1.3 Details of the subplier of the safety data sheet Manufacturer/Supplier: PerkinFilmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 20:3-925-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX Seer Green HP9 2FX Cask@perkinelmer.com 10:1:1:2:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1	Trade name: <u>STD 1 MG/L VANADIUM IN 2% HNO3</u>	
No further relevant information available. Application of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 10 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-225-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 886 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Distiness Park, Unit A Llantrisant C72 84W United Kingdom Cc.uk@perkinelmer.com P: 41 143 33405 L4 Emergency telephone number: CHEMTREC (within 4D) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H319 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GIN507 Signal word Warning	Article number: N9304285	
Application of the substance / the mixture Laboratory chemicals L3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-225-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HIP 92FX ccuk@perkinelmer.com United Kingdom P- 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Litantrisant Business Park, Unit A Ulantrisant Business Park, Unit A Ulan		
L3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-225-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green IIP9 2FX cc. uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Ulantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant CF22 8YW United Kingdom cc. uk@perkinelmer.com P: 44 1443 234005 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 810-424-9300 CHEMTREC (Within US) 810-4		
Manufacturer/Supplier: PerkinElmer, Inc. 10 Bridgeport Avenue Shehon, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-923-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Ulantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant GF72 8YW United Kingdom cc.uk@perkinelmer.com F: 44 143 234005 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 810-424-9300 CHEMTREC (within US) 810-424-9300 CHEMTREC (within US) 41703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	Application of the substance / the mixture Laboratory chemicals	
710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-292-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 87W United Kingdom cc.uk@perkinelmer.com P: 41 143 234005 L4 Emergency telephone number: CHEMTREC (vivihin US) 800-424-9300 CHEMTREC (vivihin US) 800-424-9300 CHEMTREC (vivihin US) 800-424-9300 CHEMTREC (vivihin US) 800-424-9300 CHEMTREC (vivihin AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Ierit. 2 H315 Causes skin irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GH807 Signal word Warning	1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Shelton, Čonnecticuti 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P. 800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Gr72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.1 Classifie of Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	PerkinElmer, Inc.	
CustomerCareUS@perkinelmer.com 203-923-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P. 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 41 143 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (Within US) (US) 800-424-9300 CHEMTREC (Within US) (US) 800-424-930 CHEMTREC (Within US) 800-424-930 CHEMTREC (Within US) (US) 800-424-930 CHEMTREC (Within US) (US) 800-424-930 CHEMTREC (Within US) (US) 800-424-930 CHEMTREC (	710 Bridgeport Avenue	
203-925-4600 PerkinElmer, Inc. Chalfon Road Buckinghamshire Seer Green HIP9 2FX Seer Green HIP9 2FX Cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant GC72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.1 Classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	Shelton, Connecticut 06484 USA	
PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Liantrisant Business Park, Unit A Liantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (WITREC (WITRE US) 800-424-9300 CHEMTREC (WITRE US) A construction according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes for eye irritation. Eye Ir	CustomerCareUS@perkinelmer.com	
Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant GF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
Seer Green HP9 2FX $c_{c,uk@perkinelmer.com}$ United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom $c_{c,uk@perkinelmer.com}$ P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> <b>Skin Irrit. 2</b> H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. <b>2.2 Label elements</b> <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within XU) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Kin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. <b>2.2 Label elements</b> <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Eusiness Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>L4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) $+(61)$ -290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 87W United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 L4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification SECTION 2: Hazards identification Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 <b>SECTION 2: Hazards identification</b> <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within $AU$ ) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	PerkinElmer, Inc.	
United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within $AU$ ) +(61)-290372994 SECTION 2: Hazards identification SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	Llantrisant Business Park, Unit A	
cc.uk@perkinelmer.com P: 44 1443 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (form outside US) +1 703-527-3887 (call collect) CHEMTREC (within $AU$ ) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 $\widehat{V}$ GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 3 H319 Causes serious eye irritation. Eye Irrit. 4 H319 Causes serious eye irritation. Eye Irrit. 5 H319 Causes serious eye irritation. Eye Irrit. 7 H319 Causes serious eye irritation. Eye Irrit. 7 H319 Causes serious eye irritation. Eye Irrit. 8 H319 Causes serious eye irritation. Eye Irrit. 9 H319 Cause		
1.4 Emergency telephone number:         CHEMTREC (within US) 800-424-9300         CHEMTREC (from outside US) +1 703-527-3887 (call collect)         CHEMTREC (within AU) +(61)-290372994         SECTION 2: Hazards identification         SECTION 2: Hazards identification         Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008         OF FIGURE 1 - 2 H315 Causes skin irritation.         Eye Irrit. 2 H315 Causes skin irritation.         Eye Irrit. 2 H319 Causes serious eye irritation.         Exabel elements         Label elements         Labelled according to Regulation (EC) No 1272/2008         The product is classified and labelled according to the CLP regulation.         Hazard pictograms GHS07         Signal word Warning		
CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H315 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.		
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	CHEMTREC (within AU) +(61)-290372994	
2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	SECTION 2: Hazards identification	
<i>GHS07</i> Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	2.1 Classification of the substance or mixture	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	Classification according to Regulation (EC) No 12/2/2008	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	CHIS07	
Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	GU20/	
Eye Irrit. 2 H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	Skin Irrit 2 H315 Causas skin irritation	
2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning		
The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 Signal word Warning	2.2 Label elements	
Hazard pictograms GHS07 Signal word Warning		
Signal word Warning		
	Signui woru munung	(Contd. on page



*Printing date 28.07.2021* 

Revision: 27.07.2021

#### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

	(Contd. of page 1)
• Hazard statemen	<i>its</i>
H315 Causes ski	n irritation.
H319 Causes ser	ious eye irritation.
· Precautionary st	atements
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
· 2.3 Other hazard	ls
The product doe	es not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or
formaldehydes.	
· Results of PBT a	und vPvB assessment
• <b>PBT:</b> Not applied	able.
· vPvB: Not applic	cable.

### **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	nts:	
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	Ox. Liq. 2, H272 Skin Corr. 1A, H314
· Additional Compone	nts	
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.9999%
CAS: 7440-62-2 EINECS: 231-171-1	vanadium	0.0001%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)



Printing date 28.07.2021

Revision: 27.07.2021

### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

(Contd. of page 2)

# SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

(Contd. on page 4)

GB



Printing date 28.07.2021

Revision: 27.07.2021

#### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

(Contd. of page 3) Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: Not required. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles **SECTION 9: Physical and chemical properties** •9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: Clear Characteristic **Odour:** • Odour threshold: Not determined. · pH-value: Not determined. · Change in condition

 Melting point/freezing point:
 Undetermined.

 Initial boiling point and boiling range:
 100 °C

 · Flash point:
 Not applicable.

 · Flammability (solid, gas):
 Not applicable.

 · Decomposition temperature:
 Not determined.

 · Auto-ignition temperature:
 Product is not selfigniting.

 · Explosive properties:
 Product does not present an explosion hazard. Not determined.

GB



*Printing date 28.07.2021* 

Revision: 27.07.2021

### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

	(Co	ntd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 •C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.0 %	
9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

<sup>-</sup> GB



Printing date 28.07.2021

Revision: 27.07.2021

Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

(Contd. of page 5)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot$  STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

• 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN3264 • 14.2 UN proper shipping name ·ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) · IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) · 14.3 Transport hazard class(es) ·ADR Class 8 (C1) Corrosive substances. (Contd. on page 7) GB



\*

according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Revision: 27.07.2021

# Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

	(Contd. of page
Label	8
IMDG, IATA	
$\wedge$	
3	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	SL Code: El
(	Maximum net quantity per inner packaging: 30 ml
The second se	Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E
	2
IMDG Limited quantities (LQ)	5L
Excepted quantities $(EQ)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC N.O.S. (NITRIC ACID), 8, III

SECTION 15: Re	egulatory information		
· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
CAS: 7732-18-5 EINECS: 231-791-2	Water	97.9	9999%
		(Contd. or	n page 8)



Printing date 28.07.2021

Revision: 27.07.2021

#### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

		(Co	ontd. of page 7)
CAS: 7697-37-2	Nitric Acid	🚸 Ox. Liq. 2, H272	2.0%
EINECS: 231-714-2		\delta Skin Corr. 1A, H314	
CAS: 7440-62-2	vanadium		0.0001%
EINECS: 231-171-1			

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

· Waterhazard class: Generally not hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H272 May intensify fire; oxidiser. H314 Causes severe skin burns and eye damage.

#### • Department issuing SDS:

Environmental, Health and Safety PerkinElmer Chalfont Road Buckinghamshire Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX : 0800-89 17 14 • Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

· Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

GB



GB

## according to 1907/2006/EC, Article 31

Printing date 28.07.2021

Revision: 27.07.2021

### Trade name: STD 1 MG/L VANADIUM IN 2% HNO3

(Contd. of page 8)

IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Ox. Liq. 2: Oxidizing liquids – Category 2
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Serious eye damage/eye irritation – Category 2
\* Data compared to the previous version altered.