

Printing date 27.07.2021

Revision: 27.07.2021

Trade name: <u>STD - 1 10000 MG/L RB IN 5% HNO3</u> Article number: N9304332 12 Relevant information available. Application of the substance / the mixture Laboratory chemicals 13 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 110 Bridgeport Avenue Shelton, Connecticut 00484 USA Customer CareUS@perkinelmer.com 203-925-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 EFX cc.uk@perkinelmer.com 203-925-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 EFX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Litantrisant Business Park, Unit A Liantrisant CF22 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 Stoff Corn Outside US) + 17 03-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification Stin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes sevious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictogramos CH305 Signal word Danger	1.1 Product identifier	
Article number: N9304332 Article number: N9304332 No further relevant information available. Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelon. Connecticut 00484 USA Customer Carcus USGaperkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP 9 ErX cc. uk@aperkinelmer.com United Kingdom PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP 9 ErX cc. uk@aperkinelmer.com United Kingdom Pr. 8080 880 6046 F: 0800-89 017 14 PerkinElmer, Inc. Liamirisant CF2 8 YW United Kingdom cc. uk@aperkinelmer.com P: 41 1443 234005 1.4 Emergency telephone number: CIEMTREC (within US) 800-324-9300 CIEMTREC (within US) 800-324-9300 CIEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms OHSOS Signal word Danger	Trade name: STD -1 10000 MG/L RB IN 5% HNO3	
1-2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance is the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer Care US@perkinelmer.com 203-925-400 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom PerkinElmer, Inc. Litarrisant Business Park, Unit A Litarrisant Greps 200 I-4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification Star Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Lobel elements Labeling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pietograms GHS05 Signal word Danger		
No further relevant information available. Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 110 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-203-400 PerkinElmer, Inc. Chaffont Road Buckinghamshire Seer Green HP9 2FX cc. uk@perkinelmer.com Ditted Kingdom P: 0800 886 046 F: 0800-89 047 H: 0800 886 046 F: 0800-89 17 14 PerkinElmer, Inc. Llamirisant Dusiness Park, Unit A Llamirisant Drasiness Park, Unit A Llamirisant Drasiness Park, Unit A Llamirisant Drass Park, Uni		
Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-925-400 PerkinElmer, Inc. 710 Bridgeport Avenue Seer Green IIP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. 11 A Bridgeport Avenue United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, com P: 41 143 234005 L4 Emergency telephone number: CcLeMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification Skin Corr. 1B H314 Causes serious eye damage. 2.2 Label elements Labeling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05		
A J Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 1/0 Bridgeport Avenue Shelon, Connectcut 06484 USA CustomerCareUS@perkinelmer.com 2/3-2/2-460 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant GF22 81W United Kingdom P: 44 143 234005 14 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
Manufacturer/Supplier: PerkinElmer, Inc. 110 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Gr72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 14 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) + 1703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes series skin burns and eye damage. Eye Dan. 1 H318 Causes series eye damage. 2.2 Label elements Labelling acording to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green IIP9 2EX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Liantrisant Business Park, Unit A Liantrisant Business Park, Unit A Liantrisant Gr72 8YW United Kingdom Cc.uk@perkinelmer.com P: 41 143 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 SECTION 2: Hazards identification SECTION 2: Hazards identification Stor Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Z2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
710 Bridgeport Avenue Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-292-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX ec.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Liantrisant Business Park, Unit A Liantrisant Derze Sark, Unit A Liantrisant CF72 8YW United Kingdom C:uk@perkinelmer.com P: 41 143 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994	PerkinElmer, Inc.	
Shelton, Connecticut 06484 USA Customer CareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 I.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (form outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes sevience skin burns and eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX Seer Green HP9 2FX Cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant Gr72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
PerkinElmer, Inc. Chalfour Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Liantrisant Business Park, Unit A Liantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) $800-424-9300$ CHEMTREC (within AU) $+(61)-290372994$ SECTION 2: Hazards identification Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Caus	CustomerCareUS@perkinelmer.com	
Chalfont Road Buckinghamshire Seer Green HP9 2FX cc. ut@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) + 1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification <b>2.1 Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	203-925-4600	
Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Kin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	PerkinElmer, Inc.	
Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (within AU) + (61)-290372994 SECTION 2: Hazards identification <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Kin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.2 Label elements</b> Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
United Kingdom P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (ivithin US) 800-424-9300 CHEMTREC (ivithin US) 800-424-9300 CHEMTREC (rom outside US) +1 703-527-3887 (call collect) CHEMTREC (ivithin UJ) + (61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	Seer Green HP9 2FX	
P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (irom outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 87W United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTRE		
PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> <i>GHS05 corrosion</i> Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.2 Label elements</b> <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. <b>Hazard pictograms</b> GHS05 <b>Signal word</b> Danger		
Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Skin Corr. 1B H314 Causes serious eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.2 Label elements</b> <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. <b>Hazard pictograms</b> GHS05 <b>Signal word</b> Danger	F: 0800-89 17 14	
Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 143 234005 <b>1.4 Emergency telephone number:</b> CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) + (61)-290372994 <b>SECTION 2: Hazards identification</b> <b>2.1 Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No 1272/2008</b> Skin Corr. 1B H314 Causes serious eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>2.1 Label elements</b> <b>Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. <b>Hazard pictograms</b> GHS05 <b>Signal word</b> Danger	PerkinElmer, Inc.	
United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (form outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	Llantrisant CF72 8YW	
cc.uk@perkinelmer.com P: 44 1443 234005 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (form outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	United Kingdom	
<ul> <li>1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion</li> <li>Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger</li> </ul>	cc.uk@perkinelmer.com	
CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
CHEMTREC (within AU) +(61)-290372994 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
SECTION 2: Hazards identification         2.1 Classification of the substance or mixture         Classification according to Regulation (EC) No 1272/2008		
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Skin Corr. 1B H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms GHS05</li> <li>Signal word Danger</li> </ul>	CHEMTREC (within AU) +(61)-290372994	
<ul> <li>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</li> <li>GHS05 corrosion</li> <li>Skin Corr. 1B H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms GHS05</li> <li>Signal word Danger</li> </ul>		
Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	SECTION 2: Hazaras taentification	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	$\boldsymbol{\wedge}$	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	(Image: Second S	
Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	$\mathbf{V}$	
Eye Dam. 1 H318 Causes serious eye damage. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	Skin Corr. 18 H314 Causes severe skin hums and ove damage	
<b>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008</b> The product is classified and labelled according to the CLP regulation. <b>Hazard pictograms</b> GHS05 <b>Signal word</b> Danger		
Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger	<i>Eye Dam. 1 H318 Causes serious eye damage.</i>	
The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 Signal word Danger		
Hazard pictograms GHS05 Signal word Danger		
Signal word Danger		
	Signal word Danger	



Printing date 27.07.2021

Revision: 27.07.2021

#### Trade name: STD -1 10000 MG/L RB IN 5% HNO3

(Contd. of page 1)

• Hazard-det	ermining components of labelling:
Nitric Acid	
rubidium	
· Hazard stat	tements
H314 Caus	es severe skin burns and eye damage.
· Precaution	ary statements
P260	Do not breathe dusts or mists.
P303+P36	<i>P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].</i>
P305+P35	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other h	azards
The produc formaldehv	ct does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or des.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous compone	ents:		
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid	<ul> <li>Ø Ox. Liq. 2, H272</li> <li>Ø Skin Corr. 1A, H314</li> </ul>	5.0%
CAS: 7440-17-7 EINECS: 231-126-6	rubidium	& Water-react. 1, H260 Skin Corr. 1B, H314	1.0%
· Additional Compone	ents		
CAS: 7732-18-5 EINECS: 231-791-2	Water		94.0%
· Additional informati	on: For the wording of the listed hazard phrases refer to	section 16.	

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

GB



Printing date 27.07.2021

Revision: 27.07.2021

(Contd. of page 2)

Trade name: STD -1 10000 MG/L RB IN 5% HNO3

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)


GB



Printing date 27.07.2021

Revision: 27.07.2021

### Trade name: STD -1 10000 MG/L RB IN 5% HNO3



9.1 Information on basic phy. General Information	sical and chemical properties	
Appearance:		
Form:	Fluid	
Colour:	Dark brown	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	



Printing date 27.07.2021

Revision: 27.07.2021

### Trade name: STD -1 10000 MG/L RB IN 5% HNO3

		(Contd. of page 4
• Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not applicable.	
• Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard. Not determined.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
• Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	94.0 %	
Solids content:	1.0 %	
· 9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

 $\cdot$  10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)



Printing date 27.07.2021

Revision: 27.07.2021

### Trade name: STD -1 10000 MG/L RB IN 5% HNO3

(Contd. of page 5)

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

• Serious eye damage/irritation

Causes serious eye damage.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 7)



Printing date 27.07.2021

Revision: 27.07.2021

## Trade name: STD -1 10000 MG/L RB IN 5% HNO3

(Contd. of page 6)

SECTION 14: Transport information	
14.1 UN-Number ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (Nitric Acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nite Acid)
14.3 Transport hazard class(es)	
ADR	
Class	8 (C1) Corrosive substances.
Label	8
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Segregation groups	Г-А,S-D Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II o	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	Ε



Printing date 27.07.2021

Revision: 27.07.2021

(Contd of page 7)

#### Trade name: STD -1 10000 MG/L RB IN 5% HNO3

1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC N.O.S. (NITRIC ACID), 8, III

SECTION 15: Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
CAS: 7732-18-5 EINECS: 231-791-2	Water		94.0%
CAS: 7697-37-2 EINECS: 231-714-2	Nitric Acid		5.0%
CAS: 7440-17-7 EINECS: 231-126-6	rubidium	Water-react. 1, H260 Skin Corr. 1B, H314	1.0%

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H260 In contact with water releases flammable gases which may ignite spontaneously. H272 May intensify fire; oxidiser. H314 Causes severe skin burns and eye damage.

(Contd. on page 9)

GE



Printing date 27.07.2021

Revision: 27.07.2021

#### Trade name: STD -1 10000 MG/L RB IN 5% HNO3

(Contd. of page 8)

· Department issuing SDS: Environmental, Health and Safety PerkinElmer Chalfont Road **Buckinghamshire** Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX: 0800-89 17 14 · Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 · Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Water-react. 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 Ox. Liq. 2: Oxidizing liquids - Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1