

\*

# according to WHS Regulations

Printing date 20.04.2021

Revision: 20.04.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

Identifi	tion
Product	ntifier
• <b>Article n</b> • <b>Relevant</b> No furthe	e: <u>STD 1 10000 MG/L SN IN 20% HCL 500ML</u> aber: N9304346 entified uses of the substance or mixture and uses advised against relevant information available. of the substance / the mixture Laboratory chemicals
	he supplier of the safety data sheet rer/Supplier:
Shelton,	port Avenue nnecticut 06484 USA areUS@perkinelmer.com
Supplier/	
Lvl 2, Bla 530-540 Glen Wa Melbourn VIC 3150 Australia 1-800-03 ausales(a Emergen CHEMTH CHEMTH	
Hazard	) Identification
Classific	on of the substance or mixture orrosion
Skin Cori	H314 Causes severe skin burns and eye damage.
Eye Dam	H318 Causes serious eye damage.
STOT SE	H335 May cause respiratory irritation.



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

	(Contd. of page 1)
	eents The product is classified and labelled according to the Globally Harmonised System (GHS). ams GHS05, GHS07 unger
Hazard-determi	ining components of labelling:
Hydrochloric A	cid
Hazard stateme	nts
H314 Causes se	evere skin burns and eye damage.
H335 May caus	e respiratory irritation.
Precautionary s	statements
P260	Do not breathe dusts or mists.
P303+P361+P.	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
<i>P305+P351+P</i> .	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards	
formaldehydes.	bes not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or and $vPvP$ assessment

Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

## 3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

7647-01-0 Hydrochloric Acid

📀 Skin Corr. 1, H314; Eye Dam. 1, H318 🚯 Acute Tox. 4, H302; ŠTOT SE 3, H335

7440-31-5 tin

· Additional Components

7732-18-5 Water

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# **4** First Aid Measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

20.0%

1.0%

79.0%

AU



Printing date 20.04.2021

Revision: 20.04.2021

Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
   Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- *Inform respective authorities in case of seepage into water course or sewage syste Dilute with plenty of water.*
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
   Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and Storage

#### • Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

AU



Printing date 20.04.2021

Revision: 20.04.2021

(Contd. of page 3)

Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

• *Specific end use(s) No further relevant information available.* 

# 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7647-01-0 Hydrochloric Acid

WES Peak limitation: 7.5 mg/m<sup>3</sup>, 5 ppm

7440-31-5 tin

WES Long-term value: 2 mg/m<sup>3</sup>

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation


• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



(Contd. on page 5)



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

(Contd. of page 4)

Information on basic physical and chen	nical properties	
· General Information		
Appearance:		
Form:	Liquid	
Colour: • Odour:	Clear Characteristic	
· Ouour: · Odour threshold:	Not determined.	
pH-value:	Not determined.	
•	Noi determined.	
Change in condition Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range		
Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
• • • • •		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard. Not determined.	
	Noi determinea.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapour pressure at 20 •C:	23 hPa	
Density at 20 °C:	1.03003 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	79.0 %	

# 10 Stability and Reactivity

· *Reactivity* No further relevant information available.

(Contd. on page 6)

AU



Printing date 20.04.2021

Revision: 20.04.2021

(Contd. of page 5)

#### Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological Information**

- · Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:
- 7647-01-0 Hydrochloric Acid
- Oral LD50 900 mg/kg (rabbit)
- · Primary irritant effect:
- Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.
- · Serious eye damage/irritation
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

# **12** Ecological Information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

(Contd. of page 6)

# 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- *Recommendation: Disposal must be made according to official regulations.*
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

UN-Number	
ADG, IMDG, IATA	UN1789
UN proper shipping name	
ADG	1789 HYDROCHLORIC ACID mixture
IMDG, IATA	HYDROCHLORIC ACID mixture
Transport hazard class(es)	
ADG	
$\wedge$	
8	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
<u></u>	
Class	8 Corrosive substances.
Label	8
Packing group	
ADG, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Strong acids
Stowage Category	С
Transport in bulk according to Annex II of Mar	
and the IBC Code	Not applicable.

<sup>·</sup> Uncleaned packaging:



Printing date 20.04.2021

Revision: 20.04.2021

#### Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

	(Contd. of page 7
Transport/Additional information:	
· ADG	
Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
Tunnel restriction code	Ε
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1789 HYDROCHLORIC ACID MIXTURE, 8, II

#### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

7732-18-5	Water	79.0%		
7647-01-0	Hydrochloric Acid	20.0%		
	<ul> <li>Skin Corr. 1, H314; Eye Dam. 1, H318</li> <li>Acute Tox. 4, H302; STOT SE 3, H335</li> </ul>			
7440-31-5	tin	1.0%		
· Australia: Priority Existing Chemicals				

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

#### Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

(Contd. on page 9)



Printing date 20.04.2021

Revision: 20.04.2021

# Trade name: STD 1 10000 MG/L SN IN 20% HCL 500ML

(Contd. of page 8) · Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation. · Department issuing SDS: Environmental, Health and Safety · Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 · Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1: Skin corrosion/irritation - Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • \* Data compared to the previous version altered.