

Printing date 28.07.2021

Revision: 28.07.2021

 1.1 Product identifier Trade name: <u>STD-1 10000 MG/L U IN 5% HNO3 500ML</u> Article number: N9304354 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com United Kingdom
 Article number: N9304354 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com
Manufacturer/Supplier: PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com
710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 PerkinElmer, Inc. Chalfont Road Buckinghamshire Seer Green HP9 2FX cc.uk@perkinelmer.com
P: 0800 896 046 F: 0800-89 17 14 PerkinElmer, Inc. Llantrisant Business Park, Unit A Llantrisant CF72 8YW United Kingdom cc.uk@perkinelmer.com P: 44 1443 234005 • 1.4 Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994
SECTION 2: Hazards identification • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
GHS05 corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.
<i>Acute Tox. 4</i> H302 Harmful if swallowed. (Contd. on page 2)



Revision: 28.07.2021

according to 1907/2006/EC, Article 31

Printing date 28.07.2021 Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML (Contd. of page 1) · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05, GHS07 · Signal word Danger · Hazard-determining components of labelling: Nitric Acid uranium · Hazard statements H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. · Precautionary statements P260 Do not breathe dusts or mists. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes. · Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 7697-37-2	Nitric Acid	5.0%
EINECS: 231-714-2	 Ox. Liq. 2, H272 ↔ Skin Corr. 1A, H314 	
CAS: 7440-61-1	uranium	1.0%
EINECS: 231-170-6	Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 4, H413	
· Additional Compone	ents	
CAS: 7732-18-5	Water	94.0%
EINECS: 231-791-2		
-	(Contd.	on page 3)
		GB



Printing date 28.07.2021

Revision: 28.07.2021

(Contd. of page 2)

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; call for medical help immediately.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

(Contd. of page 3)

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

WEL Short-term value: 2.6 mg/m³, 1 ppm

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



observed.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be

(Contd. on page 5)



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

(Contd. of page 4)

• Eye protection:

Tightly sealed goggles

9.1 Information on basic physical and c	hemical properties	
· General Information		
· Appearance: Form:	Fluid	
Form: Colour:	Fiula Dark brown	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	: Undetermined.	
· Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard. Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapour pressure at 20 •C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	



Printing date 28.07.2021

Revision: 28.07.2021

(Contd. of page 5)

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

• Solvent content: Water:

94.0 %

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if swallowed.
- · Primary irritant effect:
- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- \cdot Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

(Contd. of page 6)

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

14.1 UN-Number	
ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (Nitric Acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitr Acid)
14.3 Transport hazard class(es)	
ADR	
Class	8 (C1) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

	(Contd. of page
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II of	of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC
	N.O.S. (NITRIC ACID), 8, III

SECTION 15: Regulatory information

\cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
CAS: 7732-18-5 EINECS: 231-791-2	Water	94.0%	
	Nitric Acid Ox. Liq. 2, H272 Skin Corr. 1A, H314	5.0%	
CAS: 7440-61-1 EINECS: 231-170-6	uranium Acute Tox. 2, H300; Acute Tox. 2, H330 STOT RE 2, H373 Aquatic Chronic 4, H413	1.0%	

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 9)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

(Contd. of page 8)

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

· Relevant phrases

H272 May intensify fire; oxidiser.
H300 Fatal if swallowed.
H314 Causes severe skin burns and eye damage.
H330 Fatal if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure.
H413 May cause long lasting harmful effects to aquatic life.

· Department issuing SDS:

Environmental, Health and Safety PerkinElmer Chalfont Road Buckinghamshire Seer Green HP9 2FX United Kingdom Telephone : 0800-89 60 46 FAX : 0800-89 17 14 Contact: Within the USA: 1-(800)-762-4000

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 • **Abbreviations and acronyms**

 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

 IMDG: International Maritime Code for Dangerous Goods

 IATA: International Air Transport Association

 GHS: Globally Harmonised System of Classification and Labelling of Chemicals

 EINECS: European Inventory of Existing Commercial Chemical Substances

 ELINCS: European List of Notified Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 PBT: Persistent, Bioaccumulative and Toxic

 VPVB: very Persistent and very Bioaccumulative

 Ox, Liq. 2: Oxidizing liquids – Category 2

 Acute Tox. 2: Acute toxicity – Category 2

(Contd. on page 10)

GB



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: STD-1 10000 MG/L U IN 5% HNO3 500ML

(Contd. of page 9)

Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4 • * Data compared to the previous version altered.