

Revision: 28.07.2021 Printing date 28.07.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

# 1 Identification

- · Product identifier
- · Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB
- · Article number: N9306819
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600

Supplier/Local:

PerkinElmer Australia

Lvl 2, Bldg 5, Brandon Office Park

530-540 Springvale Road

Glen Waverley

Melbourne

VIC 3150

Australia

1-800-033-391

ausales@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

## 2 Hazard(s) Identification

· Classification of the substance or mixture



health hazard

H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

(Contd. on page 2)



Printing date 28.07.2021 Revision: 28.07.2021

#### Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 1)

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms GHS07, GHS08
- · Signal word Danger

# · Hazard-determining components of labelling:

copper(II) oxide

nickel monoxide

manganese dioxide

tricobalt tetraoxide

#### · Hazard statements

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

*P281* Use personal protective equipment as required.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P405 Store locked up.

*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

1344-28-1	aluminium oxide	31.405%
7440-44-0	carbon	25.0%
	♦ Flam. Sol. 1, H228	
1318-02-1	Zeolites	18.8%
	<b>♦</b> Eye Irrit. 2A, H319	
1313-13-9	manganese dioxide	6.44%
	<b>♦</b> Acute Tox. 4, H302; Acute Tox. 4, H332	
1308-06-1	tricobalt tetraoxide	1.0%
	🗞 Carc. 1B, H350	
	Skin Sens. 1, H317	
1313-99-1	nickel monoxide	1.0%
	© Carc. 1A, H350; STOT RE 1, H372 Skin Sens. 1, H317	
	Skin Sens. 1, H317	

ΑU



Printing date 28.07.2021 Revision: 28.07.2021

#### Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 2)

· Additional (	Components	
12926-00-8	Silica gel	9.3%
1317-38-0	copper(II) oxide	7.0%
7664-93-9	sulphuric acid	0.055%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First Aid Measures

- · Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Call for a doctor immediately.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

AU -



Printing date 28.07.2021 Revision: 28.07.2021

Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 3)

## 7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1344-28-1 aluminium oxide

WES Long-term value: 10 mg/m<sup>3</sup>

1313-13-9 manganese dioxide

WES Long-term value: 1 mg/m<sup>3</sup>

as Mn

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)



Revision: 28.07.2021 Printing date 28.07.2021

Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 4)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9	P	rysic	cal	and	$C_{l}$	nemi	ical	P	rop	pert	ies
---	---	-------	-----	-----	---------	------	------	---	-----	------	-----

· Information on l	basıc physical	and o	chemical	properties
· General Informa	rtion			

· Appearance:

Form: Solid material

Colour: According to product specification

· Odour: Light

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

*Melting point/freezing point:* Undetermined. **Initial boiling point and boiling range:** Undetermined.

· Flash point: Not applicable.

Not determined. · Flammability (solid, gas):

Not determined. · Decomposition temperature:

Product is not selfigniting. · Auto-ignition temperature:

· Explosive properties: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

· Vapour pressure: *Not applicable.* 

· Density: Not determined. · Relative density Not determined.

*Not applicable.* · Vapour density · Evaporation rate Not applicable.

· Solubility in / Miscibility with

Not miscible or difficult to mix. water:

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Not applicable. Dynamic:

(Contd. on page 6)



Printing date 28.07.2021 Revision: 28.07.2021

#### Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

Kinematic: Not applicable.

Solvent content:

Solids content: 71.8 %

Other information No further relevant information available.

# 10 Stability and Reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity
- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation Sensitisation possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 1A

# 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 28.07.2021 Revision: 28.07.2021

Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 6)

· Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
ADG, IMDG, IATA	UN3077
UN proper shipping name	
ADG	3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S., MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE SOLID, N.O.S.
Transport hazard class(es)	
ADG	
<b>1 1 1 1 1 1 1 1 1 1</b>	
Class Label	9 (M7) Miscellaneous dangerous substances and articles.
· IMDG, IATA	
<b>1 1 1 1 1 1 1 1 1 1</b>	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
Packing group	
ADG, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substances
	Activated copper oxide
Marine pollutant:	Symbol (fish and tree)

— AU



Printing date 28.07.2021 Revision: 28.07.2021

#### Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

	(Contd. of page
· Special marking (IATA):	Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F A SW23 When transported in BK3 bulk container, see 7.6.2.1 and 7.7.3.9.
· Transport in bulk according to Annex II of Mar and the IBC Code	<b>pol</b> Not applicable.
· Transport/Additional information:	
· ADG · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN ''Model Regulation'':	Non regulated according to above specifications.  UN 3077 ENVIRONMENTALLY HAZARDOU SUBSTANCE, SOLID, N.O.S., 9, III

· Safety, health and environmental regulations/legislation specific for the substance or mixture					
1344-28-1	aluminium oxide		31.405%		
7440-44-0	carbon	♠ Flam. Sol. 1, H228	25.0%		
1318-02-1	Zeolites	◆ Eye Irrit. 2A, H319	18.8%		

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).

(Contd. on page 9)



Printing date 28.07.2021 Revision: 28.07.2021

Trade name: FILTER-TRP OXY-MSTRE HYDROCARB ABSORB

(Contd. of page 8)

#### · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer Life and Analytical Sciences shall not be held liable for any damage resulting from handling or from contact with the product.

#### · Relevant phrases

H228 Flammable solid.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

#### · Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Sol. 1: Flammable solids – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1A: Carcinogenicity – Category 1A

Carc. 1B: Carcinogenicity - Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.