



Printing date 07/07/2015 Review date 07/07/2015

1 Identification

- · Product identifier
- · Trade name: STD-CUS 1000 mg/l Mo/Sb/Sn/W/Zr
- · Article number N9307115
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

2 Hazard(s) identification

· Classification of the substance or mixture



Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS05, GHS06
- · Signal word Danger
- · Hazard-determining components of labeling:

Hydrofluoric acid

Nitric Acid

· Hazard statements

H301+H311 Toxic if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

(Contd. on page 2)



Review date 07/07/2015 Printing date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:	
7697-37-2 Nitric Acid	5.0%
© Ox. Liq. 3, H272 Skin Corr. 1A, H314	
7664-39-3 Hydrofluoric acid	2.0%
Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1A, H314	
· Additional Components	

	Shin Corr. 111, 1151 i	
· Additional	Components	
7439-98-7	molybdenum	0.01%
7440-36-0	antimony	0.01%
7440-31-5	tin	0.01%
7440-33-7		0.01%
7440-67-7	zirconium powder (pyrophoric)	0.01%
	🚸 Pyr. Sol. 1, H250; Water-react. 1, H260	
	(+-)-tartaric acid	0.01%
7732-18-5	Water	92.94%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

(Contd. on page 3)





Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

(Contd. of page 2)

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Rub in Ca-gluconate solution or Ca-gluconate gel immediately.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)



Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

(Contd. of page 3)

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

7664-39-3 Hydrofluoric acid

PEL Long-term value: 3 ppm

as F

REL Long-term value: 2.5 mg/m³, 3 ppm

Ceiling limit value: 5* mg/m³, 6* ppm

*15-min, as F

TLV Long-term value: 0.41 mg/m³, 0.5 ppm

Ceiling limit value: 1.64 mg/m³, 2 ppm

as F; Skin; BEI

· Ingredients with biological limit values:

7664-39-3 Hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Flourides (background)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Flourides (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)





Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



· Density:

Tightly sealed goggles or safety glasses

9 Physical and chemical properties

· Information on basic physical and c · General Information	hemical properties
· Appearance:	
Form:	Liquid
Color:	Transparent
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)

Not determined.

(Contd. on page 6)



Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	tter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	92.9 %	
Solids content:	0.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)



Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

ranspor		

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT, ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrogen fluoride, Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROGEN FLUORIDE, Nitric Acid)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 8 Corrosive substances

(Contd. on page 8)



Printing date 07/07/2015 Review date 07/07/2015

 $Trade\ name:\ STD\text{-}CUS\text{--}1000\ mg/l\ Mo/Sb/Sn/W/Zr$

Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		(Contd. of page
Class 8 (C1) Corrosive substances Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	Label	8
IADDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· ADR	
Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		
Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	aty all	
Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	•	
Class 8 Corrosive substances 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml EMDG Limited quantities (LQ) Excepted quantities (EQ) UN' Model Regulation": UN' Model Regulation": UN' Model Regulation": UN' 1900 UN 264, Corrosive substances No Warning: Corrosive substances No Warning: Corrosive substances No On passenger aircraft/rail: 1 L On cargo aircraft fonly: 30 L ADR Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	· Class	8 (C1) Corrosive substances
Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): EMS Number: F-A,S-B Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Excepted quantities (EQ) Limited quantities (EQ) Adximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN "Model Regulation": UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Label	8
Packing group DOT, ADR, IMDG, IATA	· IMDG, IATA	
Packing group DOT, ADR, IMDG, IATA		
Packing group DOT, ADR, IMDG, IATA	With the second	
Packing group DOT, ADR, IMDG, IATA		
Packing group DOT, ADR, IMDG, IATA III Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): Segregation groups Warning: Corrosive substances EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN "Model Regulation": UN 3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Class	8 Corrosive substances
Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): Segregation groups Warning: Corrosive substances 80 F-A.S-B Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN' Model Regulation'': UN'3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Label	8
Environmental hazards: Marine pollutant: No Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Packing group	
Marine pollutant: Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· DOT, ADR, IMDG, IATA	III
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN'Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	Environmental hazards:	
Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		No
EMS Number: Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN 3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		· ·
Segregation groups Acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml UN "Model Regulation": UN 3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		**
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Segregation groups	
MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	Transport in bulk according to Annex	II of
DOT Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		
On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN ''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	Transport/Additional information:	
On cargo aircraft only: 30 L ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN ''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· DOT	
Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Quantity limitations	
Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		On cargo aircraft only: 30 L
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	ADR	
Maximum net quantity per outer packaging: 1000 ml IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	Excepted quantities (EQ)	
IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN ''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		
**Limited quantities (LQ) 5L **Excepted quantities (EQ) Code: E1 **Maximum net quantity per inner packaging: 30 ml **Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation": UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	·	1 71 110000
Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	· Limited quantities (LQ)	5L
Maximum net quantity per outer packaging: 1000 ml UN''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog	\cdot Excepted quantities (\widetilde{EQ})	
· UN ''Model Regulation'': UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Hydrog		
	UN ''Model Regulation'':	

US -



Printing date 07/07/2015 Review date 07/07/2015

 $Trade\ name:\ STD\text{-}CUS\ -\ 1000\ mg/l\ Mo/Sb/Sn/W/Zr$

· Hazard pictograms GHS05, GHS06

(Contd. of page 8)

Safety, health and environ	mental regulations/legislation specific for the substance or mi.	xture
7732-18-5 Water		92.94
7697-37-2 Nitric Acid		5.0%
Ox. Liq. 3, I Skin Corr. 1	H272 IA, H314	
7664-39-3 Hydrofluoric ac	cid	2.0%
Acute Tox. 2 Skin Corr. 1	2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330 A, H314	
Sara		
Section 355 (extremely haz	zardous substances):	
7697-37-2 Nitric Acid		
Section 313 (Specific toxic	chemical listings):	
7697-37-2 Nitric Acid		
7440-36-0 antimony		
TSCA (Toxic Substances C	Control Act):	
All ingredients are listed.		
7697-37-2 Nitric Acid		
7439-98-7 molybdenum		
7440-36-0 antimony		
7440-31-5 tin		
7440-33-7 tungsten 7440-67-7 zirconium powo	day (muanbaria)	
133-37-9 (+-)-tartaric ac		
7732-18-5 Water	ш	
Proposition 65		
Chemicals known to cause	e cancer	
None of the ingredients is l		
	e reproductive toxicity for females:	
None of the ingredients is l		
	reproductive toxicity for males:	
None of the ingredients is l		
Chemicals known to cause		
None of the ingredients is l	isted.	
Cancerogenity categories		
EPA (Environmental Prote	ection Agency)	
None of the ingredients is l	isted.	
TLV (Threshold Limit Val	ue established by ACGIH)	
7439-98-7 molybdenum		A
7440-67-7 zirconium powa	der (pyrophoric)	A
NIOSH-Ca (National Insti	itute for Occupational Safety and Health)	
None of the ingredients is l	isted.	



Printing date 07/07/2015 Review date 07/07/2015

Trade name: STD-CUS - 1000 mg/l Mo/Sb/Sn/W/Zr

(Contd. of page 9)

· Signal word Danger

· Hazard-determining components of labeling:

Hydrofluoric acid

Nitric Acid

· Hazard statements

H301+H311 Toxic if swallowed or in contact with skin. H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Contact:

With in the USA: 1-(800)-762-4000 Out side the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 11)

(Contd. of page 10)



ISO 11014:2009 and GHS 2007

Printing date 07/07/2015 Review date 07/07/2015

 $Trade\ name:\ STD\text{-}CUS\ -\ 1000\ mg/l\ Mo/Sb/Sn/W/Zr$

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

Ox. Liq. 3: Oxidising Liquids, Hazard Category 3

Acute Tox. 2: Acute toxicity, Hazard Category 2 Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 1: Acute toxicity, Hazard Category 1

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

· * Data compared to the previous version altered.