

Printing date 28.07.2021

Revision: 28.07.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

Product ide	ntifier	
Article num Relevant id	e: <u>Method Base/Neutral Surrogate 8270C</u> ber: N9331038 entified uses of the substance or mixture and uses advised against	
	elevant information available. of the substance / the mixture Laboratory chemicals	
	he supplier of the safety data sheet rer/Supplier:	
PerkinElme		
710 Bridger Shelton Co	port Avenue nnecticut 06484 USA	
CustomerCo	areUS@perkinelmer.com	
203-925-46	00	
Supplier/Lo		
 PerkinElme		
	5, Brandon Office Park	
Glen Waver	ringvale Road lev	
Melbourne		
VIC 3150		
Australia 1-800-033	391	
	rkinelmer.com	
	telephone number:	
	C (within US) 800-424-9300 C (from outside US) +1 703-527-3887 (call collect)	
	C (within AU) + (61)-290372994	
		_
Hazard(s)	Identification	
Classificati	on of the substance or mixture	
fl	ame	
Flam. Liq. 2	P. H225 Highly flammable liquid and vapour.	
h	ealth hazard	
V		



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

^	(Contd. of page
Eva Irrit 21 H	319 Causes serious eye irritation.
2	•
SIOISES H.	336 May cause drowsiness or dizziness.
	e nts The product is classified and labelled according to the Globally Harmonised System (GHS) a ms GHS02, GHS07, GHS08 nger
· Hazard-determ	ining components of labelling:
dichloromethan	
· Hazard stateme	-
-	mmable liquid and vapour.
	rious eye irritation.
	of causing cancer.
	e drowsiness or dizziness.
· Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P303+P361+P.	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse sk with water/shower.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.
• Other hazards	с С
The product do formaldehydes.	bes not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds
	and vPvB assessment
· PBT: Not applie	
· vPvB: Not appli	

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
67-64-1 acetone	49.85%
 Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 	
75-09-2 dichloromethane	49.85%
Carc. 2, H351 Acute Tox. 4, H302	
	(Contd. on page 3



Printing date 28.07.2021

Revision: 28.07.2021

(Contd. of page 2)

0.1%

0.1%

0.1%

Trade name: Method Base/Neutral Surrogate 8270C

· Additional Components

321-60-8 2,-Fluorobiphenyl

1718-51-0 p-Terphenyl-d14

4165-60-0 NITROBENZENE-D5, 99.5 ATOM % D

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

• After eye contact:

- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Prevent seepage into sewage system, workpits and cellars.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

AU



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and Storage

· Handling:

- · Precautions for safe handling
- Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-64-1 acetone

WES Short-term value: 2375 mg/m³, 1000 ppm Long-term value: 1185 mg/m³, 500 ppm

75-09-2 dichloromethane

WES Long-term value: 174 mg/m³, 50 ppm Sk

• Additional information: The lists valid during the making were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

AU



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

(Contd. of page 4) • Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles **9** Physical and Chemical Properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Colour: **Transparent** Characteristic **Odour:** • Odour threshold: Not determined. · pH-value: Not determined. · Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: 40 °C -19 °C · Flash point: · Flammability (solid, gas): Not applicable. 465 °C · Ignition temperature: • Decomposition temperature: Not determined. • Auto-ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapour • Explosive properties: *mixtures are possible.*

(Contd. on page 6)

⁻ AU



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

		(Contd. of page
Explosion limits:		
Lower:	2.6 Vol %	
Upper:	22 Vol %	
Vapour pressure at 20 °C:	453 hPa	
Density at 20 °C:	1.33 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	<i>99.7 %</i>	
Other information	No further relevant information available.	

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

75-09-2 dichloromethane

Oral LD50 1600 mg/kg (rat)

Inhalative LC50/4 h 88 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.

• Serious eye damage/irritation Irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

(Contd. on page 7)

AU



Printing date 28.07.2021

Revision: 28.07.2021

(Contd. of page 6)

Trade name: Method Base/Neutral Surrogate 8270C

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

12 Ecological Information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behaviour in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· ADG, IMDG, IATA	UN1993
· UN proper shipping name	
ADG	1993 FLAMMABLE LIQUID, N.O.S., special provisio
	640D (ACETONE)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ACETONE)

AU 🗕



according to WHS Regulations

Printing date 28.07.2021

Revision: 28.07.2021

	(Contd. of page
Transport hazard class(es)	
ADG	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group ADG, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	33 F-E,S-E
Stowage Category	B
Transport in bulk according to Annex II of Mar	
and the IBC Code	Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Transaction and a reference of	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIA PROVISION 640D (ACETONE), 3, II

(Contd. on page 9)



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

(Contd. of page 8)

	ealth and environmental regulations/legislation specific for the substance or mixture	
67-64-1	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	49.85
75-09-2	dichloromethane	49.85
	Carc. 2, H351 Acute Tox. 4, H302	
321-60-8	2,-Fluorobiphenyl	0.1%
· Australia	e: Priority Existing Chemicals	
None of the	he ingredients is listed.	
~	ng quantity (tonnes) for the application of upper-tier requirements 50000 t regulations:	
• National • Informat	regulations: ion about limitation of use:	
• National • Informat	regulations: ion about limitation of use: are not allowed to be exposed to this hazardous material. Exceptions can be made by	<i>, the authorities</i>
 National Informata Workers certain cc Waterhaz 	regulations: ion about limitation of use: are not allowed to be exposed to this hazardous material. Exceptions can be made by	[,] the authorities
 National Informate Workers of certain cc Waterhaz Chemical 	regulations: ion about limitation of use: are not allowed to be exposed to this hazardous material. Exceptions can be made by ases. card class: Water hazard class 2 (Self-assessment): hazardous for water.	y the authorities

· Relevant phrases

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

• Department issuing SDS: Environmental, Health and Safety • Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

(Contd. on page 10)

- AU



Printing date 28.07.2021

Revision: 28.07.2021

Trade name: Method Base/Neutral Surrogate 8270C

(Contd. of page 9) · Abbreviations and acronyms RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.