

acc. to OSHA HCS

Printing date 07/28/2021

Review date 07/28/2021

*	1 Identification
	· Product identifier
	• Trade name: <u>Mix D Method 624</u> • Article number N9331063 • Application of the substance / the mixture Laboratory chemicals
	• Details of the supplier of the safety data sheet • Manufacturer/Supplier:
	PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600 • Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (within US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994
*	2 Hazard(s) identification
	· Classification of the substance or mixture
	Flame
	Flam. Liq. 2 H225 Highly flammable liquid and vapor.
	Acute Tox. 3 H331 Toxic if inhaled.
	Health hazard
	Carc. 2 H351 Suspected of causing cancer.
	STOT SE 1 H370 Causes damage to organs.
	 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS06, GHS08 Signal word Danger
	• Hazard-determining components of labeling: methanol
	• Hazard statements H225 Highly flammable liquid and vapor. H221 Tavia if inhalad
	H331 Toxic if inhaled. H351 Suspected of causing cancer.
	H370 Causes damage to organs. (Contd. on page 2)
l	US



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

· Precautionary s	(Contd. of page 1)
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	<i>IF exposed or concerned: Get medical advice/attention.</i>
P321	Specific treatment (see on this label).
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification s · NFPA ratings (
J F	$\begin{aligned} Health &= 1\\ Fire &= 3\\ Peactivity &= 0 \end{aligned}$
· HMIS-ratings ((scale 0 - 4)
	Health = *1 Fire = 3 Reactivity = 0
formaldehydes.	

3 Composition/information on ingredients

- · CAS No. Description
- 67-56-1 Methyl Alcohol
- EC number: 200-659-6
- Index number: 603-001-00

 $(Contd. \ on \ page \ 3)$



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

		(Con	ntd. of page 2
	characterization: Mixtures n: Mixture of the substances listed below with nonhazar	dous additions.	
· Hazardou	s components:		
67-56-1	methanol ♦ Flam. Liq. 2, H225 ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. ♦ STOT SE 1, H370	3, H331	99.4%
95-50-1	1,2-dichlorobenzene Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A Flam. Liq. 4, H227	, H319; STOT SE 3, H335	0.2%
106-46-7	1,4-dichlorobenzene Carc. 2, H351 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Eye Irrit. 2A, H319		0.2%
· Additiona	l Components		
541-73-1	1,3-dichlorobenzene	 Aquatic Chronic 2, H411 Acute Tox. 4, H302 Flam. Liq. 4, H227 	0.2%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

• Advice fo	r firefighters	(Contd. of page 3)
· Protective	e equipment: Mouth respiratory protective device.	
6 Accider	ntal release measures	
	precautions, protective equipment and emergency procedures	
	spiratory protective device.	
	tective equipment. Keep unprotected persons away. nental precautions:	
	spective authorities in case of seepage into water course or sewage system.	
	eepage into sewage system, workpits and cellars.	
	th plenty of water.	
	and material for containment and cleaning up:	
	ith liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). contaminated material as waste according to item 13.	
	dequate ventilation.	
	e to other sections	
	on 7 for information on safe handling.	
	on 8 for information on personal protection equipment.	
	on 13 for disposal information. e Action Criteria for Chemicals	
• PAC-1:		
	methanol	530 ppm
05 50 1		330 ppm
93-30-1		
	1,2-dichlorobenzene 1,4-dichlorobenzene	50 ppm
106-46-7	1,2-dichlorobenzene	
106-46-7	1,2-dichlorobenzene 1,4-dichlorobenzene	50 ppm 30 ppm
106-46-7 541-73-1 · PAC-2:	1,2-dichlorobenzene 1,4-dichlorobenzene	50 ppm 30 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene	50 ppm 30 ppm 6 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene methanol	50 ppm 30 ppm 6 ppm 2,100 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1 106-46-7	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene methanol 1,2-dichlorobenzene	50 ppm 30 ppm 6 ppm 2,100 ppm 170 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1 106-46-7	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene methanol 1,2-dichlorobenzene 1,4-dichlorobenzene	50 ppm 30 ppm 6 ppm 2,100 ppm 170 ppm 170 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1 106-46-7 541-73-1 • PAC-3:	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene methanol 1,2-dichlorobenzene 1,4-dichlorobenzene	50 ppm 30 ppm 6 ppm 2,100 ppm 170 ppm 170 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1 106-46-7 541-73-1 • PAC-3: 67-56-1	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene methanol 1,2-dichlorobenzene 1,4-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene 1,3-dichlorobenzene	50 ppm 30 ppm 6 ppm 2,100 ppm 170 ppm 170 ppm 66 ppm
106-46-7 541-73-1 • PAC-2: 67-56-1 95-50-1 106-46-7 541-73-1 • PAC-3: 67-56-1 95-50-1	1,2-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene 1,2-dichlorobenzene 1,4-dichlorobenzene 1,4-dichlorobenzene 1,3-dichlorobenzene 1,3-dichlorobenzene methanol	50 ppm 30 ppm 6 ppm 2,100 ppm 170 ppm 170 ppm 66 ppm 7200* ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

(Contd. of page 4)

Prevent formation of aerosols.
Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace: 67-56-1 methanol	
PEL Long-term value: 260 mg/m ³ , 200 ppm	
REL Short-term value: 325 mg/m ³ , 250 ppm	
Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV Short-term value: 328 mg/m ³ , 250 ppm	
Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI	
95-50-1 1,2-dichlorobenzene	
PEL Ceiling limit value: 300 mg/m ³ , 50 ppm	
REL Ceiling limit value: 300 mg/m ³ , 50 ppm	
TLV Short-term value: 301 mg/m ³ , 50 ppm	
Long-term value: 150 mg/m ³ , 25 ppm	
106-46-7 1,4-dichlorobenzene	
PEL Long-term value: 450 mg/m ³ , 75 ppm	
REL See Pocket Guide App. A	
TLV Long-term value: 60 mg/m ³ , 10 ppm	
Ingredients with biological limit values:	
67-56-1 methanol	
BEI 15 mg/L	
Medium: urine	
Time: end of shift	
Parameter: Methanol (background, nonspecific)	
Additional information: The lists that were valid during the creation were used as basis.	
	(Contd. on page



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

(Contd. of page 5) · Exposure controls • Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles or safety glasses 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Transparent · Odor: Characteristic Not determined. · Odor threshold: · pH-value: Not determined. · Change in condition -98 °C (-144.4 °F) *Melting point/Melting range:* 64 °C (147.2 °F) **Boiling point/Boiling range:** 11 °C (51.8 °F) · Flash point:

(Contd. on page 7)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

	(Contd. of page 6
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.7934 g/cm ³ (6.62092 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	<i>99.6 %</i>
VOC content:	99.60 %
Solids content:	0.2 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

(Contd. of page 7)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-56-1 methanol

Oral LD50 5628 mg/kg (rat)

Dermal LD50 15800 mg/kg (rabbit)

95-50-1 1,2-dichlorobenzene

Oral LD50 500 mg/kg (rat)

106-46-7 1,4-dichlorobenzene

Oral LD50 500 mg/kg (rat)

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
95-50-1	1,2-dichlorobenzene	3
106-46-7	1,4-dichlorobenzene	2B
541-73-1	1,3-dichlorobenzene	3
· NTP (Na	tional Toxicology Program)	
106-46-7 1,4-dichlorobenzene R		
· OSHA-C	a (Occupational Safety & Health Administration)	
	he ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **Results of PBT and vPvB assessment**

• *PBT:* Not applicable.

· **vPvB:** Not applicable.

(Contd. on page 9)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

• Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1230	
UN proper shipping name		
DOT	Methanol	
ADR	1230 METHANOL	
IMDG, IATA	METHANOL	
Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3, 6.1	
ADR		
Class	3 (FT1) Flammable liquids	
Label	3+6.1	
IMDG		
Class	3 Flammable liquids	

(Contd. of page 8)



Review date 07/28/2021

Printing date 07/28/2021

	(Contd. of pa
Label	3/6.1
ΙΑΤΑ	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group	
DOT, ADR, IMDG, IATA	<i>II</i>
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D B
Stowage Category Stowage Code	<i>SW2 Clear of living quarters.</i>
	Sw 2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

(Contd. on page 11)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix D Method 624

(Contd. of page 10)

· Safety, he	alth and environmental regulations/legislation specific for the substance or mixture	
67-56-1	methanol	99
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	
95-50-1	1,2-dichlorobenzene	0.
<i>,,,,,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	· · · ·
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227	
106-46-7	1,4-dichlorobenzene	0.
	Carc. 2, H351	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Eye Irrit. 2A, H319	
· Sara		
· Section 3.	55 (extremely hazardous substances):	
	he ingredients is listed.	
· Section 3	13 (Specific toxic chemical listings):	
All ingrea	lients are listed.	
	oxic Substances Control Act):	
0	lients are listed.	
	methanol	ACT
	1,2-dichlorobenzene	ACT
	1,4-dichlorobenzene	ACT
541-73-1	1,3-dichlorobenzene	ACT
	us Air Pollutants	
	methanol	
	1,4-dichlorobenzene	
· Propositio		
	s known to cause cancer:	
106-46-7	1,4-dichlorobenzene	
· Chemical	's known to cause reproductive toxicity for females:	
None of th	he ingredients is listed.	
· Chemical	's known to cause reproductive toxicity for males:	
None of th	he ingredients is listed.	
· Chemical	s known to cause developmental toxicity:	
67-56-1	nethanol	
· Cancerog	renity categories	
	vironmental Protection Agency)	
95-50-1	1,2-dichlorobenzene	
	1,3-dichlorobenzene	



Printing date 07/28/2021

PerkinElmer

For the Better

Review date 07/28/2021

Trade name: Mix D Method 624

(Contd. of page 11)

A4

A3

• TLV (Threshold Limit Value established by ACGIH)

95-50-1 1,2-dichlorobenzene

106-46-7 1,4-dichlorobenzene

·NIOSH-Ca (National Institute for Occupational Safety and Health)

106-46-7 1,4-dichlorobenzene

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact:

Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

(Contd. on page 13)

USA



Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 12)

IS A

Trade name: Mix D Method 624

BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 4: Flammable liquids – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 2: Carcinogenicity – Category 2
STOT SE 1: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
* Data compared to the previous version altered.