

acc. to OSHA HCS

Printing date 07/28/2021

Review date 07/28/2021

*	1 Identification		
	· Product identifier		
	Trade name: <u>Mix Analyte Method 608</u>		
	• Article number N9331065 • Application of the substance / the mixture Laboratory chemicals		
	• Details of the supplier of the safety data sheet • Manufacturer/Supplier:		
	PerkinElmer, Inc. 710 Bridgeport Avenue Shelton, Connecticut 06484 USA CustomerCareUS@perkinelmer.com 203-925-4600		
	• Emergency telephone number: CHEMTREC (within US) 800-424-9300 CHEMTREC (from outside US) +1 703-527-3887 (call collect) CHEMTREC (within AU) +(61)-290372994		
*	2 Hazard(s) identification		
	Classification of the substance or mixture		
	Flame		
	Flam. Liq. 2 H225 Highly flammable liquid and vapor.		
	Skull and crossbones		
	Acute Tox. 3 H331 Toxic if inhaled.		
	Health hazard		
	STOT SE 1 H370 Causes damage to organs.		
	 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02, GHS06, GHS08 Signal word Danger 		
	Hazard-determining components of labeling:		
	methanol • Hazard statements H225 Highly flammable liquid and vapor. H331 Toxic if inhaled.		
	H370 Causes damage to organs.		
	• Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.		
	P240 Ground/bond container and receiving equipment. (Contd. on page 2)		



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

	(Contd. of page 1)
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P.	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/
	shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.
P321	Specific treatment (see on this label).
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Classification s	nstom•

• Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)

HEALTHIHealth = *1FIRE3Fire = 3REACTIVITY0Reactivity = 0

• Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- CAS No. Description 67-56-1 Methyl Alcohol
- EC number: 200-659-6
- Index number: 603-001-00-X
- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

		(Contd. of page
· Hazardous	•	
	thanol Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	99.99849
· Additional (
	-	0.00010
50-29-3	DDT (common name not adopted by ISO) Acute Tox. 3, H301 Carc. 2, H351; STOT RE 1, H372 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.00019
58-89-9	y -HCH or y -BHC Acute Tox. 3, H301 Carc. 1A, H350; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Δcute Tox. 4, H312; Acute Tox. 4, H332	0.00019
60-57-1	<i>dieldrin (ISO)</i> <i>Acute Tox. 3, H301; Acute Tox. 1, H310</i> <i>Carc. 2, H351; STOT RE 1, H372</i> <i>Aquatic Acute 1, H400; Aquatic Chronic 1, H410</i>	0.00019
72-20-8	endrin (ISO) Acute Tox. 2, H300; Acute Tox. 3, H311 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.00019
72-54-8		0.00019
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene Acute Tox. 3, H301	0.00019
76-44-8	heptachlor (ISO) Acute Tox. 3, H301; Acute Tox. 3, H311 Carc. 2, H351; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.00019
309-00-2	aldrin (ISO) Acute Tox. 3, H301; Acute Tox. 3, H311 Carc. 2, H351; STOT RE 1, H372 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.00019
319-84-6	(1alpha,2alpha,3β,4alpha,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane & Acute Tox. 2, H300 & Carc. 2, H351	0.00019
319-85-7	(1alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 Carc. 2, H351	0.00019
319-86-8	(1alpha,2alpha,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane & Acute Tox. 3, H301 & Carc. 1B, H350	0.00019
319-86-8	(1alpha,2alpha,3alpha,4 β ,5alpha,6 β)-1,2,3,4,5,6-hexachlorocyclohexane \bigotimes Acute Tox. 3, H301	



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

 959-98-8
 Endosulfan I
 0.0001%

 1024-57-3
 heptachlor epoxide
 0.0001%

 Acute Tox. 3, H301
 0.0001%

 Aquatic Acute 1, H400; Aquatic Chronic 1, H410
 0.0001%

 1031-07-8
 Endosulfan
 0.0001%

 7421-93-4
 ENDRIN ALDEHYDE
 0.0001%

 33213-65-9
 β-endosulfan
 0.0001%

 % Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331
 0.0001%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.
- Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

(Contd. on page 5)



Review date 07/28/2021

(Contd. of page 4)

Trade name: Mix Analyte Method 608	
• Methods and material for containment and cleanin Absorb with liquid-binding material (sand, diatomit Dispose contaminated material as waste according	e, acid binders, universal binders, sawdust).

Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

67-56-1	methanol	530 ppm
50-29-3	DDT (common name not adopted by ISO)	$3 mg/m^3$
58-89-9	γ-HCH or γ-BHC	9.1 mg/m ³
60-57-1	dieldrin (ISO)	$0.3 mg/m^3$
72-20-8	endrin (ISO)	1.8 mg/m ³
72-54-8	TDE	2.4 mg/m^3
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	6.5 mg/m ³
76-44-8	heptachlor (ISO)	0.15 mg/m ⁻
309-00-2	aldrin (ISO)	0.91 mg/m ⁻
1024-57-3	heptachlor epoxide	0.15 mg/m
PAC-2:	<u>.</u>	<u>.</u>
67-56-1	methanol	2,100 ppm
50-29-3	DDT (common name not adopted by ISO)	34 mg/m ³
58-89-9	γ-HCH or γ-BHC	100 mg/m
60-57-1	dieldrin (ISO)	6.8 mg/m ³
72-20-8	endrin (ISO)	20 mg/m ³
72-54-8	TDE	26 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	$72 mg/m^3$
76-44-8	heptachlor (ISO)	14 mg/m ³
309-00-2	aldrin (ISO)	10 mg/m ³
1024-57-3	heptachlor epoxide	$0.5 \ mg/m^3$
PAC-3:		
67-56-1	methanol	7200* ppm
50-29-3	DDT (common name not adopted by ISO)	210 mg/m ³
58-89-9	γ-HCH or γ-BHC	1,000 mg/m
60-57-1	dieldrin (ISO)	450 mg/m ³
72-20-8	endrin (ISO)	2,000 mg/m
72-54-8	TDE	160 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	170 mg/m ³
76-44-8	heptachlor (ISO)	700 mg/m ³
309-00-2	aldrin (ISO)	100 mg/m ³



Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 5)

 $3 mg/m^3$

Trade name: Mix Analyte Method 608

1024-57-3 heptachlor epoxide

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in a cool place. Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

-	ponents with limit values that require monitoring at the workplace: 5-1 methanol	
PEL	Long-term value: 260 mg/m ³ , 200 ppm	
	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI	
· Ingre	dients with biological limit values:	
67-56	5-1 methanol	
ا ر -	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)	
	ional information: The lists that were valid during the creation were used as basis.	(Contd. on page 7



*

acc. to OSHA HCS

Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

(Contd. of page 6)
cposure controls
rsonal protective equipment:
eneral protective and hygienic measures:
ep away from foodstuffs, beverages and feed.
mediately remove all soiled and contaminated clothing.
ash hands before breaks and at the end of work.
ore protective clothing separately.
reathing equipment:
case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us spiratory protective device that is independent of circulating air. otection of hands:
Protective gloves
e glove material has to be impermeable and resistant to the product/ the substance/ the preparation. lection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
aterial of gloves
the selection of the suitable gloves does not only depend on the material, but also on further marks of quality and ries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.
netration time of glove material
ne exact break trough time has to be found out by the manufacturer of the protective gloves and has to be served.
e protection:
Tightly sealed goggles or safety glasses
hysical and chemical properties
iysicai and chemicai properties

Information on basic physical and General Information		
Appearance:		
Form:	Liquid	
Color:	Transparent	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-98 °C (-144.4 °F)	
Boiling point/Boiling range:	64 °C (147.2 °F)	
Flash point:	11 °C (51.8 °F)	



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

	(Contd. of page 7
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 •C (68 •F):	128 hPa (96 mm Hg)
• Density at 20 •C (68 •F):	1.54 g/cm ³ (12.8513 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.00 %
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 9)



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

(Contd. of page 8)

• Information on toxicological effects • Acute toxicity:		
· LD/LC50 values that are relevant for classificati	on:	
67-56-1 methanol Oral LD50 5628 mg/kg (rat)		
Toxic	ng to internally approved calculation methods for	preparation
Carcinogenic categories IARC (International Agency for Research on Ca	ncer)	
50-29-3 DDT (common name not adopted by I	SO)	2.
50-29-3 DDT (common name not adopted by 1 58-89-9 γ -HCH or γ -BHC	SO)	2.
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO)	SO)	
58-89-9 <i>ү</i> -НСН ог <i>ү</i> -ВНС	SO)	1
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO)	SO)	1 2.
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO)		1 2. 3
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2,	3,4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2,	3,4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2,	3,4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2, 1024-57-3 heptachlor epoxide • NTP (National Toxicology Program)	3,4,5,6-hexachlorocyclohexane 3,4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2, 1024-57-3 heptachlor epoxide NTP (National Toxicology Program) 50-29-3 DDT (common name not adopted by IS)	3,4,5,6-hexachlorocyclohexane 3,4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2, 1024-57-3 heptachlor epoxide NTP (National Toxicology Program) 50-29-3 50-29-3 DDT (common name not adopted by IS 58-89-9 γ -HCH or γ -BHC	3,4,5,6-hexachlorocyclohexane 3,4,5,6-hexachlorocyclohexane O)	1 2 3 2 2 2 2 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3ß,4alpha,5ß,6ß)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2, 1024-57-3 heptachlor epoxide • NTP (National Toxicology Program) 50-29-3 50-29-3 DDT (common name not adopted by IS 58-89-9 γ -HCH or γ -BHC 319-84-6 (1alpha,2alpha,3ß,4alpha,5ß,6ß)-1,2,3	3,4,5,6-hexachlorocyclohexane 3,4,5,6-hexachlorocyclohexane O) 4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2 2 2 2 2 2 2
58-89-9 γ -HCH or γ -BHC 60-57-1 dieldrin (ISO) 72-20-8 endrin (ISO) 76-44-8 heptachlor (ISO) 309-00-2 aldrin (ISO) 319-84-6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2, 319-85-7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2, 1024-57-3 heptachlor epoxide NTP (National Toxicology Program) 50-29-3 50-29-3 DDT (common name not adopted by IS 58-89-9 γ -HCH or γ -BHC	3,4,5,6-hexachlorocyclohexane 3,4,5,6-hexachlorocyclohexane O) 4,5,6-hexachlorocyclohexane 4,5,6-hexachlorocyclohexane	1 2 3 2 2 2 2 2 2 2 2

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

• Persistence and degradability No further relevant information available.

Behavior in environmental systems:

• *Bioaccumulative potential* No further relevant information available.

(Contd. on page 10)

USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

(Contd. of page 9)

- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

• Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number UN3021 · DOT, ADR, IMDG, IATA · UN proper shipping name $\cdot DOT$ Pesticides, liquid, flammable, toxic (Methanol) · ADR 3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (METHANOL) PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. · IMDG, IATA (METHANOL) • Transport hazard class(es) $\cdot DOT$ · Class 3 Flammable liquids · Label 3.6.1 ·ADR Class 3 (FT2) Flammable liquids (Contd. on page 11) USA



Review date 07/28/2021

Trade name: Mix Analyte Method 608

Printing date 07/28/2021

	(Contd. of page
Label	3+6.1
IMDG	
Class	3 Flammable liquids
Label	3/6.1
IATA	
· Class	3 Flammable liquids
Label	3 (6.1)
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Ke EMS Number:	
Stowage Category	F-E,S-D B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Ar MARPOL73/78 and the IBC Code	nnex II of
Transport/Additional information	:
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~,	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	IL
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml



*

Printing date 07/28/2021

Review date 07/28/2021

(Contd. of page 11)

Trade name: Mix Analyte Method 608

· UN ''Model Regulation'':

UN 3021 PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. (METHANOL), 3 (6.1), II

Safety, I	nealth and environmental regulations/legislation specific for the substance or mixtu	re
67-56-1	methanol Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370	99.99849
50-29-3	DDT (common name not adopted by ISO) Acute Tox. 3, H301 Carc. 2, H351; STOT RE 1, H372 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.0001%
58-89-9	y -HCH or y -BHC	0.0001%
Sara		I
Section	355 (extremely hazardous substances):	
58-89-	9 γ -HCH or γ -BHC	
72-20-	8 endrin (ISO)	
309-00-	2 aldrin (ISO)	
Section	313 (Specific toxic chemical listings):	
67-56-	l methanol	
58-89-	9 γ -HCH or γ -BHC	
76-44-	8 heptachlor (ISO)	
309-00-	2 aldrin (ISO)	
319-84-	6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	
	Foxic Substances Control Act): edients are listed.	
67-56-	1 methanol	ACTIVI
50-29	3 DDT (common name not adopted by ISO)	ACTIVI
58-89-	9 γ -HCH or γ -BHC	ACTIVI
	6 (1alpha,2alpha,3β,4alpha,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	ACTIVI
	7 (1alpha,2β,3alpha,4β,5alpha,6β)-1,2,3,4,5,6-hexachlorocyclohexane	ACTIVI
319-86-	8 (1alpha,2alpha,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane	ACTIVI
Hazardo	ous Air Pollutants	
67-56-1	methanol	
58 80 0	γ-HCH or y-BHC	



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

76 11 8 hant	achlor (ISO)	(Contd. of page 1
76-44-8 hept Proposition 6		
-	own to cause cancer:	
	DT (common name not adopted by ISO)	
	HCH or γ -BHC	
	eldrin (ISO)	
72-54-8 TI		
	2-bis(p-chlorophenyl)-1,1-dichloroethylene	
	ptachlor (ISO)	
309-00-2 al		
	alpha,2alpha,3ß,4alpha,5ß,6ß)-1,2,3,4,5,6-hexachlorocyclohexane	
	alpha,2 β ,3alpha,4 β ,5alpha,6 β)-1,2,3,4,5,6-hexachlorocyclohexane	
	alpha,2alpha,3alpha,4 β ,5alpha,6 β)-1,2,3,4,5,6-hexachlorocyclohexane	
	ptachlor epoxide	
Chemicals kn	own to cause reproductive toxicity for females:	
	(common name not adopted by ISO)	
Chemicals kn	own to cause reproductive toxicity for males:	
	(common name not adopted by ISO)	
	vis(p-chlorophenyl)-1,1-dichloroethylene	
Chemicals kn	own to cause developmental toxicity:	
67-56-1 meth	anol	
50-29-3 DD1	C (common name not adopted by ISO)	
72-20-8 endr	in (ISO)	
72-55-9 2,2-8	is(p-chlorophenyl)-1,1-dichloroethylene	
76-44-8 hept	achlor (ISO)	
Cancerogenit	y categories	
EPA (Enviro	nmental Protection Agency)	
50-29-3 D	DT (common name not adopted by ISO)	B
60-57-1 di	eldrin (ISO)	B
72-20-8 er	drin (ISO)	D
72-54-8 TI	DE	B
	2-bis(p-chlorophenyl)-1,1-dichloroethylene	B
	ptachlor (ISO)	B
309-00-2 al		B
	alpha,2alpha,3ß,4alpha,5ß,6ß)-1,2,3,4,5,6-hexachlorocyclohexane	B
·	alpha,2ß,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane	С
319-86-8 (1	alpha,2alpha,3alpha,4ß,5alpha,6ß)-1,2,3,4,5,6-hexachlorocyclohexane	D

(Contd. on page 14) USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

(Contd. of page 13)

• TLV (Threshold Limit Value established by ACGIH)				
50-29-3	DDT (common name not adopted by ISO)	A3		
58-89-9	γ-HCH or γ-BHC	A3		
60-57-1	dieldrin (ISO)	(A4)		
72-20-8	endrin (ISO)	A4		
76-44-8	heptachlor (ISO)	A3		
309-00-2	aldrin (ISO)	A3		
1024-57-3	heptachlor epoxide	A3		
· NIOSH-Ca (National Institute for Occupational Safety and Health)				
50-29-3	DDT (common name not adopted by ISO)			
60-57-1	dieldrin (ISO)			
76-44-8	heptachlor (ISO)			
309-00-2	aldrin (ISO)			

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Department issuing SDS: Environmental, Health and Safety

· Contact: Within the USA: 1-(800)-762-4000 Outside the USA: 1-(203)-712-8488 • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) (Contd. on page 15) USA



Printing date 07/28/2021

Review date 07/28/2021

Trade name: Mix Analyte Method 608

(Contd. of page 14)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 • * Data compared to the previous version altered.