

Printing date 03/02/2017 Review date 02/23/2017

1 Identification

- · Product identifier
- · Trade name: HELIUM (compressed helium gas)
- · Article number

NTSSG070034

NTSSG070035

NTSSG070036

NTSSG070037

111000070037

NTSST090036

NTSST090037
· CAS Number:

7440-59-7

· EC number:

231-168-5

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- $\cdot \textit{Manufacturer/Supplier:}$

PerkinElmer, Inc.

710 Bridgeport Avenue

Shelton, Connecticut 06484 USA

CustomerCareUS@perkinelmer.com

· Emergency telephone number:

CHEMTREC (within US) 800-424-9300

CHEMTREC (from outside US) +1 703-527-3887 (call collect)

CHEMTREC (within AU) +(61)-290372994

2 Hazard(s) identification

· Classification of the substance or mixture



Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS04
- · Signal word Warning
- · Hazard statements

H280 Contains gas under pressure; may explode if heated.

· Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)



ISO 11014:2009 and GHS 2007

Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

· HMIS-ratings (scale 0 - 4)

 $\begin{array}{c|cccc} \textbf{HEALTH} & \textbf{0} & Health = 0 \\ \textbf{FIRE} & \textbf{0} & Fire = 0 \\ \textbf{REACTIVITY} & \textbf{0} & Reactivity = 0 \\ \end{array}$

· Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description 7440-59-7 helium
- · Identification number(s)
- · EC number: 231-168-5

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: No special measures required.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

· Protective Action Criteria for Chemicals

(Contd. of page 2)

· Froiecuve Action Crueria for Chemi

· PAC-1:

65,000 ppm

· PAC-2:

2.30E+05 ppm

· PAC-3:

4.00E+05 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- $\cdot \textit{Control parameters}$
- · Components with limit values that require monitoring at the workplace:

7440-59-7 helium

TLV | TLV withdrawn, see App. F; simple asphyxiant

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Required

USA



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

(Contd. of page 3)

	(Contd. of	
Physical and chemical properties		
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Compressed gas	
Color:	Dark brown	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-272 °C (-458 °F)	
Boiling point/Boiling range:	-268.9 °C (-452 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.17847 g/cm³ (1.489 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	8.6 g/l	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Organic solvents:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 5)



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of container and materials in accordance with local, regional and national regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1046

(Contd. on page 6)



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

	(Contd. of pa
UN proper shipping name	***
DOT, ADR IMDG, IATA	Helium, compressed HELIUM, COMPRESSED
Transport hazard class(es)	
DOT	
2	
Class	2 Gases
Label	2. Gases 2.2
ADR	
2	
Class	2 1A Gases
Label	2.1A Gases 2.2
<i>IMDG</i>	
,	
Class	2.2
Label	2.2
IATA	
2	
Class	2 Gases
Label	2.2
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Gases
Danger code (Kemler):	20
EMS Number: Stowage Category	2-04 A
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
	On passenger aircraft/rail: 75 kg
Quantity limitations	On passenger arreragi/ran. 73 kg



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

(Contd. of page 6)

 $\cdot ADR$

· Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

· Limited quantities (LQ) 120 ml · Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· UN ''Model Regulation'': UN 1046 HELIUM, COMPRESSED, 2.2

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

7440-59-7 helium

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS04
- · Signal word Warning
- · Hazard statements

H280 Contains gas under pressure; may explode if heated.

(Contd. on page 8)



Printing date 03/02/2017 Review date 02/23/2017

Trade name: HELIUM (compressed helium gas)

(Contd. of page 7)

· Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer shall not be held liable for any damage resulting from handling or from contact with the product.

· Contact:

With in the USA: 1-(800)-762-4000 Out side the USA: 1-(203)-712-8488

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NEDA . National Fine Protection Association (USA)

NFPA: National Fire Protection Association (USA)

 ${\it HMIS: Hazardous\ Materials\ Identification\ System\ (USA)}$

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Press. Gas: Gases under pressure – Compressed gas

* * Data compared to the previous version altered.

USA •