09/09/2021	Kit Components	
Product code	Description	
COP-001IS	ONE Pesticide420 TM Internal Standards	
Components:		
COP-IntStd	ONE Pesticide420™ Internal Standard	

Printing date 09/09/2021 Reviewed on 05/07/2020

1 Identification

- · Product identifier
- · Trade name: ONE Pesticide420TM Internal Standard
- · Product number: COP-IntStd
- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PerkinElmer Inc 549 Albany St Boston, MA 02118

· Information department:

US Technical Support

800-762-4000

· Emergency telephone number:

If inside USA, call CHEMTREC at 1-800-424-9300

If outside USA, call CHEMTREC at 1-703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Eve Irrit. 2A H319 Causes serious eye irritation.

Aquatic Acute 2 H401 Toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· Additional information: For the wording of the listed H phrases refer to section 16.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

acetonitrile

· Hazard statements

Highly flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes serious eye irritation.

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapors/spray

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3 Reactivity = 0

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
75-05-8	acetonitrile	75-100%
203645-53-8	dichlorvos-d6 (ISO)	<0.1%
1216605-57-0	Naled-d6 (ISO)	<0.1%
	Acequinocyl-d25	<0.1%
1794760-19-2	permethrin-d5 (ISO)	<0.1%
285138-81-0	Chlorpyrifos (Diethyl-d10) (ISO)	<0.1%
1189877-72-2	malathion-d6 (ISO)	<0.1%
	fenoxycarb-d3	<0.1%
	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one-d13	<0.1%
	fipronil-13C2 15N2 (ISO)	<0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

75-05-8	acetonitrile	13 ppm
64-18-6	formic acid	3 ppm
67-56-1	methanol	530 ppm
1330190-00-5	Captan-d6	15 mg/m³
203645-53-8	dichlorvos-d6 (ISO)	1.8 mg/m^3
96740-32-8	parathion -methyl (ISO)-d6	0.11 mg/m ³
	quintozene-13C6 (ISO)	1.5 mg/m^3
285138-81-0	Chlorpyrifos (Diethyl-d10) (ISO)	0.6 mg/m^3
1189877-72-2	malathion-d6 (ISO)	15 mg/m^3
362049-56-7	carbaryl-d7 (ISO)	1.5 mg/m^3
1329834-53-8	Piperonylbutoxide-d9	6.5 mg/m^3
287397-86-8	Coumaphos-d10 (ISO)	0.27 mg/m^{2}
1219794-81-6	dimethoate-d6 (ISO)	2.7 mg/m^3
	phosmet-d6 (ISO)	0.049 mg/n
PAC-2:		
75-05-8	acetonitrile	50 ppm
64-18-6	formic acid	25 ppm
67-56-1	methanol	2,100 ppn
1330190-00-5	Captan-d6	26 mg/m^3

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

203645-53-8	dichlorvos-d6 (ISO)	(Contd. of page 20 mg/m
96740-32-8	parathion -methyl (ISO)-d6	1.2 mg/m
	quintozene-13C6 (ISO)	28 mg/m
285138-81-0	Chlorpyrifos (Diethyl-d10) (ISO)	15 mg/m
1189877-72-2	malathion-d6 (ISO)	120 mg/r
362049-56-7	carbaryl-d7 (ISO)	100 mg/n
1329834-53-8	Piperonylbutoxide-d9	72 mg/m
287397-86-8	Coumaphos-d10 (ISO)	$3 mg/m^3$
1219794-81-6	dimethoate-d6 (ISO)	30 mg/m
	phosmet-d6 (ISO)	0.54 mg/s
PAC-3:		•
75-05-8	acetonitrile	150 ppm
64-18-6	formic acid	250 ppm
67-56-1	methanol	7200* ppr
1330190-00-5	Captan-d6	160 mg/m
203645-53-8	dichlorvos-d6 (ISO)	200 mg/m
96740-32-8	parathion -methyl (ISO)-d6	3.5 mg/m^3
	quintozene-13C6 (ISO)	62 mg/m³
285138-81-0	Chlorpyrifos (Diethyl-d10) (ISO)	44 mg/m^3
1189877-72-2	malathion-d6 (ISO)	390 mg/m
362049-56-7	carbaryl-d7 (ISO)	600 mg/m
1329834-53-8	Piperonylbutoxide-d9	1,200 mg/
287397-86-8	Coumaphos-d10 (ISO)	13 mg/m³
1219794-81-6	dimethoate-d6 (ISO)	170 mg/m
	phosmet-d6 (ISO)	77 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and containers: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

<i>75-0</i> .	75-05-8 acetonitrile (75-100%)			
PEL	PEL Long-term value: 70 mg/m³, 40 ppm			
REL	Long-term value: 34 mg/m³, 20 ppm			
TLV	Long-term value: 20 ppm Skin, A4			

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food and beverages.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief or low exposure use an approved cartridge filter. In case of intensive or longer exposure use SCBA.

Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 5)

Information on basic physical and c	chamical proparties
General Information	nemicui properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	N/A
Change in condition	46.0G (50.0.0F)
Melting point/Melting range:	-46 °C (-50.8 °F)
Boiling point/Boiling range:	Undetermined.
Flash point:	5 °C (41 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	525 °C (977 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
Density at 20 °C (68 °F):	0.7822 g/cm³ (6.52746 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water): Not determined.	
Viscosity:	0.00
Dynamic at 20 °C (68 °F):	0.39 mPas
Kinematic:	Not determined.
Solvent content:	0.00/
Organic solvents:	0.0 %
VOC content:	0.03 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 6)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC5	· LD/LC50 values that are relevant for classification:	
75-05-8	75-05-8 acetonitrile	
		2,730 mg/kg (rat)
Dermal	LD50	1,250 mg/kg (rabbit)
285138-	285138-81-0 Chlorpyrifos (Diethyl-d10) (ISO)	
Oral	LD50	135 mg/kg (rat)
Dermal	LD50	202 mg/kg (rat)
1189877	1189877-72-2 malathion-d6 (ISO)	
Oral	LD50	885 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
1330190-00-5	Captan-d6	3
	Ochratoxin A-d5	2B
203645-53-8	dichlorvos-d6 (ISO)	2B
96740-32-8	parathion -methyl (ISO)-d6	3
1794760-19-2	permethrin-d5 (ISO)	3
	quintozene-13C6 (ISO)	3
1189877-72-2	malathion-d6 (ISO)	2A
163165-75-1	Atrazine-d5	3
362049-56-7	carbaryl-d7 (ISO)	3
1329834-53-8	Piperonylbutoxide-d9	3
· NTP (Nationa	ll Toxicology Program)	
Ochratoxin A-	<i>d5</i>	R

· OSHA-Ca	(Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects: N/A
- · Remark: Toxic for fish
- · Other information: N/A
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · ADR, IMDG, IATA	UN1993
· UN proper shipping name	
· ADR	1993 FLAMMABLE LIQUID, N.O.S. (ACETONITRILE),
	ENVIRONMENTALLY HAZARDOUS
· IMDG	FLAMMABLE LIQUID, N.O.S. (ACETONITRILE, Chlorpyrifos
	(Diethyl-d10) (ISO)), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (ACETONITRILE)

- · Transport hazard class(es)
- · ADR, IMDG



Class 3 Flammable liquids
Label 3

(Contd. on page 9)

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

	(Contd. of page
· IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · ADR, IMDG, IATA	II
· Environmental hazards: · Marine pollutant: · Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups 	Warning: Flammable liquids 33 F-E,S-E Heavy metals and their salts (including their organometals compounds)
· Stowage Category	B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information: · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONITRILE), II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

	Suru	
ſ	· Section 355 (extremely hazardous substances):	
	203645-53-8	dichlorvos-d6 (ISO)
	96740-32-8	parathion -methyl (ISO)-d6
Ī	287397-86-8	Coumaphos-d10 (ISO)
Ī	1219794-81-6	dimethoate-d6 (ISO)
		(Contd. on page 10)

(Contd. on page 10)

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

	who are of 46 (ISO)	(Contd. of page
G (* 212.42	phosmet-d6 (ISO)	
	pecific toxic chemical listings):	
	acetonitrile	
	formic acid	
	methanol	
1330190-00-5	-	
	dichlorvos-d6 (ISO)	
	Naled-d6 (ISO)	
	parathion -methyl (ISO)-d6	
1794760-19-2	permethrin-d5 (ISO)	
	quintozene-13C6 (ISO)	
1189877-72-2	malathion-d6 (ISO)	
	fenoxycarb-d3	
163165-75-1	Atrazine-d5	
362049-56-7	carbaryl-d7 (ISO)	
1329834-53-8	Piperonylbutoxide-d9	
	myclobutanil-d9	
1219794-81-6	dimethoate-d6 (ISO)	
· TSCA (Toxic S	Substances Control Act):	
75-05-8	acetonitrile	ACTIV
64-18-6	formic acid	ACTIV
67-56-1	methanol	ACTIV
1330190-00-5	Captan-d6	ACTIV
	dichlorvos-d6 (ISO)	ACTIV
	quintozene-13C6 (ISO)	ACTIV
163165-75-1		ACTIV
	carbaryl-d7 (ISO)	ACTIV
	Piperonylbutoxide-d9	ACTIV
	dimethoate-d6 (ISO)	ACTIV
· Hazardous Air	` '	
	acetonitrile	
	methanol	
1330190-00-5		
	dichlorvos-d6 (ISO)	
203043-33-0	quintozene-13C6 (ISO)	
262040 56 7		
	carbaryl-d7 (ISO)	
Proposition 65	own to cause cancer:	
1330190-00-5		
1330190-00-3	Ochratoxin A-d5	
202615 52 0	aicmorvos-ao (150)	
203645-53-8	1	
	daminozide-d4 malathion-d6 (ISO)	

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

		(Contd. of pag
	fenoxycarb-d3	
362049-56-7	carbaryl-d7 (ISO)	
Chemicals kn	own to cause reproductive toxicity for females:	
163165-75-1	Atrazine-d5	
362049-56-7	carbaryl-d7 (ISO)	
Chemicals kn	own to cause reproductive toxicity for males:	
362049-56-7	carbaryl-d7 (ISO)	
	myclobutanil-d9	
Chemicals kn	own to cause developmental toxicity:	
67-56-1	methanol	
	Chlorpyrifos (Diethyl-d10) (ISO)	
163165-75-1	Atrazine-d5	
	carbaryl-d7 (ISO)	
	myclobutanil-d9	
Carcinogenic EPA (Environ	categories nmental Protection Agency)	
	9 •/	
75-05-8	acetonitrile	CBD
	9 •/	CBD B2
203645-53-8	acetonitrile	
203645-53-8 TLV (Thresho	acetonitrile dichlorvos-d6 (ISO)	
203645-53-8 TLV (Thresho 75-05-8 1330190-00-5	acetonitrile dichlorvos-d6 (ISO) old Limit Value) acetonitrile Captan-d6	
203645-53-8 TLV (Thresho 75-05-8 1330190-00-5 203645-53-8	acetonitrile dichlorvos-d6 (ISO) old Limit Value) R acetonitrile Captan-d6 R dichlorvos-d6 (ISO)	
203645-53-8 TLV (Threshold 75-05-8 1330190-00-5 203645-53-8 1216605-57-0	acetonitrile dichlorvos-d6 (ISO) old Limit Value) acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO)	
203645-53-8 TLV (Threshold 75-05-8 1330190-00-5 203645-53-8 1216605-57-0	acetonitrile dichlorvos-d6 (ISO) pold Limit Value) R acetonitrile Captan-d6 R dichlorvos-d6 (ISO) Naled-d6 (ISO) parathion -methyl (ISO)-d6	
203645-53-8 TLV (Threshold 75-05-8 1330190-00-5 203645-53-8 1216605-57-0 96740-32-8	acetonitrile dichlorvos-d6 (ISO) old Limit Value) R acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) parathion -methyl (ISO)-d6 quintozene-13C6 (ISO)	
203645-53-8 TLV (Threshold 75-05-8 1330190-00-5 203645-53-8 1216605-57-0 96740-32-8 285138-81-0	acetonitrile dichlorvos-d6 (ISO) old Limit Value) acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) parathion -methyl (ISO)-d6 quintozene-13C6 (ISO) Chlorpyrifos (Diethyl-d10) (ISO)	
203645-53-8 TLV (Threshold	acetonitrile dichlorvos-d6 (ISO) pld Limit Value) R acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) parathion -methyl (ISO)-d6 quintozene-13C6 (ISO) Chlorpyrifos (Diethyl-d10) (ISO) malathion-d6 (ISO)	
203645-53-8 TLV (Threshold	acetonitrile dichlorvos-d6 (ISO) old Limit Value) R acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) R parathion -methyl (ISO)-d6 quintozene-13C6 (ISO) Chlorpyrifos (Diethyl-d10) (ISO) malathion-d6 (ISO) Atrazine-d5	
203645-53-8 TLV (Threshold	acetonitrile dichlorvos-d6 (ISO) old Limit Value) acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) parathion -methyl (ISO)-d6 quintozene-13C6 (ISO) Chlorpyrifos (Diethyl-d10) (ISO) malathion-d6 (ISO) Atrazine-d5 carbaryl-d7 (ISO)	
203645-53-8 TLV (Threshold	acetonitrile dichlorvos-d6 (ISO) old Limit Value) R acetonitrile Captan-d6 dichlorvos-d6 (ISO) Naled-d6 (ISO) R parathion -methyl (ISO)-d6 quintozene-13C6 (ISO) Chlorpyrifos (Diethyl-d10) (ISO) malathion-d6 (ISO) Atrazine-d5	B2

16 Other information

The information provided in this Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer, Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

Printing date 09/09/2021 Reviewed on 05/07/2020

Trade name: ONE Pesticide420TM Internal Standard

(Contd. of page 11)

· Contact:

· Date of preparation / last revision 09/09/2021 / -

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

110